



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck			Seating	ј Сар	acity:				
GVW:	kg			Brake '	Гуре:		Air			
Owner Name:				-						
Address:										
City:			Prov	rince:	SK			Posta	al Code:	.
Telephone Nu	mber:	(306) 292	-9181							
Vehicle Identif	ication Nu	mber:	75	50174						
Make:	TEREX					Mod	el: T750			
Year:	2002					Unit	Number:			
Odometer:	59401 KM	1	Licence	Plate Nu	mber	: 4	I99MKD		Province:	sĸ

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:			Facility Number:
1462782 Alberta Ltd			16204
Inspection Technician Name:			Technician Number:
Troy Keltey			C9943
Inspection Technician Signature:		8	
Inspection Date:	2023/10/05		



The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type o	of Veh	icle								Gross	Vehicle	Weight registered	
Truck												kg	
Vehicl	e Info	rmati	ion		•								
VIN	7	5		0	1	7	4						
Unit	Numb	er			Year	<u> </u>		Ma	ıke	Model		Odon	neter
				1	2002			TER		T750		59,4	
					* 14	Re	aistered	Owne	r's Name			Plate N	umber
							g						
						Address				Po	stal Cod	e Phoi	ne Number
					•	Addiooc	•			'			
		-:-				-				ļ ,			
	Orum B	rakes:		A-Fu	il inspec	tion with	Drum R	emoved	Disc Br	rakes:			
				(LEFT		FRONT	RIGHT			
			130	psi			383.12	mm	Drums/Rotors	382.82	mm	130 psi	
		-	13				18	mm	Linings/Pads	18	mm		
		_					NA	mm	Push Rod Travel	NA NA	mm -	11 mm	
									D 45 4				
(_	NA ps	·	120	psi	-		383.14 18	mm	Drums/Rotors Linings/Pads	382.65	mm mm	120 psi	NA psi
	NA m	m\ _	15	mm	-		NA	mm	Push Rod Travel	NA NA	mm	15 mm	NA mm
					_				1 00111001110101				
	400		400		Г		419,41	mm	Drums/Rotors	420.1	mm	420	420
-	120 ps	-		psi			20	mm	Linings/Pads	20	mm	120 psi	120 psi
_	16 m	m)	15	mm	_		33	mm	Push Rod Travel	31	mm	13 mm	12 mm
							140.04		Drums/Rotors				
('	120 ps	si Y	120	psi	-		419.61	mm	Linings/Pads	420.13 16	mm mm	120 psi	120 psi
	11 m	m∫ ¯	5	mm	-		35	. mm	Push Rod Travel	39	mm	5 mm	6 mm
					_	-		-	I adii itaa i raya				
				-				mm	Drums/Rotors		mm		
_	p:	si Y		psi				mm	Linings/Pads		mm	psi	psi
_	m	m .		mm	-			mm	Push Rod Travel		mm	mm	mm
-			-		L			<u> </u>					
			_		_			mm	Drums/Rotors		mm	psi	psi
-	p:			psi mm				mm	Linings/Pads		mm -		
-		m _						mm	Push Rod Travel		mm	mm _	mm
					Park	Brak e Li r	ing L	_eft 1	17 _ mm Right 20	0 mm Trans	NA m	m	
						eel Torqu	_			bs Outer 500			
				(

	Secti	on	1 - P	ower Train			
Component	P	F	NA	Component	Р	F	NA
1.1. Accelerator Pedal/Throttle Actuator	1			1.8. Engine Start Safety Feature	/		
1.2. Exhaust System	/			1.9. Gear Position Indicator	1		
1.3. Emission Control Systems and Devices			/	1.10. Engine or Accessory Drive Belt	1		
1.4. Drive Shaft	1			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			1
1.5. Clutch and Clutch Pedal	1			1.12. Gasoline or Diesel Fuel System	1		
1.6. Engine/Transmission Mount	1			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			1
1.7. Engine/Shut Down	√						

NOTES:

1.3 CLUTCH MASTER CYLINDER LEAKING - REPLACED MASTER CYLINDER

	-	APF	END	DIX "A"			-7
Component	Р	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			1	A.3. Liquefied Natural Gas (LNG) Fuel System			1
A.2. Compressed Natural Gas (CNG) Fuel System			1				

NOTES:

Section 2 - Suspension										
Component	Р	F	NA	Component	P	F	NA			
2,1, Suspension & Frame Attachments	✓			2.5. Air Suspension			1			
2.2. Axle Attaching & Tracking Components	1			2.6. Self-Steer and Controlled-Steer Axle	/					
2.3. Axie & Axie Assembly				2.7. Shock Absorber/Strut Assembly	/					
2.4. Spring & Spring Attachment	1									

NOTES:

- 2.2 AXLE 1+ 2 DRAG LINK BUSHINGS WORN(L/H+R/H) REPLACED DRAG LINKS
- 2.2 AXLE 3 + 4 UPPER TORQUE ROD BUSHINGS WORN REPLACED TORQUE RODS
- 2.4 AXLE 2 L/H LEAF SPRING CRACKED REPLACED LEAF SPRINGS PACKS

	Section	3H	- Hy	draulic Brakes			
Component	P	F	NA	Component	Р	F	NA
3H.1. Hydraulic System Components			1	3H.13. Disc Brake System Components			/
3H.2. Brake Pedal/Actuator			1	3H.14. Mechanical Parking Brake			1
3H.3. Vacuum Assist (Boost) System			1	3H.15. Spring-Applied Air-Released Parking Brake			1
3H.4. Hydraulic Assist (Boost) System			1	3H.16. Spring-Applied Hydraulic-Released Parking Brake			1
3H.5. Air Assist (Boost) System			1	3H.17. Anti-Lock Brake System (ABS)			1
3H.6. Air-Over-Hydraulic Brake System			1	3H.18, Stability Control System			1
3H.11. Brake System Indicator Lamps			1	3H.19. Brake Performance			/
3H.12. Drum Brake System Components			1				

NOTES:

	Secti	on	3A -	Air Brakes			
Component	P	F	NA	Component	Р	F	NA
3A.1. Air Compressor	1			3A.13. Air System Components	1		
3A.2, Air Supply System				3A.14. Brake Chamber	4		
3A.4. Air Tank	1			3A.15. Drum Brake System Components	_		
3A,5, Air Tank Check Valves				3A.16, S-Cam Drum Brake System	/		
3A.6. Brake Pedal/Actuator	1			3A.17. Brake Shoe Travel (Wedge Brakes)	/		
3A.7. Treadle Valve and Trailer Hand Valve				3A.18, Disc Brake System Components			/
3A.8. Brake Valves & Controls	1			3A.19. Anti-Lock Brake System (ABS)			1
3A.9. Proportioning, Inversion or Modulation Valve				3A.21, Stability Control System			1

Section 3A - Air Brakes										
Component	P	F	NA	Component	P	F	N/			
3A.10. Towing Vehicle (Tractor) Protection System				3A,23, Brake Performance			1			
3A.11. Parking Brake & Emergency Application	/									

NOTES:

3A.15 AXLE 3 L/H BRAKE SHOES CONTAMINATED - REPLACED BRAKE SHOES

Section 4 - Steering								
Component	P	F	NA	Component	P	F	NA	
4.1. Steering Control and Linkage	1			4.4. Kingpin	1			
4.2. Power Steering System (Hydraulic and Electric)	1			4.5. Self-Steer and Controlled-Steer Axle				
4.3. Steering Operation (Active Steer Axle)								

NOTES:

Sec	tion 5 - Instrui	men	ts a	nd Auxiliary Equipment			
Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher			1	5.8. Heater & Windshield Defroster	1		
5.2. Hazard Warning Kit			1	5.9. Fuel-Burning Auxiliary Heater			1
5.3. Hom				5.10. Chain/"Headache" Rack			1
5.5. Speedometer	_			5.11. Auxiliary Controls and Devices	4		
5.6. Odometer				5.12, Auxiliary Drive Controls	4		
5.7. Windshield Wiper/Washer	/						

NOTES:

Section 6 - Lamps									
Component	P	F	NA	Component	P	T	F	NA	
6.1. Required Lamps	1			6.4. Instrument Panel Lamps	1				
6.2. Reflex Reflector	1			6.5, Headlamp Aim	1	-			
6,3, Retro-Reflective Marking	1								

NOTES:

- 6.1 HEADLIGHTS INOP REPAIRED WIRING
- 6.1 FRONT R/H MARKER INOP REPAIRED WIRING
- 6.2 FRONT L/H REFLECTOR BROKEN REPLACED REFLECTOR
- 6.4 INSTRUMENT PANEL LIGHTS INOP REPAIRED WIRING

	Section	7 -	Elec	trical System			
Component	P	F	NA	Component	P	F	NA
7.1. Wiring	1			7.3. Trailer Cord (output to towed vehicle)	1		
7.2. Battery	4						

NOTES:

7.2 BATTERIES FAILED LOAD TEST - REPLACED BATTERIES

Section 8 - Body								
Component	P	F	NA	Component	P		F	NA
8.1. Hood or Engine Enclosure	1			8.12. Bumper				/
8.2. Tilt Cab			1	8,13, Windshield	V			
8.3. Air-Suspended Cab			1	8.14. Side Windows	1			
8.4. Cab and Passenger-Vehicle Body	1			8.15. Rear Window				/
8.5. Cargo Body			1	8,16, Interior Sun Visor	4			
8.6. Frame, Rails & Mounts				8.17. Exterior Windshield Sun Visor				/
8.7. Unitized Body Elements	1			8.18. Rear-View Mirror	V	7		

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.8. Cab or Cargo Door	1			8.19, Seat	/		
8.9. Cargo Tank or Vessel			1	8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	1			8,21. Fender/Mud Flap	/		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			1	8.24. Aerodynamic Device & Attachment			1

NOTES:

8.4 DRIVER CAB STEPS ROTTEN AND INSECURE - SECURED STEPS

Section 9 - Tires and Wheels							
Component	Р	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	1		1	9.7. Wheel/Rim (Applies to all wheel types)	1		
9.2. Tire Tread Condition				9.8. Multi-Piece Wheel/Rim			1
9.3. Tire Sidewall & Manufacturer Markings	1			9.9. Spoke Wheel/Demountable Rim System			1
9.4. Tire Inflation Pressure	1			9,10, Disc Wheel System			1
9.5. Wheel Hub	1			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	/		
9.6. Wheel Bearing	1						

NOTES:

- 9.2 AXLE 2 L/H +R/H TIRES HAVE IRREGULAR TREAD WEAR REPLACED TIRES
- 9.5 AXLE 3 L/H + R/H WHEEL SEALS LEAKING REPLACED WHEEL SEALS
- 9.5 AXLE 2 L/H + R/H WHEEL SEALS LEAKING REPLACED WHEEL SEALS

Section 10 - Couplers and Hitches								
Component	P		F	NA	Component	Р	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	- /				10.5. Roll-Coupling Hitch			1
10.2. Secondary Attachment (Safety Chain or Cable)					10.6. Automated Coupling Device			/
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	4				10.7. Fifth Wheel Coupler			1
10.4. Ball Type Hitch					10.8. Oscillating Fifth Wheel Coupler			/

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #7919903) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature				
2023/10/05	C9943	16204	10				
ustomer Acknowledgment							
	n identifies defects and repairs are re		Date (Year/Month/Day)				
	 may be presented to any Vehicle in falled items noted on this ROI are red 		2023/10/05				
	ection within 10 days of the initial dat	e of Inspection, a new inspection	Customer Signature				
nust be conducted.			100				