



Legacy diesel service Llc  
597 Medina St  
Apt B, EAGLE PASS, TX 78852 United States  
sanchez.rolando9806@gmail.com | (210) 739-2819

Invoice #000098

Issue date  
Aug 27, 2025

# Invoice #000098

Customer	Invoice Details	Deposit	Balance
Skyline Transport Group accounting@skylinetg.com	PDF created May 5, 2026 \$7,350.00	Due Aug 27, 2025 \$3,675.00	Due September 26, 2025 \$3,675.00

Items	Quantity	Price	Amount
Custom Amount T880 <i>Truck was derated got called out to diagnose the issue found that truck what derated because it has excessive crank case pressure recommend to rebuild engine to fix the issue got it approved went the next week and tore the truck down as much as I could so no internal would get dirt in it and ordered parts got them delivered will start again tomorrow on dissembling the rest of the engine will be needing engine oil and oil filter</i>	1	\$7,350.00	\$7,350.00

Subtotal \$7,350.00

**Total Paid \$7,350.00**

**Deposit \$3,675.00**  
Paid • Due on Aug 27, 2025

**Balance \$3,675.00**  
Paid • Due on Sep 26, 2025

**Payments**

Jan 28, 2026 (Other) customer paid by transaction	\$3,675.00
Aug 28, 2025 (Visa 0611)	\$3,675.00



View online

To view your invoice go to <https://squareup.com/u/3LfE6e6f>  
Or open the camera on your mobile device and place the QR code in the camera's view.

# ATL Diesel, Inc.

# Sales Quote 0029482

Billing Address:  
8350 BEE RIDGE RD #336  
SARASOTA, FL 34241

Main Line: 940-286-7626  
erika@atldiesel.info

Date 8/8/2025

### Bill To

LEGACY DIESEL SERVICE  
ROLANDO SANCHEZ  
597 MEDINA ST  
EAGLE PASS, TX 78852-4339  
US

Mr. ROLANDO SANCHEZ  
210-739-2819  
legacydieselservice01@gmail.com

### Ship To

ROLANDO SANCHEZ  
LEGACY DIESEL SERVICE  
597 MEDINA ST  
EAGLE PASS, TX 78852-4339  
US

Ship Via	PO	Reference	Rep	Terms
LTL Freight				Pre Paid

Description	Quantity	Price	Amount
Cummins X15 Complete Inframe A5579309SP	1 Ea	4,235.00 Ea	4,235.00
CUMMINS ISX15/X15 STAGE 3 UPGRADED CYLINDER HEAD A4298234HH	1 Ea	4,455.00 Ea	4,455.00
CUMMINS ISX NEW .020' LINER SHIM 5298564 5298564	1 Ea	263.00 Ea	263.00
162030   Cummins ISX -.052SS Stainless Steel Liner Shim, New   5298565-.052SS 5298565-.052SS	6 Ea	110.00 Ea	660.00
PROMO DISCOUNT PROMO DISCOUNT	1 Ea	(150.00) Ea	-150.00

**Subtotal** 9,463.00  
**Tax** 780.73

**Quote Total \$10,243.73**

\*\*Cores listed at \$0 is solely for the purpose of proper tax calculation and is not reflective of intrinsic core value. All remanufactured items have associated cores that must either be returned within 30 days of purchase or paid for their value in full\*\*



# ATL Diesel, Inc.

# Sales Order 0029482

Billing Address:  
PO BOX 12674  
DALLAS, TX 75225

Main Line: 940-286-7626  
erika@atldiesel.info

Date 8/22/2025

### Bill To

GIVO YOUNANI  
5707 CAPE COD DR  
FRISCO, TX 75036-5087  
US

Mr. ROLANDO SANCHEZ  
210-739-2819  
legacydieselservice01@gmail.com;gyounani@att.net

### Ship To

ROLANDO SANCHEZ  
LEGACY DIESEL SERVICE  
597 MEDINA ST  
EAGLE PASS, TX 78852-4339  
US

Ship Via	PO	Reference	Rep	Terms
LTL Freight				Pre Paid
Description	Quantity	Price	Amount	
X15 Complete Inframe kit for CPL# 4342 AM-5579309 Tracking #: XPO 649247826	1 Ea	3,964.64 Ea	3,964.64	
CUMMINS ISX15/X15 STAGE 3 UPGRADED CYLINDER HEAD A4298234HH Tracking #: XPO 649247826	1 Ea	4,455.00 Ea	4,455.00	
162030   Cummins ISX -.052SS Stainless Steel Liner Shim, New   5298565-.052SS Tracking #: UPS 1ZAK83030304967155	6 Ea	110.00 Ea	660.00	
PROMO DISCOUNT PROMO DISCOUNT	1 Ea	(150.00) Ea	-150.00	

Subtotal 8,929.64  
Tax 736.70

## Order Total \$9,666.34

\*\*Cores listed at \$0 is solely for the purpose of proper tax calculation and is not reflective of intrinsic core value. All remanufactured items have associated cores that must either be returned within 30 days of purchase or paid for their value in full\*\*





UNIT TYPE 1

SPECIAL REQUIREMENTS

SPECIAL RESTRICTIONS 0098025 U.S. DOMESTIC REGISTRY

ENGINEERING ASSIGNED RATINGS

GAWR FRONT: 13,200.00 LBS  
 GAWR FIRST INTER 20,000.00 LBS SECOND INTER 0.00 LBS  
 GAWR REAR: 20,000.00 LBS  
 GVWR: 53,200.00 LBS

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
BASE MODEL				
0000810	T880 Series Conventional	P	173,667	15,073
0070060	T880	P	0	0
0080055	CARB IDLE EMISSIONS REDUCTION FEATURE CUMMINS ENGINES	P	100	0
0090000	NONSLEEPER With rear axle capacity less than 59K	P	0	0
ENGINE AND ENGINE EQUIPMENT				
0123645	X15 450 450@1800 1650@1000 2017 X15 w/Intebrake, Efficiency Series	P	3,874	300
N0920	N205 120...STANDARD MAXIMUM SPEED LIMIT			
N0922	N207 0....EXPIRATION DISTANCE (N207)			
N0924	P13 120...HARD MAXIMUM SPEED LIMIT (P1			
N0926	P14 86...MAXIMUM ACCELERATOR PEDAL VE			
N0928	P16 0....ACCELERATOR LOWER DROOP (P16			
N0930	P19 86...MAXIMUM CRUISE SPEED (P19)			
N0932	P38 0....CRUISE CONTROL LOWER DROOP (			
N0936	N203 252...RESERVE SPEED FUNCTION RESET			
N0938	N202 0....MAXIMUM CYCLE DISTANCE (N202			
N0940	N206 10...MAXIMUM ACTIVE DISTANCE (N20			
N0942	N201 0....RESERVE SPEED LIMIT OFFSET (			
N0944	P11 YES...ENGINE PROTECTION SHUTDOWN (			
N0946	P06 NO...GEAR DOWN PROTECTION (P06)			
N0948	P26 1400..MAX PTO SPEED (P26)			
N0950	P02 NO...CRUISE CONTROL AUTO RESUME (			
N0952	P04 NO...AUTO ENGINE BRAKE IN CRUISE			
N0954	N209 0....EXPIRATION DISTANCE (N209)			
N0956	P520 YES...ENABLE IDLE SHUTDOWN PARK BR			
N0958	P32 5....TIMER SETTING (P32)			
N0960	P233 YES...ENABLE IMPENDING SHUTDOWN WA			
N0962	P234 60...TIMER FOR IMPENDING SHUTDOWN			
N0964	P516 35...ENGINE LOAD THRESHOLD (P516)			
N0968	P33 NO...IDLE SHUTDOWN MANUAL OVERRUL			
N0972	P230 YES...ENABLE HOT AMBIENT AUTOMATIC			
N0974	P46 40...LOW AMBIENT TEMPERATURE THRE			
N0976	P56 60...INTERMEDIATE AMBIENT TEMPERA			
N0978	P47 80...HIGH AMBIENT TEMPERATURE THR			
1000156	Prospector Version 39.2 Replaces Version 39.1	P	0	0
1000683	Effective VSL Setting 65.0 MPH (USA)	P	0	0

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
1000858	Engine Idle Shutdown Timer Disabled	P	0	0
1000859	Enable EIST Ambient Temp Overrule	P	0	0
1000860	Enable EIST in PTO Mode	P	0	0
	Use only with MX and Cummins engines			
1000891	Eff EIST NA Expiration Miles	P	0	0
	Use only with MX and Cummins engines			
1002080	Air comp: Cummins 18.7 CFM, Naturally Aspirated for X15 engines	P	0	0
1051200	Air Cleaner: composite firewall mounted PACCAR or Cummins engines	P	0	0
1105220	Fan Hub: Horton 2-Speed for X15	P	361	0
1123555	COOLING MODULE: 1330 SQIN	P	0	0
1160208	BUGSCREEN MTD BETWEEN HOOD AND GRILL SEMI RIGID, NON-REM	P	119	2
1247166	EXH:2017 EPA RH UNDER DPF/SCR W/ RH SOC VERT TP F/ DAYCAB, EXT DAYCAB, MOD SLPR	P	0	0
1290124	Tailpipe: 5" Single 24" 45 Deg Curved	P	64-	2-
1321109	Fuel Filter:PACCAR Std. Serv. Interval	P	0	0
	Fuel/Water Separator, 2017 Emissions			
1321200	Run Aid:None	P	0	0
	*For Fuel Filter			
1321300	Start Aid:None	P	0	0
	*For Fuel Filter			
1816260	Alternator: PACCAR 160 amp, brush type	P	0	0
1821210	BATT: 3 PACCAR GP31 THR (700-730) 2100-2190 CCA DUAL PURPOSE BATTERIES	P	0	0
1836100	PACCAR 12V STARTER	P	0	0
1840065	12V low voltage disconnect for starter battery protection	P	0	0
1900996	JUMP START TERMINALS MTD UNDER HOOD	P	236	11
	<b>MAIN TRANSMISSION AND CLUTCH</b>			
2058362	FULLER FRO16210C 10-SPEED WITH PUMP & EXTERNAL OIL COOLER	P	527	0
2250670	Cl: Eaton 15-1/2" Easy Pedal Advantage to 1650 lb-ft ceramic 6-paddle	U	341	2
2294080	Air-assisted Hydraulic Clutch	P	0	0
2405405	DRIVELINE:2 DANA 1810 HEAVY DUTY; w/ 1 CENTERBEARING *Hvy duty is 1810HD	P	703	99
2429351	First PTO Compatibility/Eaton/BTM Mtd Standard Clutch Actuator/Single Acting	P	0	0
2429358	Trans PTO Rear Trans Supt Spring(s)	P	85	0
2429361	C/I First Eaton Trans PTO	P	0	0
2460042	14" EATON/FULLER HI CAP OIL TO WTR CLR STD F/TRAN 1550-2250LBFT.	P	0	0
2493009	Aluminum clutch housing	P	0	0
2494050	Grease bank for clutch throwout bearing	P	93	4
	<b>FRONT AXLE AND EQUIPMENT</b>			
2502335	DANA SPICER E-1322IL 13.2K 3.5" DROP	P	230	15-
2601605	FR BRK: RSD BENDIX HP-ES 16.5X5*MAX13.2 REDUCED STOPPING DISTANCE TRACTOR ONLY	P	119-	62-

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
2690002	FR BRK DRUM: CAST 16.5X5	P	208-	77
2701300	HUB:ALUM*HUB PILOT*MAX CAP 13.2K 11.25" BC*"TURBO"*10-BOLT	P	0	0
2741970	CONMET PRESET PLUS HUB PKG FRONT AXLE	P	0	0
2750001	FR HUBCAP: VENTED	P	0	0
2765001	FR AUTO SLACK ADJUST	P	0	0
2790015	FRONT END LOWERED: 1" *NOT AVL W9B/L	P	0	0
2864012	FR SPR:TAPERLEAF 13.2K W/SHOCK ABSORBER	P	39	9
2895221	PWR STRG: SING GEAR*SHEPPARD HD94*13.2K	P	0	0
2900615	THREADED BUSHINGS F/TAPERLEAF SPRGS 12K-14.6K (T6/T8/W9B); 13K-14.6K (T3)	P	54	0
REAR AXLE AND EQUIPMENT				
3124403	DANA SPICER DSP41 40K DUAL	P	384	112
	7/16" HVY-WALL HSG/INDUCT HARDND SPINDL			
3200355	REAR AXLE RATIO-3.55	P	0	0
3304012	RR BRK:BENDIX RSD 16.5X7 DUAL 46K CAP REDUCED STOPPING DISTANCE TRACTOR ONLY	P	2-	24
3392005	RR BRK DRUM: CAST S-CAM DUAL	P	0	0
3407050	RR HUB:AL HUB-PILOT DUAL 11-1/4"BC REQUIRES "R" SERIES OUTER ENDS	P	0	0
3441972	CONMET PRESET PLUS HUB PKG DUAL RR AXLE	P	0	0
3465002	RR AUTO SLACK ADJUST: DUAL	P	0	0
3485207	SPRING BRK: 3030 LONGSTROKE DUAL	P	30	4
3495225	FMVSS-136 Stability Cntrl Schdl Review	P	0	0
3495226	ABS:BENDIX 4S/4M	P	2,622-	0
3500037	FR WHL+2 GRP RR WHL*AVL ONLY W/AIR BRK DRIVELINE:1 DANA 1710 SERIES; INTERAXLE USE 3500040 FOR TRIDEM AXLES	P	0	0
3730030	KW AG400*40K DUAL*52"AS* 9" RIDE HT Includes air susp dump valve.	P	2,938	251-
TIRES, WHEELS & RIMS				
4079062	FR BRIDGESTONE R268ECOPIA 11R24.5 16PR ALL POS	P	201	35
4277524	PART: BR248868 FET: 70 RR BRIDGESTONE M853 11R24.5 16PR AP	P	1,340	264
4900008	PART: BR225034 FET: 280 CODE-REAR TIRE QTY 08.			
5045191	FR whl: Kenworth 7-spoke 98768 24.5x8.25 alum hub pilot	P	467	22-
5245191	RR whl: Kenworth 7-spoke 98768 24.5x8.25 alum hub pilot	P	1,868	88-
5900008	CODE-REAR RIM QTY 08.			
FRAME AND EQUIPMENT				
6054400	FRAME RAILS:10-5/8 X 5/16" STL 285-336" SECTION MOD:14.80, RBM:1,776,000 LBS,	P	182	0
6302361	BUMPER: TAPERED POLISHED ALUM REQS BUMPER SETTING CODE	P	197	7-

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
6319485	48.5 INCH BUMPER SETTING*REQS BUMPER CODE	P	0	0
6324025	FRONT TOW HOOK: CAST CENTER MT - C5B REQS STL & T8 REQS IRON FRT DRIVE BRKTS	P	246	29
6390312	IRON FRONT DRIVE BRACKETS	P	112	46
6405080	T8 BATT BOX MODULE:PAR ALUM UND, EXTEND LENGTH, ALUM DP INTEGRAL STEP COVER	P	75	73
6409901	BATTERY BOX LOCATION: LEFT HAND SIDE	P	0	0
6410010	FRAME AC EQUIP:GRABHANDLE(S) LH MOUNTED	P	57	0
6414002	SHORT AL FRAME ACCESS DECK PLATE: 24" UNLESS ONLY 12" FITS	P	125	11
6418008	FRAME ACCESS STEPS:2 F/ TANK BOC LH FUEL OR HYDRAULIC	P	174	7
6451090	T470,C5,T6,T8 NON-POL DPF/SCR OR CNG DP COVER W/STEP. CAB ACCESS RH UNDER	P	105	0
6543610	FW: ILS AIR HL FW35N918YL00 18" 9.00" OUTBRD, NO TILT CONVERTIBLE 55K	P	3,065	571
6679817	2017 EPA Emissions Engine	U	0	0
6680000	REAR OR FIXD SETTING AHD C/L BOGIE 000.			
6721144	RR MDFLP ARMS:FLEETLINE FF30SS STAINLES STEEL TAPERED SPRING LOADED	P	247	13
6722000	RR MDFLP SHIELDS:WHITE PLASTIC KW LOGO ANTISAIL	P	0	0
6734005	QTR FDR:SS W/PAINTED STL BRKTS SINGLE POST MOUNT	P	358	55
6743111	TRACTOR TAPER END OF FRAME: W/ CM	P	116	13
6747000	SHORTEST END-OF-FRAME CUTOFF W/SPECIFIED EOF CONFIGURATION Selecting code will override the "overhang" dimension found in Voca Analysis of Prospector.	P	0	0
FUEL TANKS AND EQUIPMENT				
7214075	FUEL TANK: 75 US GAL 24.5" AL BOC RPL	P	151-	11-
7216110	FUEL TANK:110 US GAL 24.5" AL BOC ADD	P	1,926	117
7722019	DEF TANK: MEDIUM ROUND 20.7 GAL USEABLE **2013 OR LATER	P	216	33
7821300	HD 7" STEEL SUPPORTS/STRAPS F/(2) 24.5" TANKS - 2 SUPTS PER TANK	P	659	35
7840029	POLISH ONLY: 2 ALUMINUM TANKS	P	806	0
7840038	POLISHED COVER:1 DEF TANK ANY SIZE	P	313	2
7889082	POLISH ONLY: HD 7" F/T STRAPS F/2 24.5" TANKS, 2 STRAPS/TANK*MUST CODE HD SUPTS	P	301	0
7889203	STANDARD DEF TO FUEL FILL RATIO: 2:1 OR GREATER	P	0	0
7889245	ANTI-SIPHON DEVICE F/TANK FILLER NECK ANY NUMBER OF TANKS	P	0	0
7889603	DEF TANK LOCATION: RH	P	0	0
7930075	LOCATION RH BEHIND CAB 075 GAL.			
7940110	LOCATION LH BEHIND CAB 110 GAL.			

CAB AND EQUIPMENT

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
8025301	CAB: Stamped Alum, Panoramic Curved Windshld, w/ LED Marker Lights, Signals	P	0	0
8090604	Hood: T880 Standard Length W/Mechan. Fastened Fenders. 122.6" BBC	P	364	15
8108011	Htr/Air Con w/defrst & auto temp ctrl *48K BTU/hr heater *Daycab/40in SLPR	P	0	0
8201013	STEERING WHEEL: 18" 4-SPK	P	0	0
8201200	STRG COLUMN:ADJ TELESCOPNG TILT*CODE F/18" STRG WHEEL*	P	0	0
8205087	AUTO SUSP DUMP W/PTO ENGAGEMENT INTERLOCK	P	61	2
8205164	DASH SWITCH:1ST SINGLE-ACTING EATON-MOUNTED PTO	P	104	0
8208495	SW: 2 SPARES WIRED TO POWER	P	64	0
8221144	GAU: AIR SUSP PRESSURE	P	106	0
8221160	GAU: OIL TEMP ENG W/INTEGRAL WARN LT	P	38	0
8222722	GAU: MANIFOLD PRESS	P	29	0
8225658	GAU:AXLE OIL TEMP DUAL DR AXLE(2 GAU) W/INTEGRAL WARN LT	P	183	0
8226667	GAU: OIL TEMP MAIN TRANSMISSION	P	52	0
8282007	Kenworth Driver Performance Center: 5in Full Color Active Matrix Info Display	P	0	0
8282013	Kenworth Instrumentation & Control Pkg *w/ 9 Std. Easy Read Gauges	P	0	0
8282108	Modular Dash OPTION: Dash Storage w/2 Shelves. *REDUCES GAUGE COUNT BY 6*	P	46	0
8300008	Interior color: Slate Gray	P	0	0
8330102	INTERIOR PACKAGE: VANTAGE DAYCAB	P	0	0
8390634	Floormat: Rubber material	P	0	0
8410270	DR Seat: KW GT702 HB w/ DuraSupreme Material, Air-Ride Susp.	P	225	11
8480099	RD Seat: KW GT100 IB Toolbox Seat w/ DuraSupreme Material	P	118	0
8490181	Seat color: Black w/black stitching	P	0	0
8601421	Kenworth Radio with AM/FM/WB/USB and Bluetooth	P	478	4
8698974	SPKRS: Base Audio System - Daycab: High Performance Door Speakers	P	84	2
8699926	CB installation kit center mounted of header w/quick mt release dual antenna	P	313	2
8700168	TURN SIGNAL SWITCH: COLUMN-MTD DIMMER INCL INTERMITTENT WIPER CONTROL	P	0	0
8700663	Kenworth TruckTech+ Formerly Remote Diagnostics	P	0	0
8800402	Grabhandles: Dual cab-interior,A-pillar mtd dash wrap & B-pillar mtd handles	P	0	0
8832113	Daylite Door: KW w/ Std LH/RH elec door locks and LH/RH elec window controls	P	0	0
8841618	AIR HORN: DUAL RECT 23" LH/RH ROOF INCL AIR HORN COVERS	P	232	4
8850139	Look-down, pass. door, Black 11x6	P	0	0

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
8865002	MIRR: DUAL KW AERO MOTOR HTD 7"X13"	P	0	0
8871446	SHELL CAB CLR-ARMS BLK W/ 6"X7" CX MIRR RR CAB Window: fixed 19"X36"	P	0	0
8890038	NOT AVAILABLE W/SLEEPER 3.5 X 11.5IN PLASTIC RECORD HLDR MTD RR	P	60	0
8890101	CAB PANEL*N/A W/SLPR OR 2 PERSON BENCH Windshield: 1-pc bonded-in w/ curved glass	P	0	0
8890135	SUNVISOR:EXTERIOR STAINLESS STEEL	P	861	20
8890300	FENDER CLOSE-OUT BELOW HEADLAMP	P	209	0
8890876	BEHIND BUMPER *NOT W/ 3-PC BUMPER Kenworth cab/sleeper air suspension	P	0	0
LIGHTS AND SIGNALS				
9010553	Headlamps: SAE Dual Halogen Complex Reflector	P	0	0
9022137	MARKER: 5 RECTANGULAR LED	P	0	0
9030016	Turn Signal Lights: Flush MTD LED MTD at top of fender wheel arc.	P	0	0
9030052	LED STOP/TURN/TAIL: WITH 2 LED B/U LIGHTS AND W/ LED LICENSE PLATE	P	0	0
9052011	FLOODLIGHTS: DUAL FLUSH 1ST SET	P	142	2
9059921	1ST SET LOC: LOW F/DUAL (LH IF SINGLE)	P	0	0
9090039	INTERRUPTER SWITCH FOR MARKER LTS	P	0	0
9090849	B-CAB:INCL IN TURN SIGNAL;T3 IN DASH Polyswitches repl fuses Switch will auto reset after removal of excess load	P	47	0
AIR EQUIPMENT				
9101215	Air Dryer Bendix AD-IS Puraguard heated	P	0	0
9108001	MOISTURE EJT VLV: PULL CABLE DRAIN	P	0	0
9110071	TRAC KIT: CTR FRM-MTD W/HOSETENNA -INCL COMPOSITE GLDHD/LT PLG HLDR	P	823	24
9121043	LIGHT LINE:PHLPS 15' COILED W/MTL PLUGS W/6" LEAD: MUST CODE TRAC KIT	P	104	4
9121115	AIR/LIGHT LINES: 15 FT COILED	P	144	2
9140020	NYLON AIR TUBING: FRAME/CAB	P	0	0
9140328	TRAILER ABS ELECT SUPPLY THRU SAE J560 7 PIN CONNECTOR (PER TMC RP137)	P	0	0
9140701	HOSETENNA BRACKET 1' BOC/S Plus or minus 6"	P	15	0
ORDER REVIEWED BY APPLICATIONS TECH:				
9290174	Kerby Thompson 740-774-5393	U	0	0
SPECIAL EQUIPMENT				
9409852	GHG Secondary Manufacturer: Does Not Apply	P	0	0
9490206	WARNING TRIANGLE REFLECTOR KIT: 3 TRIANGLES IN PLASTIC CASE	P	47	4
9490404	FIRE EXT: ONE 5# DRY CHEMICAL TYPE MTD OUTBOARD OF DR. SEAT. CLASS ABC.	P	136	11