

# COMPARTMENT SAMPLE HISTORY (Short Version)

RYAN INCORPORATED CENTRAL

Serial # RW9520E011129

Unit # 10-5552

Compartment : ENGINE

| Sampled Date | Sample ID       | Meter | Fluid Hours | Fluid Chg. | Overall Eval. | Al | Ba | B   | Cd | Ca   | Cr | Cu | Fe | Pb | Mg  | Mn | Mo  | Ni | P   | K | Si | Ag | Na | Sn | Ti | Zn   | V |
|--------------|-----------------|-------|-------------|------------|---------------|----|----|-----|----|------|----|----|----|----|-----|----|-----|----|-----|---|----|----|----|----|----|------|---|
| 27-Sep-24    | B270-54275-0027 | 10063 | 263         | Y          | NAR           | 0  | 0  | 65  | 0  | 1646 | 0  | 2  | 4  | 0  | 535 | 0  | 43  | 0  | 783 | 0 | 5  | 0  | 5  | 0  | 0  | 934  | 0 |
| 15-Dec-23    | B270-53353-0016 | 9800  | 239         | Y          | NAR           | 0  | 0  | 49  | 1  | 1815 | 0  | 11 | 18 | 0  | 605 | 0  | 49  | 0  | 845 | 1 | 5  | 0  | 2  | 0  | 0  | 1014 | 0 |
| 24-Jul-23    | B270-53215-0002 | 9561  | 213         | Y          | NAR           | 0  | 0  | 47  | 0  | 1695 | 0  | 27 | 22 | 2  | 564 | 0  | 52  | 0  | 731 | 2 | 7  | 0  | 2  | 3  | 0  | 972  | 0 |
| 15-Jun-23    | B270-53170-0042 | 9348  | 384         | Y          | NAR           | 0  | 0  | 60  | 0  | 1792 | 0  | 20 | 16 | 0  | 583 | 0  | 58  | 0  | 752 | 0 | 5  | 0  | 0  | 1  | 0  | 1000 | 0 |
| 27-Sep-22    | B270-52279-0019 | 8964  | 287         | Y          | NAR           | 2  | 0  | 236 | 0  | 1490 | 1  | 4  | 7  | 1  | 889 | 0  | 242 | 0  | 900 | 7 | 3  | 0  | 0  | 0  | 0  | 1054 | 0 |
| 09-Jul-22    | B270-52192-0011 | 8677  | 281         | Y          | NAR           | 1  | 0  | 53  | 0  | 1777 | 0  | 10 | 19 | 6  | 564 | 0  | 45  | 1  | 764 | 0 | 6  | 0  | 2  | 1  | 0  | 943  | 0 |
| 24-Jul-21    | B270-51214-0088 | 8396  | 329         | Y          | NAR           | 0  | 0  | 35  | 0  | 1716 | 0  | 6  | 36 | 8  | 583 | 0  | 43  | 0  | 718 | 3 | 5  | 0  | 2  | 0  | 0  | 944  | 0 |
| 09-Jul-21    | B270-51200-0052 | 8238  | 171         | N          | NAR           | 0  | 0  | 40  | 0  | 1724 | 0  | 9  | 21 | 4  | 565 | 0  | 44  | 0  | 731 | 2 | 4  | 0  | 1  | 0  | 0  | 928  | 0 |
| 04-May-21    | B270-51137-0061 | 8037  | 280         | Y          | MC            | 0  | 0  | 37  | 0  | 1839 | 0  | 11 | 49 | 15 | 578 | 0  | 40  | 0  | 774 | 1 | 0  | 0  | 0  | 0  | 0  | 998  | 0 |
| 16-Dec-19    | B270-49352-0013 | 7757  | 441         | Y          | NAR           | 1  | 0  | 37  | 0  | 1782 | 0  | 9  | 32 | 12 | 577 | 0  | 32  | 0  | 817 | 2 | 4  | 0  | 0  | 0  | 0  | 929  | 0 |
| 13-Jun-19    | B270-49171-0006 | 7170  | 130         | Y          | NAR           | 0  | 0  | 35  | 0  | 1917 | 0  | 14 | 14 | 0  | 460 | 0  | 33  | 0  | 806 | 0 | 1  | 0  | 0  | 0  | 0  | 969  | 0 |
| 10-Apr-19    | B270-49112-0031 | 7058  | 289         | Y          | NAR           | 1  | 0  | 42  | 0  | 1872 | 0  | 5  | 25 | 3  | 538 | 0  | 42  | 1  | 859 | 2 | 5  | 0  | 3  | 1  | 0  | 1036 | 0 |
| 27-Aug-18    | B270-48248-0038 | 6769  | 376         | Y          | NAR           | 1  | 0  | 40  | 0  | 1620 | 0  | 5  | 29 | 6  | 624 | 0  | 55  | 1  | 863 | 3 | 6  | 0  | 1  | 2  | 0  | 1053 | 0 |

| Sampled Date | Sample ID       | V100  | ST | OXI | SUL | NIT | W | A | F | PFC |
|--------------|-----------------|-------|----|-----|-----|-----|---|---|---|-----|
| 27-Sep-24    | B270-54275-0027 | 11.35 | 0  | 21  | 24  | 0   | N |   | N | 2.7 |
| 15-Dec-23    | B270-53353-0016 | 11.26 | 5  | 22  | 24  | 0   | N |   | N | 2.0 |
| 24-Jul-23    | B270-53215-0002 | 11.39 | 7  | 25  | 27  | 1   | N |   | N | 2.0 |
| 15-Jun-23    | B270-53170-0042 | 12.16 | 5  | 22  | 25  | 0   | N |   | N | 1.5 |
| 27-Sep-22    | B270-52279-0019 | 13.90 | 0  | 14  | 20  | 0   | N | N | N |     |
| 09-Jul-22    | B270-52192-0011 | 10.80 | 3  | 20  | 24  | 0   | N | N | N | 2.9 |
| 24-Jul-21    | B270-51214-0088 | 10.5  | 14 | 16  | 20  | 7   | N | N | N | 5.1 |
| 09-Jul-21    | B270-51200-0052 | 11.2  | 16 | 24  | 25  | 9   | N | N | N | 1.7 |
| 04-May-21    | B270-51137-0061 | 11.3  | 28 | 25  | 27  | 11  | N | N | N | 2.8 |
| 16-Dec-19    | B270-49352-0013 | 10.7  | 27 | 22  | 26  | 10  | N | N | N | 1.6 |
| 13-Jun-19    | B270-49171-0006 | 10.6  | 13 | 22  | 24  | 9   | N | N | N | 4.2 |
| 10-Apr-19    | B270-49112-0031 | 10.1  | 14 | 22  | 23  | 9   | N | N | N | 5.1 |
| 27-Aug-18    | B270-48248-0038 | 11.3  | 16 | 22  | 24  | 10  | N | N | N | 2.5 |

# COMPARTMENT SAMPLE HISTORY (Short Version)

RYAN INCORPORATED CENTRAL

Serial # RW9520E011129

Unit # 10-5552

Compartment : HYDRAULIC SYSTEM

| Sampled Date | Sample ID       | Meter | Fluid Hours | Fluid Chg. | Overall Eval. | Al | Ba | B   | Cd | Ca   | Cr | Cu | Fe | Pb | Mg | Mn | Mo | Ni | P    | K  | Si | Ag | Na | Sn | Ti | Zn   | V |
|--------------|-----------------|-------|-------------|------------|---------------|----|----|-----|----|------|----|----|----|----|----|----|----|----|------|----|----|----|----|----|----|------|---|
| 23-Dec-24    | B270-55014-8014 | 10082 | 1405        | N          | NAR           | 2  | 0  | 92  | 0  | 3801 | 0  | 4  | 8  | 0  | 52 | 0  | 3  | 0  | 1258 | 4  | 16 | 0  | 4  | 0  | 0  | 1564 | 0 |
| 27-Sep-24    | B270-54275-8042 | 10063 | 1386        | N          | NAR           | 4  | 0  | 97  | 0  | 3472 | 1  | 4  | 9  | 0  | 52 | 0  | 3  | 1  | 1174 | 7  | 17 | 0  | 3  | 0  | 0  | 1439 | 0 |
| 15-Dec-23    | B270-53353-8021 | 9800  | 1123        | N          | NAR           | 3  | 0  | 103 | 0  | 3596 | 1  | 4  | 8  | 1  | 48 | 0  | 3  | 0  | 1170 | 4  | 18 | 0  | 2  | 0  | 0  | 1477 | 0 |
| 26-Jun-23    | B270-53215-8003 | 9561  | 884         | N          | NAR           | 3  | 0  | 98  | 0  | 3355 | 1  | 4  | 7  | 0  | 52 | 0  | 3  | 0  | 1016 | 1  | 16 | 0  | 3  | 0  | 0  | 1360 | 0 |
| 22-May-23    | B270-53170-8027 | 9348  | 671         | N          | NAR           | 3  | 0  | 90  | 0  | 3738 | 0  | 3  | 6  | 0  | 61 | 0  | 4  | 0  | 1173 | 4  | 13 | 0  | 2  | 0  | 0  | 1539 | 0 |
| 27-Sep-22    | B270-52279-8045 | 8964  | 287         | N          | NAR           | 0  | 0  | 95  | 0  | 3583 | 0  | 3  | 6  | 0  | 56 | 0  | 3  | 0  | 1178 | 7  | 15 | 0  | 3  | 0  | 0  | 1445 | 0 |
| 09-Jul-22    | B270-52193-8032 | 8677  | 2892        | Y          | NAR           | 0  | 0  | 88  | 0  | 3451 | 0  | 8  | 9  | 0  | 45 | 0  | 3  | 0  | 1102 | 5  | 13 | 0  | 6  | 0  | 1  | 1409 | 0 |
| 24-Jul-21    | B270-51214-8029 | 8396  | 2611        | N          | NAR           | 2  | 0  | 98  | 0  | 3250 | 0  | 7  | 8  | 0  | 44 | 0  | 3  | 0  | 1043 | 4  | 13 | 0  | 7  | 0  | 2  | 1316 | 0 |
| 04-May-21    | B270-51137-8109 | 8037  | 2252        | N          | NAR           | 3  | 0  | 84  | 0  | 3371 | 1  | 8  | 14 | 1  | 49 | 0  | 4  | 0  | 1094 | 7  | 16 | 0  | 6  | 0  | 0  | 1374 | 0 |
| 16-Dec-19    | B270-49352-8125 | 7757  | 1972        | N          | NAR           | 2  | 0  | 98  | 1  | 3423 | 1  | 5  | 9  | 0  | 50 | 0  | 2  | 0  | 1142 | 5  | 14 | 0  | 6  | 1  | 0  | 1403 | 0 |
| 13-Jun-19    | B270-49171-8034 | 7170  | 1385        | N          | NAR           | 2  | 0  | 104 | 0  | 4007 | 0  | 2  | 34 | 0  | 50 | 0  | 3  | 0  | 1275 | 10 | 17 | 0  | 7  | 0  | 0  | 1549 | 0 |
| 10-Apr-19    | B270-49112-0085 | 7058  | 7058        | N          | NAR           | 2  | 0  | 14  | 0  | 3264 | 0  | 23 | 8  | 1  | 54 | 0  | 5  | 0  | 1140 | 0  | 3  | 0  | 7  | 0  | 0  | 1396 | 0 |
| 27-Aug-18    | B270-48248-0046 | 6769  | 984         | N          | NAR           | 3  | 0  | 97  | 0  | 3423 | 0  | 3  | 7  | 1  | 53 | 0  | 2  | 0  | 1178 | 3  | 10 | 0  | 3  | 0  | 0  | 1433 | 0 |

| Sampled Date | Sample ID       | V100  | ST | OXI | SUL | NIT | W | A | ISO      | PC Rating  | 4μ    | 6μ    | 10μ  | 14μ | 18μ | 21μ | 38μ | 50μ |
|--------------|-----------------|-------|----|-----|-----|-----|---|---|----------|------------|-------|-------|------|-----|-----|-----|-----|-----|
| 23-Dec-24    | B270-55014-8014 | 7.633 | 0  | 9   | 18  | 0   | N |   | 17/13/11 | NVP        | 790   | 53    | 26   | 11  | 5   | 5   | 0   | 0   |
| 27-Sep-24    | B270-54275-8042 | 7.812 | 0  | 10  | 19  | 0   | N |   | 19/15/11 | NVP        | 3373  | 316   | 47   | 16  | 16  | 16  | 11  | 5   |
| 15-Dec-23    | B270-53353-8021 | 7.745 | 0  | 10  | 19  | 0   | N |   | 19/14/10 | NVP        | 2540  | 126   | 11   | 5   | 0   | 0   | 0   | 0   |
| 26-Jun-23    | B270-53215-8003 | 7.833 | 0  | 10  | 18  | 0   | N |   | 19/16/10 | NVP        | 2698  | 437   | 21   | 5   | 5   | 5   | 5   | 5   |
| 22-May-23    | B270-53170-8027 | 7.92  | 0  | 11  | 19  | 0   | N |   | 17/15/12 | NVP        | 1144  | 200   | 42   | 21  | 21  | 21  | 16  | 5   |
| 27-Sep-22    | B270-52279-8045 | 8.000 | 0  | 9   | 18  | 0   | N | N | 17/13/12 | NVP        | 912   | 74    | 32   | 32  | 32  | 32  | 26  | 16  |
| 09-Jul-22    | B270-52193-8032 | 7.900 | 0  | 8   | 18  | 0   | N | N | 20/19/17 | NVP        | 8669  | 2851  | 1217 | 733 | 543 | 390 | 11  | 0   |
| 24-Jul-21    | B270-51214-8029 | 8.0   | 0  | 9   | 17  | 4   | N | N | 18/16/15 | NVP        | 1829  | 327   | 184  | 179 | 179 | 179 | 169 | 163 |
| 04-May-21    | B270-51137-8109 | 7.9   | 0  | 9   | 19  | 4   | N | N | 22/20/16 | DEBRI S B1 | 28727 | 7399  | 1270 | 480 | 300 | 279 | 148 | 121 |
| 16-Dec-19    | B270-49352-8125 | 7.9   | 0  | 9   | 20  | 4   | N | N | 24/21/16 |            | 87272 | 14338 | 1624 | 559 | 210 | 113 | 9   | 2   |
| 13-Jun-19    | B270-49171-8034 | 8.1   | 0  | 9   | 17  | 4   | N | N | VOLU ME  |            |       |       |      |     |     |     |     |     |
| 10-Apr-19    | B270-49112-0085 | 8.1   | 0  | 6   | 18  | 5   | N | N | 22/17/13 |            | 37122 | 1153  | 172  | 52  | 17  | 9   | 1   | 0   |
| 27-Aug-18    | B270-48248-0046 | 8.2   | 0  | 9   | 18  | 4   | N | N | 23/19/14 |            | 71312 | 4785  | 229  | 82  | 49  | 36  | 8   | 3   |

# COMPARTMENT SAMPLE HISTORY (Short Version)

RYAN INCORPORATED CENTRAL


Serial # RW9520E011129

Unit # 10-5552

Compartment : RADIATOR

| Sampled Date | Sample ID       | Meter | Fluid Hours | Fluid Chg. | Overall Eval. | Cu | Fe | Pb | Sn | Al | Zn | NO2 | Na   | K    | Mo  | MoO4 | BO3 | SiO3 |
|--------------|-----------------|-------|-------------|------------|---------------|----|----|----|----|----|----|-----|------|------|-----|------|-----|------|
| 17-Oct-24    | B270-54353-1021 | 10082 | 10082       | N          | MC            | 0  | 0  | 0  | 0  | 0  | 0  | 247 | 3877 | 3563 | 192 | 320  | 9   | 5    |
| 15-Dec-23    | B270-53353-1005 | 9800  | 9800        | N          | NAR           | 0  | 0  | 0  | 0  | 0  | 0  | 0   | 4210 | 4106 | 172 | 287  | 137 | 53   |
| 04-Jul-23    | B270-53215-1001 | 9561  | 9561        | N          | NAR           | 0  | 0  | 3  | 0  | 0  | 0  | 0   | 4309 | 4074 | 205 | 342  | 131 | 50   |
| 19-Jun-23    | B270-53170-1001 | 9348  | 9348        | N          | NAR           | 0  | 0  | 0  | 1  | 0  | 0  | 0   | 4288 | 4156 | 201 | 336  | 168 | 58   |
| 27-Sep-22    | B270-52279-1010 | 8964  | 8964        | N          | MC            | 0  | 0  | 0  | 0  | 0  | 0  | 0   | 4545 | 4309 | 248 | 414  | 0   | 2    |
| 09-Jul-22    | B270-52192-1018 | 8677  | 8677        | N          | NAR           | 0  | 0  | 0  | 0  | 0  | 0  | 3   | 3728 | 3454 | 181 | 301  | 50  | 43   |
| 24-Jul-21    | B270-51214-1004 | 8396  | 8396        | N          | NAR           | 0  | 0  | 0  | 1  | 0  | 0  | 0   | 3594 | 3222 | 167 | 278  | 54  | 36   |
| 04-May-21    | B270-51137-1012 | 8037  | 8037        | N          | NAR           | 0  | 0  | 0  | 1  | 0  | 0  | 0   | 4130 | 3685 | 237 | 395  | 13  | 19   |
| 17-Dec-19    | B270-49352-1001 | 7757  | 7757        | N          | NAR           | 0  | 0  | 2  | 0  | 0  | 1  | 0   | 3941 | 3769 | 192 | 320  | 242 | 56   |
| 13-Jun-19    | B270-49171-1005 | 7170  | 7170        | N          | NAR           | 0  | 0  | 0  | 0  | 0  | 0  | 45  | 3974 | 3725 | 192 | 320  | 264 | 53   |
| 10-Apr-19    | B270-49112-1025 | 7058  | 7058        | N          | NAR           | 0  | 0  | 0  | 0  | 0  | 0  | 15  | 3969 | 3903 | 210 | 350  | 141 | 24   |
| 27-Aug-18    | B270-48248-1012 | 6769  | 6769        | N          | MC            | 0  | 0  | 0  | 0  | 0  | 0  | 0   | 4452 | 4301 | 251 | 419  | 119 | 27   |

| Sampled Date | Sample ID       | GL | FP  | BP  | pH  | CON  | PO4 | TH  |
|--------------|-----------------|----|-----|-----|-----|------|-----|-----|
| 17-Oct-24    | B270-54353-1021 | 56 | -47 | 108 | 8.6 | 5634 | 3   | 77  |
| 15-Dec-23    | B270-53353-1005 | 59 | -52 | 109 | 7.8 | 5288 | 35  | 62  |
| 04-Jul-23    | B270-53215-1001 | 58 | -50 | 109 | 7.9 | 5386 | 33  | 57  |
| 19-Jun-23    | B270-53170-1001 | 58 | -50 | 109 | 8.0 | 5116 | 37  | 54  |
| 27-Sep-22    | B270-52279-1010 | 56 | -47 | 108 | 9.0 | 5503 | 17  | 104 |
| 09-Jul-22    | B270-52192-1018 | 55 | -45 | 108 | 7.9 | 4633 | 86  | 40  |
| 24-Jul-21    | B270-51214-1004 | 55 | -45 | 108 | 8.2 | 5471 | 86  | 39  |
| 04-May-21    | B270-51137-1012 | 58 | -50 | 109 | 8.5 | 5242 | 6   | 104 |
| 17-Dec-19    | B270-49352-1001 | 55 | -45 | 108 | 7.6 | 5664 | 15  | 63  |
| 13-Jun-19    | B270-49171-1005 | 57 | -48 | 109 | 7.9 | 5283 | 17  | 59  |
| 10-Apr-19    | B270-49112-1025 | 56 | -47 | 108 | 8.3 | 5564 | 4   | 30  |
| 27-Aug-18    | B270-48248-1012 | 57 | -48 | 109 | 8.4 | 5390 | 0   | 24  |




# COMPARTMENT SAMPLE HISTORY (Short Version)

RYAN INCORPORATED CENTRAL

Serial # RW9520E011129

Unit # 10-5552

| Sampled Date | Sample ID       | Color  | Appearance | ODOR | Foam | Precipitate Amount | Precipitate Appearance | Precipitate Properties |
|--------------|-----------------|--------|------------|------|------|--------------------|------------------------|------------------------|
| 17-Oct-24    | B270-54353-1021 | red    | clear      |      | norm | trace              | granular               | mag                    |
| 15-Dec-23    | B270-53353-1005 | orange | clear      | norm | norm | none               |                        |                        |
| 04-Jul-23    | B270-53215-1001 | red    | clear      | norm | norm | none               |                        |                        |
| 19-Jun-23    | B270-53170-1001 | yellow | clear      | norm | norm | none               |                        |                        |
| 27-Sep-22    | B270-52279-1010 | yellow | clear      | norm | norm | none               |                        |                        |
| 09-Jul-22    | B270-52192-1018 | green  | clear      | norm | norm | none               |                        |                        |
| 24-Jul-21    | B270-51214-1004 | green  | clear      | norm | norm | none               |                        |                        |
| 04-May-21    | B270-51137-1012 | yellow | clear      | norm | norm | trace              | fine                   | mag                    |
| 17-Dec-19    | B270-49352-1001 | yellow | clear      | norm | norm | trace              | fine                   | mag                    |
| 13-Jun-19    | B270-49171-1005 | yellow | clear      | norm | norm | trace              | flake                  | mag                    |
| 10-Apr-19    | B270-49112-1025 | yellow | clear      | norm | norm | none               |                        |                        |
| 27-Aug-18    | B270-48248-1012 | yellow | clear      | norm | norm | trace              | fine                   | mag                    |



# COMPARTMENT SAMPLE HISTORY (Short Version)

RYAN INCORPORATED CENTRAL

Serial # RW9520E011129

Unit # 10-5552

Compartment : TRANSMISSION

| Sampled Date | Sample ID       | Meter | Fluid Hours | Fluid Chg. | Overall Eval. | Al | Ba | B | Cd | Ca  | Cr | Cu | Fe | Pb | Mg | Mn | Mo | Ni | P   | K | Si | Ag | Na | Sn | Ti | Zn   | V |
|--------------|-----------------|-------|-------------|------------|---------------|----|----|---|----|-----|----|----|----|----|----|----|----|----|-----|---|----|----|----|----|----|------|---|
| 10-Apr-19    | B270-49112-0083 | 7058  | 7058        | N          | NAR           | 1  | 1  | 4 | 0  | 310 | 0  | 18 | 7  | 1  | 3  | 0  | 0  | 0  | 817 | 0 | 1  | 0  | 2  | 0  | 0  | 1063 | 0 |

| Sampled Date | Sample ID       | V100 | ST | OXI | SUL | NIT | W | A | ISO      | 4µ   | 6µ  | 10µ | 14µ | 18µ | 21µ | 38µ | 50µ |
|--------------|-----------------|------|----|-----|-----|-----|---|---|----------|------|-----|-----|-----|-----|-----|-----|-----|
| 10-Apr-19    | B270-49112-0083 | 7.3  | 0  | 4   | 12  | 2   | N | N | 20/16/11 | 6553 | 500 | 61  | 18  | 6   | 3   | 0   | 0   |



# COMPARTMENT SAMPLE HISTORY (Short Version)

RYAN INCORPORATED CENTRAL

Serial # RW9520E011129

Unit # 10-5552

Compartment : TRANSAXLE

| Sampled Date | Sample ID       | Meter | Fluid Hours | Fluid Chg. | Overall Eval. | Al | Ba | B   | Cd | Ca   | Cr | Cu  | Fe | Pb | Mg | Mn | Mo | Ni | P    | K | Si | Ag | Na | Sn | Ti | Zn   | V |
|--------------|-----------------|-------|-------------|------------|---------------|----|----|-----|----|------|----|-----|----|----|----|----|----|----|------|---|----|----|----|----|----|------|---|
| 09-Dec-24    | B270-55014-0038 | 10082 | 1405        | N          | NAR           | 0  | 0  | 104 | 0  | 3712 | 0  | 69  | 31 | 0  | 38 | 0  | 1  | 0  | 1285 | 1 | 13 | 1  | 7  | 0  | 0  | 1561 | 0 |
| 27-Sep-24    | B270-54275-8043 | 10063 | 1386        | N          | NAR           | 1  | 0  | 105 | 0  | 3614 | 0  | 69  | 32 | 0  | 36 | 1  | 2  | 0  | 1227 | 5 | 16 | 0  | 5  | 1  | 0  | 1480 | 0 |
| 15-Dec-23    | B270-53353-8020 | 9800  | 1123        | N          | NAR           | 0  | 0  | 110 | 0  | 3758 | 0  | 66  | 30 | 1  | 37 | 1  | 2  | 0  | 1225 | 2 | 12 | 0  | 4  | 0  | 0  | 1527 | 0 |
| 24-Jul-23    | B270-53215-8004 | 9561  | 884         | N          | NAR           | 1  | 0  | 103 | 0  | 3430 | 0  | 54  | 25 | 1  | 34 | 1  | 2  | 0  | 1045 | 2 | 13 | 0  | 6  | 0  | 0  | 1393 | 0 |
| 22-May-23    | B270-53170-8025 | 9348  | 671         | N          | NAR           | 2  | 0  | 104 | 0  | 4062 | 0  | 53  | 24 | 0  | 39 | 1  | 3  | 1  | 1265 | 5 | 11 | 0  | 6  | 0  | 0  | 1640 | 0 |
| 27-Sep-22    | B270-52279-8044 | 8964  | 287         | N          | NAR           | 0  | 0  | 106 | 0  | 3815 | 0  | 42  | 22 | 1  | 37 | 0  | 2  | 0  | 1235 | 5 | 13 | 0  | 4  | 0  | 0  | 1505 | 0 |
| 09-Jul-22    | B270-52193-8031 | 8677  | 1361        | Y          | NAR           | 0  | 0  | 94  | 0  | 3442 | 0  | 108 | 35 | 2  | 42 | 1  | 3  | 0  | 1163 | 3 | 9  | 0  | 7  | 1  | 0  | 1445 | 0 |
| 24-Jul-21    | B270-51214-8027 | 8396  | 1080        | N          | NAR           | 2  | 0  | 98  | 0  | 3295 | 0  | 37  | 16 | 1  | 42 | 0  | 3  | 0  | 1075 | 4 | 13 | 0  | 7  | 0  | 1  | 1342 | 0 |
| 04-May-21    | B270-51137-8121 | 8037  | 721         | N          | NAR           | 1  | 0  | 88  | 0  | 3442 | 0  | 85  | 27 | 1  | 46 | 1  | 3  | 0  | 1133 | 5 | 10 | 0  | 7  | 1  | 0  | 1408 | 0 |
| 16-Dec-19    | B270-49352-8046 | 7757  | 441         | N          | NAR           | 0  | 0  | 108 | 0  | 3809 | 0  | 80  | 34 | 2  | 50 | 1  | 3  | 0  | 1315 | 2 | 11 | 0  | 7  | 0  | 0  | 1556 | 0 |
| 13-Jun-19    | B270-49171-8019 | 7170  | 1489        | Y          | NAR           | 1  | 0  | 85  | 0  | 3107 | 0  | 79  | 26 | 2  | 47 | 0  | 2  | 0  | 1068 | 4 | 7  | 0  | 6  | 2  | 0  | 1265 | 0 |
| 27-Aug-18    | B270-48248-0017 | 6769  | 1088        | N          | NAR           | 2  | 0  | 94  | 0  | 3254 | 0  | 76  | 27 | 3  | 54 | 0  | 3  | 0  | 1192 | 3 | 8  | 0  | 8  | 2  | 0  | 1416 | 0 |

| Sampled Date | Sample ID       | V100  | ST | OXI | SUL | NIT | W | ISO      | PC Rating | 4μ    | 6μ    | 10μ  | 14μ | 18μ | 21μ | 38μ | 50μ |
|--------------|-----------------|-------|----|-----|-----|-----|---|----------|-----------|-------|-------|------|-----|-----|-----|-----|-----|
| 09-Dec-24    | B270-55014-0038 | 7.058 | 0  | 9   | 18  | 0   | N |          | NVP       |       |       |      |     |     |     |     |     |
| 27-Sep-24    | B270-54275-8043 | 7.148 | 0  | 6   | 16  | 0   | N | 20/16/11 | NVP       | 5449  | 448   | 42   | 16  | 5   | 5   | 5   | 5   |
| 15-Dec-23    | B270-53353-8020 | 7.107 | 0  | 9   | 18  | 0   | N | 19/16/12 | NVP       | 3336  | 395   | 37   | 21  | 5   | 5   | 5   | 5   |
| 24-Jul-23    | B270-53215-8004 | 7.206 | 0  | 10  | 20  | 0   | N | 22/19/11 | NVP       | 21412 | 3605  | 137  | 11  | 11  | 5   | 5   | 5   |
| 22-May-23    | B270-53170-8025 | 7.213 | 0  | 10  | 19  | 0   | N | 22/19/13 | NVP       | 23673 | 4685  | 401  | 58  | 26  | 26  | 11  | 0   |
| 27-Sep-22    | B270-52279-8044 | 7.400 | 0  | 9   | 18  | 0   | N | 20/16/12 | NVP       | 8205  | 358   | 42   | 32  | 21  | 21  | 11  | 5   |
| 09-Jul-22    | B270-52193-8031 | 7.400 | 0  | 7   | 18  | 0   | N | 23/18/13 | NVP       | 57538 | 2414  | 179  | 47  | 16  | 11  | 0   | 0   |
| 24-Jul-21    | B270-51214-8027 | 7.8   | 0  | 9   | 17  | 4   | N | 22/18/15 | NVP       | 24268 | 1302  | 211  | 184 | 179 | 174 | 174 | 153 |
| 04-May-21    | B270-51137-8121 | 7.3   | 0  | 9   | 19  | 4   | N | 19/17/14 | NVP       | 4864  | 1175  | 290  | 158 | 95  | 63  | 21  | 16  |
| 16-Dec-19    | B270-49352-8046 | 7.4   | 0  | 9   | 19  | 4   | N | 23/19/13 |           | 53293 | 3650  | 271  | 72  | 24  | 14  | 4   | 1   |
| 13-Jun-19    | B270-49171-8019 | 7.6   | 0  | 9   | 18  | 4   | N | 23/21/17 |           | 60745 | 15249 | 2873 | 830 | 263 | 130 | 12  | 2   |
| 27-Aug-18    | B270-48248-0017 | 7.4   | 0  | 9   | 18  | 4   | N | 23/20/14 |           | 55746 | 5483  | 297  | 109 | 63  | 44  | 13  | 7   |