

Serial Number Window: YCG216154

Build Date 21/Jun/2012

✗	Technical Type	510587001 - FS8AN4 NA AXIAL FLOW COMBINE T
✗	Variante	722753016 - 722753016-OP-CONCAVO ARAME FIN
✗	Variante	425364006 - 425364006
✗	Variante	722030226 - 722030226
✗	Variante	425187026 - 425187026-OP-ASSENTO OPER.TECI
✗	Variante	712553003 - 712553003-OP-EXTENSAO EIXO DIA
✗	Variante	712358816 - 712358816
✗	Variante	712432036 - 712432036-OP-EXT.PLATAF.OPER.3
✗	Variante	722776126 - 722776126
✗	Variante	722988036 - 722988036
✗	Variante	722611146 - 722611146-OP-COM SENSORES REND
✗	Variante	425058016 - 425058016
✗	Variante	425348006 - 425348006
✗	Variante	425139016 - 425139016
✗	Variante	425479036 - 425479036
✗	Variante	425057026 - 425057026-OP-PENEIRA SUPER.1-1

✗	Variante	425339006 - 425339006
✗	Variante	425286006 - 425286006
✗	Variante	425293006 - 425293006-425293006
✗	Variante	425213016 - 425213016
✗	Variante	425359016 - 425359016
✗	Variante	425256016 - 425256016
✗	Variante	722764023 - 722764023
✗	Variante	425464006 - 425464006
✗	Variante	425373016 - 425373016
✗	Variante	722744066 - 722744066
✗	Variante	810019816 - 810019816-OP-PN/RD 600/65R28 R
✗	Variante	425200476 - 425200476
✗	Variante	722702016 - 722702016-OP-ESPELHOS RETR.AJ.
✗	Variante	722481016 - 722481016
✗	Variante	425343006 - 425343006
✗	Variante	722520076 - 722520076
✗	Variante	425165066 - 425165066
✗	Variante	425198006 - 425198006
✗	Variante	722731016 - 722731016-SIEVE SHOE 1-1/8 REM

✗	Variante	415149106 - 415149106
✗	Variante	830016806 - 830016806
✗	Variante	425343006 - 425343-Std unload spout
✗	Variante	425213016 - 425213-High definition HID lighting
✗	Variante	712432036 - 712432-30 in./750 mm platform ext.
✗	Variante	425293006 - 425293-Extd. wear rotor w/bars/spikes
✗	Variante	425286006 - 425286-Autoguide Rdy w/GPS mnt
✗	Variante	810019816 - 8100198-600/65R28 LI 154 A8 R1W
✗	Variante	712553003 - 712553-Axle Ext. 10.4" 265mm - Planet
✗	Variante	830016806 - 8300168-620/70R42 166A8 R1W Dual
✗	Variante	425464006 - 425464-PowerPlus CVT drive
✗	Variante	722030226 - 722030-Self-leveling sys. w/grain pan
✗	Variante	425479036 - 425479-Cab
✗	Variante	722764023 - 722764-Engine block heater
✗	Variante	425348006 - 425348-HC unload 40 ft. hdrs
✗	Variante	425165066 - 425165-English for North America
✗	Variante	425339006 - 425339-Std spreader
✗	Variante	425139016 - 425139-CD radio w/aux input
✗	Variante	425057026 - 425057-1-1/8 in.adjustable,closz slat

✗	Variante	722611146 - 722611-Yield and moisture logging
✗	Variante	425373016 - 425373-Grain tank HC hyd covers
✗	Variante	425198006 - 425198-Standard wear
✗	Variante	425058016 - 425058-Lg wire, 1/4 in. dia.
✗	Variante	425200476 - 425200-Standard Equipment 425200
✗	Variante	415149106 - 415149-AutoGuidance Manual-English
✗	Variante	722776126 - 722776-HD planetary w/ diff lock
✗	Variante	425256016 - 425256-HD Adjustable steer axle
✗	Variante	722702016 - 722702-Manual adjustable mirrors
✗	Variante	425359016 - 425359-MagnaCut fine cut chopper
✗	Variante	722481016 - 722481-Standard elevator
✗	Variante	722731016 - 722731-1-1/8 in. grain slat -Elec
✗	Variante	712358816 - 712358-English Manual
✗	Variante	425364006 - 425364-HC unload system
✗	Variante	722988036 - 722988-Large color touch screen
✗	Variante	722744066 - 722744-Lateral header tilt w/trap
✗	Variante	425187026 - 425187-Cloth bucket operator seat
✗	Variante	722520076 - 722520-Trailer hitch
✗	Variante	722753016 - 722753-Sm wire, 3/16 in.-heat treated



Engine Serial Number 3BF007191760
