



**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	DIMMEL FARMS LTD		
Address:	BOX 981		
City:	LLOYDMINSTER	Province:	S9
		Postal Code:	S9V0Y9
Telephone Number:	(780) 808-6750		
Vehicle Identification Number:	2LDHG3628DF055379		
Make:	LODE KING	Model:	HGF362
Year:	2013	Unit Number:	
Odometer:	KM	Licence Plate Number:	327ISS
		Province:	SK

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Mach 1 Diesel Repair Ltd.	12368
Inspection Technician Name:	Technician Number:
Laverne Andrews	A5170
Inspection Technician Signature:	
Inspection Date:	2025/10/09

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered																																																																																																																																																																																																							
Trailer										kg																																																																																																																																																																																																							
Vehicle Information																																																																																																																																																																																																																	
VIN	2	L	D	H	G	3	6	2	8	D	F	0	5	5	3	7	9																																																																																																																																																																																																
Unit Number				Year		Make				Model				Odometer																																																																																																																																																																																																			
				2013		LODE KING				HGF362																																																																																																																																																																																																							
Registered Owner's Name															Plate Number																																																																																																																																																																																																		
DIMMEL FARMS LTD															327ISS																																																																																																																																																																																																		
Address										Postal Code				Phone Number																																																																																																																																																																																																			
BOX 981										S9V0Y9				(780) 808-6750																																																																																																																																																																																																			
Drum Brakes:										Disc Brakes:																																																																																																																																																																																																							
B-Wheel-on Full Inspection																																																																																																																																																																																																																	
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2"></th> <th colspan="2"><u>LEFT</u></th> <th colspan="2"><u>FRONT</u></th> <th colspan="2"><u>RIGHT</u></th> <th colspan="2"></th> </tr> </thead> <tbody> <tr> <td>90 psi</td><td>90 psi</td> <td>16.552</td><td>in</td> <td>Drums/Rotors</td><td>16.559</td><td>in</td> <td>90 psi</td><td>90 psi</td> <td></td> </tr> <tr> <td>9/32 in</td><td>9/32 in</td> <td>9/16</td><td>in</td> <td>Linings/Pads</td><td>9/16</td><td>in</td> <td>10/32 in</td><td>9/32 in</td> <td></td> </tr> <tr> <td></td><td></td> <td>1</td><td>in</td> <td>Push Rod Travel</td><td>1</td><td>in</td> <td></td><td></td> <td></td> </tr> <tr> <td>80 psi</td><td>80 psi</td> <td>16.550</td><td>in</td> <td>Drums/Rotors</td><td>16.554</td><td>in</td> <td>90 psi</td><td>90 psi</td> <td></td> </tr> <tr> <td>8/32 in</td><td>9/32 in</td> <td>9/16</td><td>in</td> <td>Linings/Pads</td><td>9/16</td><td>in</td> <td>15/32 in</td><td>14/32 in</td> <td></td> </tr> <tr> <td></td><td></td> <td>1</td><td>in</td> <td>Push Rod Travel</td><td>1</td><td>in</td> <td></td><td></td> <td></td> </tr> <tr> <td>psi</td><td>psi</td> <td></td><td>in</td> <td>Drums/Rotors</td><td></td><td>in</td> <td>psi</td><td>psi</td> <td></td> </tr> <tr> <td>in</td><td>in</td> <td></td><td>in</td> <td>Linings/Pads</td><td></td><td>in</td> <td>in</td><td>in</td> <td></td> </tr> <tr> <td></td><td></td> <td></td><td>in</td> <td>Push Rod Travel</td><td></td><td>in</td> <td></td><td></td> <td></td> </tr> <tr> <td>psi</td><td>psi</td> <td></td><td>in</td> <td>Drums/Rotors</td><td></td><td>in</td> <td>psi</td><td>psi</td> <td></td> </tr> <tr> <td>in</td><td>in</td> <td></td><td>in</td> <td>Linings/Pads</td><td></td><td>in</td> <td>in</td><td>in</td> <td></td> </tr> <tr> <td></td><td></td> <td></td><td>in</td> <td>Push Rod Travel</td><td></td><td>in</td> <td></td><td></td> <td></td> </tr> <tr> <td>psi</td><td>psi</td> <td></td><td>in</td> <td>Drums/Rotors</td><td></td><td>in</td> <td>psi</td><td>psi</td> <td></td> </tr> <tr> <td>in</td><td>in</td> <td></td><td>in</td> <td>Linings/Pads</td><td></td><td>in</td> <td>in</td><td>in</td> <td></td> </tr> <tr> <td></td><td></td> <td></td><td>in</td> <td>Push Rod Travel</td><td></td><td>in</td> <td></td><td></td> <td></td> </tr> <tr> <td>psi</td><td>psi</td> <td></td><td>in</td> <td>Drums/Rotors</td><td></td><td>in</td> <td>psi</td><td>psi</td> <td></td> </tr> <tr> <td>in</td><td>in</td> <td></td><td>in</td> <td>Linings/Pads</td><td></td><td>in</td> <td>in</td><td>ir</td> <td></td> </tr> <tr> <td></td><td></td> <td></td><td>in</td> <td>Push Rod Travel</td><td></td><td>in</td> <td></td><td></td> <td></td> </tr> </tbody> </table>																						<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>				90 psi	90 psi	16.552	in	Drums/Rotors	16.559	in	90 psi	90 psi		9/32 in	9/32 in	9/16	in	Linings/Pads	9/16	in	10/32 in	9/32 in				1	in	Push Rod Travel	1	in				80 psi	80 psi	16.550	in	Drums/Rotors	16.554	in	90 psi	90 psi		8/32 in	9/32 in	9/16	in	Linings/Pads	9/16	in	15/32 in	14/32 in				1	in	Push Rod Travel	1	in				psi	psi		in	Drums/Rotors		in	psi	psi		in	in		in	Linings/Pads		in	in	in					in	Push Rod Travel		in				psi	psi		in	Drums/Rotors		in	psi	psi		in	in		in	Linings/Pads		in	in	in					in	Push Rod Travel		in				psi	psi		in	Drums/Rotors		in	psi	psi		in	in		in	Linings/Pads		in	in	in					in	Push Rod Travel		in				psi	psi		in	Drums/Rotors		in	psi	psi		in	in		in	Linings/Pads		in	in	ir					in	Push Rod Travel		in			
		<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>																																																																																																																																																																																																											
90 psi	90 psi	16.552	in	Drums/Rotors	16.559	in	90 psi	90 psi																																																																																																																																																																																																									
9/32 in	9/32 in	9/16	in	Linings/Pads	9/16	in	10/32 in	9/32 in																																																																																																																																																																																																									
		1	in	Push Rod Travel	1	in																																																																																																																																																																																																											
80 psi	80 psi	16.550	in	Drums/Rotors	16.554	in	90 psi	90 psi																																																																																																																																																																																																									
8/32 in	9/32 in	9/16	in	Linings/Pads	9/16	in	15/32 in	14/32 in																																																																																																																																																																																																									
		1	in	Push Rod Travel	1	in																																																																																																																																																																																																											
psi	psi		in	Drums/Rotors		in	psi	psi																																																																																																																																																																																																									
in	in		in	Linings/Pads		in	in	in																																																																																																																																																																																																									
			in	Push Rod Travel		in																																																																																																																																																																																																											
psi	psi		in	Drums/Rotors		in	psi	psi																																																																																																																																																																																																									
in	in		in	Linings/Pads		in	in	in																																																																																																																																																																																																									
			in	Push Rod Travel		in																																																																																																																																																																																																											
psi	psi		in	Drums/Rotors		in	psi	psi																																																																																																																																																																																																									
in	in		in	Linings/Pads		in	in	in																																																																																																																																																																																																									
			in	Push Rod Travel		in																																																																																																																																																																																																											
psi	psi		in	Drums/Rotors		in	psi	psi																																																																																																																																																																																																									
in	in		in	Linings/Pads		in	in	ir																																																																																																																																																																																																									
			in	Push Rod Travel		in																																																																																																																																																																																																											
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>Park Brake Lining</td> <td>Left</td> <td>NA</td> <td>in</td> <td>Right</td> <td>NA</td> <td>in</td> <td>Trans</td> <td>NA</td> <td>in</td> </tr> <tr> <td>Wheel Torque Checked</td> <td></td> <td>Inner</td> <td>NA</td> <td>ft lbs</td> <td>Outer</td> <td>NA</td> <td>ft lbs</td> <td></td> <td></td> </tr> </table>																				Park Brake Lining	Left	NA	in	Right	NA	in	Trans	NA	in	Wheel Torque Checked		Inner	NA	ft lbs	Outer	NA	ft lbs																																																																																																																																																																												
Park Brake Lining	Left	NA	in	Right	NA	in	Trans	NA	in																																																																																																																																																																																																								
Wheel Torque Checked		Inner	NA	ft lbs	Outer	NA	ft lbs																																																																																																																																																																																																										

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment			✓				

NOTES:

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components			✓
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components			✓
3H.8. Vacuum System			✓	3H.19. Brake Performance			✓
3H.9. Air-Boosted Trailer Brake System			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System	✓		
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components			✓
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)	✓		
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)			✓
3A.14. Brake Chamber	✓			3A.23. Brake Performance			✓
3A.15. Drum Brake System Components	✓						

NOTES:

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle			✓
4.4. Kingpin			✓				

NOTES:

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher			✓				

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery			✓				

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Unitized Body Elements	✓			8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door	✓			8.23. Sliding Axle Assembly (Sliding Bogie)			✓
8.9. Cargo Tank or Vessel	✓			8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle			✓	8.25. Rear Impact Guard (RIG)	✓		

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components			✓	10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler	✓		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8544663) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2025/10/09	Technician Number A5170	Facility Number 12368	Signature 
Customer Acknowledgment I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.			Date (Year/Month/Day) 2025/10/09 Customer Signature