



Vehicle Standards and Inspection

Power Unit Inspection Certificate

This Certificate is issued under the authority of the Province of Saskatchewan

Decal # A290670

Station #: 71310	Station Name: Danbury Sales & Service
Technician #: 80618	Technician Name: Cory Kucharyshen
Signing Officer #: 88220	Signing Officer Name: April Kucharyshen

--

Inspection Completed Date: 16Apr2026	Inspection Expiry Date: 31Oct2026
--------------------------------------	-----------------------------------

Vehicle Details:	
VIN: 1XKDD49X13J968298	Odometer Reading: 397716 km
Year: 2003	Vehicle Make/Model: KENWORTH/HEAVY VEHICLE
Plate:	Jurisdiction: Saskatchewan

Message(s): VIN has been validated.

This certificate does not warranty or guarantee the condition of this vehicle's components and systems for any period of time.
--



The Record of Inspection must be given to the customer regardless of whether the vehicle passes or fails.

Station #: 71310

Station Name: Danbury Sales & Service

Technician #: 80618

Technician Name: Cory Kucharyshen

Signing Officer #: 88220

Signing Officer Name: April Kucharyshen

Vehicle Details:

VIN: 1XKDD49X13J968298

Odometer Reading: 397716 km

Year: 2003

Vehicle Make/Model: KENWORTH HEAVY VEHICLE

Inspection Details:

Pass	Rejected	Corrected	Req Attn	DRIVERS COMPARTMENT	Comments
x				Vehicle Identification (5)	
x				Sun Visor Interior (8)	
x				Horn Operation (5)	
x				Mirrors (8)	
		x		Windshield Wipers/Washers (8)	customer repaired window washers
x				Windshield Defroster/Heater (8)	
x				Windshield/Other Glass (8)	
x				Gear Position Indicator & Neutral Switch (1)	
x				Instrument Lamps (6)	
x				Accessibility Features/Equip (5)	
x				Auxiliary Heaters (5)	
x				Auxiliary Drive Controls (5)	
x				Emergency Exits (8)	
x				Floor/Step Well Covering (8)	
x				Service/Exit Doors (8)	
x				Indicator Lamps (5)	
x				Instruments/Gauges (5)	
		x		Switches (7)	customer replaced missing cab fan switches
x				Brake Pedal/Actuator (3)	
x				Clutch/Clutch Pedal (1)	

x				Fire Extinguisher/Hazard Kit (5)	
x				Seats/Seat Belts/SRS (8)	
x				Steering Column/Components (4)	
x				Auxiliary Controls/Equip (5)	
x				Speedometer/Odometer (5)	
x				Steering Lash/Travel (5)	
x				Accelerator Pedal/Actuator (1)	
x				Engine Shut Down Control (1)	
x				Engine Start Feature (1)	
x				Body Interior/Fixtures (8)	

Pass	Rejected	Corrected	Req Attn	BODY EXTERIOR	Comments
		x		Lamps (6)	vustoemr reapirod lights
x				Headlamp Aim (6)	
x				Reflex Reflectors (6)	
x				Retro Reflective Markings (6)	
x				Body/Bumpers (8)	
		x		Trailer Hitch (10)	customer rebuilt 5th wheel assembly and installed new pins and bushings
x				Cab Grab Handles/Steps (8)	
x				Attached Equipment (8)	
x				Cargo Bodies/Vessels (8)	
x				Sun Visor Exterior (8)	
x				Mud Flaps/Fenders (8)	
x				Trailer Power Cord (7)	
x				Chain/Headache Rack (5)	
x				Auxiliary Compartments (8)	
x				Hybrid Vehicle Drive Systems (1)	
x				Unitized Body Elements (8)	

Pass	Rejected	Corrected	Req Attn	ENGINE COMPARTMENT	Comments
x				Cab/Hood Safety Catches (8)	
x				Power Steering System (4)	
x				Fuel System (1)	
x				Battery/Wiring Condition (7)	
x				Air Suspended Cab (8)	
x				Cab Mounts (8)	
x				Drive Belts (1)	

Pass	Rejected	Corrected	Req Attn	CHASSIS
------	----------	-----------	----------	---------

			Hyd Brake System/Components (3.1)	
	x		Air Brake System/Components (3.2)	customer replaced leaking brake pot line on axle 3 and replaced shoes and drum on axle 2 LH.
	x		Wheel Bearings (9)	customer replaced wheel seal axle 2 LH.
	x		King Pins/Ball Joints (4)	customer replaced king pins on steer axle
x			Steering Linkage (4)	
x			Tires/Wheels (9)	
x			Self-Steering Axle (4)	
x			Engine/Transmission Mounts (1)	
x			Frame/Crossmembers/Mounts (8)	
x			Suspension/Axles (2)	
x			Drive Shaft/Universal Joints (1)	
x			Exhaust/Emission System (1)	

Brake/Tire Measurements

Axle 1-Pass

Wheel1-On : Tire Tread Depth: 17/32 in

Brake(1): S-CAM Brake

• Min Brake Lining/Pad: 9/16 in • Cam Rotation: 80.0 degrees • Brake Stroke: 1.75 in

Wheel2-On : Tire Tread Depth: 16/32 in

Brake(1): S-CAM Brake

• Min Brake Lining/Pad: 1/2 in • Cam Rotation: 100.0 degrees • Brake Stroke: 1.75 in

Axle 2-Pass

Wheel1-Off : Tire Tread Depth: 17/32 in

Brake(1): S-CAM Brake

• Min Brake Lining/Pad: 7/8 in • Brake Drum/Rotor: 418 mm • Brake Stroke: 1.25 in

Wheel2 : Tire Tread Depth: 12/32 in

Brake(1): No Brake

N/A

Wheel3 : Tire Tread Depth: 15/32 in

Brake(1): No Brake

N/A

Wheel4-On : Tire Tread Depth: 14/32 in

Brake(1): S-CAM Brake

• Min Brake Lining/Pad: 3/4 in • Cam Rotation: 40.0 degrees • Brake Stroke: 1.5 in

Axle 3-Pass

Wheel1-On : Tire Tread Depth: 11/32 in

Brake(1): S-CAM Brake

• Min Brake Lining/Pad: 3/4 in • Cam Rotation: 45.0 degrees • Brake Stroke: 1.75 in

Wheel2 : Tire Tread Depth: 11/32 in

Brake(1): No Brake

N/A

Wheel3 : Tire Tread Depth: 11/32 in

Brake(1): No Brake

N/A

Wheel4-On : Tire Tread Depth: 11/32 in

Brake(1): S-CAM Brake

• Min Brake Lining/Pad: 11/16 in • Cam Rotation: 60.0 degrees • Brake Stroke: 1.5 in