

Item Name	Item Description	Item Class	Total Quantity	Item Revision
200-0055-01	SCMBULK-MOUNT, VIBRATION DAMPING, 130 LB, RUBBER	Root Item Class	3.	F
200-0123-01	BOX, PLASTIC, 240 X 160 X 91 mm, NEMA 4X, IP65	Root Item Class	1.	A
200-0139-01	SCMBULK-BRACKET, STRUT CHANNEL, 90 DEGREE, SINGLE, POWDER COATED WHITE	Root Item Class	9.	B
200-0142-16	GROMMET, PUSH IN TYPE, 12.7mm ID, FOR PANEL THICKNESS 2.0mm, 24.0mm OD	Root Item Class	5.	A
300-0002-02	BOMBULK-DIN RAIL, STEEL, DIN 3,.25 IN MOUNT HOLE DIAMETER, 35MM HX7.5MM DX 2M L	Root Item Class	225.	A
300-0037-01	SCMBULK-AUTOMOTIVE CONNECTORS PLUG, GRAY BODY, 3-WAY	Root Item Class	10.	A
300-0038-01	SCMBULK-AUTOMOTIVE CONNECTORS RECPT, 3-WAY	Root Item Class	10.	A
300-0039-01	SCMBULK-AUTOMOTIVE CONNECTORS WEDGELOCK PLUG, 3-WAY	Root Item Class	10.	A
300-0040-01	SCMBULK-AUTOMOTIVE CONNECTORS WEDGELOCK RECPT, 3-WAY	Root Item Class	10.	A
300-0041-01	SCMBULK-AUTOMOTIVE CONNECTORS, FEMALE CRIMP CONTACT, SIZE 20, WIRE 16-22 GA, NICKEL	Root Item Class	62.	A
300-0042-01	SCMBULK-AUTOMOTIVE CONNECTORS, MALE CRIMP CONTACT, SIZE 20, WIRE 16-22 GA, NICKEL	Root Item Class	58.	A
300-0044-01	SCMBULK-CLIP FOR ATM CONNECTORS	Root Item Class	4.	A
300-0056-01	SCMBULK-AUTOMOTIVE CONNECTORS, WEDGELOCK RECPT, GRAY BODY, 2-WAY	Root Item Class	6.	A
300-0057-01	SCMBULK-AUTOMOTIVE CONNECTORS, WEDGELOCK PLUG, GRAY BODY, 2-WAY	Root Item Class	6.	A
300-0058-01	SCMBULK-AUTOMOTIVE CONNECTORS, PLUG, 2-WAY	Root Item Class	6.	A
300-0059-01	SCMBULK-AUTOMOTIVE CONNECTORS, RECPT, 2-WAY	Root Item Class	6.	A
300-0079-01	SCMBULK-CORD GRIP, COMPACT STRAIGHT, IP68, 1/2 TRADE SIZE, 0.24in - 0.47in CORD DIA.	Root Item Class	2.	A
300-0079-03	SCMBULK-CORD GRIP, COMPACT STRAIGHT, IP68, 1/2 TRADE SIZE, 0.2in - 0.35in CORD DIA.	Root Item Class	2.	B
300-0084-04	BOMBULK-CONTROL CABLE, UNSHIELDED, INCLUDES FOUR 20-AWG WIRES, 0.24 IN O.D.	Root Item Class	2,285.	A
300-0087-02	BOMBULK-SHIELDED COMMUNICATION/SECURITY SYSTEM CABLE, 18 AWG, 2 WIRES, 0.16 IN O.D.	Root Item Class	68,620.	B
300-0087-03	BOMBULK-SHIELDED COMMUNICATION/SECURITY SYSTEM CABLE, 18 AWG, 3 WIRES, 0.19 IN O.D.	Root Item Class	39,980.	A
300-0087-04	BOMBULK-SHIELDED COMMUNICATION/SECURITY SYSTEM CABLE, 18 AWG, 4 WIRES, 0.20 IN O.D.	Root Item Class	12,712.	1
300-0087-06	BOMBULK-SHIELDED COMMUNICATION/SECURITY SYSTEM CABLE, 18 AWG, 6 WIRES, 0.23 IN O.D.	Root Item Class	1,350.	A

300-0094-04	SCMBULK-RING TERMINAL, 12-10 AWG, #10 IN STUD, NYLON INSULATED	Root Item Class	9.	A
300-0094-06	SCMBULK-RING TERMINAL, 12-10 AWG, 1/4 IN STUD, NYLON INSULATED	Root Item Class	5.	A
300-0129-01	SCMBULK-AUTOMOTIVE CONNECTOR, RECEPTACLE, 4 POSITION, ATM SERIES	Root Item Class	3.	A
300-0129-02	SCMBULK-AUTOMOTIVE CONNECTOR, PLUG, 4 POSITION, ATM SERIES	Root Item Class	3.	A
300-0129-03	SCMBULK-AUTOMOTIVE CONNECTOR, RECEPTACLE WEDGELOCK, 4 POSITION, ATM SERIES	Root Item Class	3.	A
300-0129-04	SCMBULK-AUTOMOTIVE CONNECTOR, PLUG WEDGELOCK, 4 POSITION, ATM SERIES	Root Item Class	3.	A
300-0139-03	SCMBULK-TERMINAL BLOCK END COVER, DIN RAIL MOUNT	Root Item Class	3.	A1
300-0140-02	SCMBULK-TERMINAL BLOCK END BRACKET, DIN RAIL, SCREW-DOWN STYLE, 6 MM WIDTH	Root Item Class	2.	B
300-0142-01	SCMBULK-TERMINAL BLOCK JUMPER, YELLOW, FOR USE WITH 300-0133 (DINNECTOR SERIES DN-T10), SCREWLESS	Root Item Class	9.	A
300-0145-01	SCMBULK-TERMINAL BLOCK, DIN RAIL MOUNT, 6 MM WIDTH, 1 CIRCUIT, TWO-LEVEL, 24-10 AWG, GRAY, 30 A, 600 V (UL)	Root Item Class	14.	A
300-0148-01	SCMBULK-TERMINAL BLOCK, DIN RAIL MOUNT, GROUND, 7 MM WIDTH, 24-10 AWG	Root Item Class	2.	A
300-0153-050	BOMBULK-PVC CONDUIT, SCHEDULE 40, 1/2" DIA, 10 FT	Root Item Class	4,496.	B
300-0155-18	SCMBULK-CONNECTOR, FEMALE CRIMP TERMINAL, 24-18 AWG, MINIFIT JR SERIES, 600V, 9A	Root Item Class	14.	A
300-0157-06	SCMBULK-CONNECTOR, PLUG, DUAL ROW, 6 POSITION, MINIFIT JR SERIES, 4.2MM PITCH, FREE HANGING, 600V, 9A, UL 94V-2, USE WITH 300-0155- ** CRIMP TERMINALS	Root Item Class	1.	A
300-0157-08	SCMBULK-CONNECTOR, PLUG, DUAL ROW, 8 POSITION, MINIFIT JR SERIES, 4.2MM PITCH, FREE HANGING, 600V, 9A, UL 94V-2, USE WITH 300-0155- ** CRIMP TERMINALS	Root Item Class	1.	A
300-0165-01	CONDUIT, FEMALE ADAPTER, 0.5in NPT, PVC	Root Item Class	6.	A
300-0166-01	CONNECTOR, FLEX CONDUIT, STRAIGHT, 1/2	Root Item Class	10.	B
300-0168-01	BOMBULK-CONDUIT, FLEX, PLASTIC, 1/2	Root Item Class	1,618.	B
300-0189-050	CONDUIT, COUPLER, FEMALE SOCKET X FEMALE SOCKET, 1/2in TRADE SIZE	Root Item Class	1.	A
300-0210-08	SCMBULK-FERRULE, 24 AWG, 8 MM CONTACT LENGTH	Root Item Class	6.	A

300-0212-12	SCMBULK-FERRULE, 20 AWG, 12 MM CONTACT LENGTH	Root Item Class	10.	A
300-0215-12	SCMBULK-FERRULE, 14 AWG, 12MM CONTACT LENGTH	Root Item Class	12.	A
300-0226-01	SCMBULK-AUTOMOTIVE CONNECTOR, RECEPTACLE, 8 POSITION, KEY A, GRAY BODY, ATM SERIES	Root Item Class	1.	A
300-0226-02	SCMBULK-ATM PLUG, 8 POSITION	Root Item Class	1.	A
300-0226-03	SCMBULK-AUTOMOTIVE CONNECTOR, RECEPTACLE WEDGELOCK, 8 POSITION, ATM SERIES	Root Item Class	1.	A
300-0226-04	SCMBULK-ATM PLUG WEDGELOCK, 8 POSITION	Root Item Class	1.	A
300-0229-25	SCMBULK-CORD GRIP, M25 THREAD SIZE, CHEMICAL RESISTANT LIQUID-TIGHT, 0.35-0.67 IN CORD DIA	Root Item Class	2.	A
300-0307-13	SCMBULK-WIRE, SOLID, TITANIUM, 1.3 MM DIA, GRADE 2	Root Item Class	280.	1
300-0308-01	SCMBULK-CORD GRIP, COMPACT STRAIGHT, IP68, 1/4" NPT THREADED, 0.54 IN KNOCKOUT CLEARANCE HOLE, 0.115in - 0.25in CORD DIA., W/O LOCKNUT	Root Item Class	6.	A
300-0308-02	SCMBULK-LOCKNUT, NYLON, 1/4" NPT	Root Item Class	6.	A
300-0310-03	SCMBULK-FORK TERMINAL, SPADE, 22-18 AWG, #6 / M3 STUD, NYLON INSULATED, DOUBLE CRIMP, 6.4 MM WIDE	Root Item Class	13.	A
500-0047-01	E-STOP SWITCH 22MM / 40MM PUSHBUTTON TWIST TO RELEASE N.C. CONTACT PANEL MOUNT	Root Item Class	1.	A
500-0047-02	E-STOP SWITCH 22MM GUARD	Root Item Class	1.	A
500-0074-516	SCMBULK-RESISTOR, THROUGH HOLE, CARBON FILM, 5.1 MEG OHM, 1/8W, 5%, 200V	Root Item Class	4.	A
500-0080-01	SWITCH, 22MM PUSH BUTTON, MOMENTARY, 1 N.O. CONTACT INCLUDED, FLUSH, GREEN, ILLUMINATED, 24VDC LED, GCX SERIES	Root Item Class	1.	A.
700-0003-01	SCMBULK-PIPE CLAMP, 1/2" PIPE, PLASTIC	Root Item Class	12.	A
700-0003-03	PIPE CLAMP, 1" PIPE, PLASTIC	Root Item Class	11.	A
700-0003-06	PIPE CLAMP, 2-3/8" PIPE, PLASTIC	Root Item Class	2.	A
700-0003-08	PIPE CLAMP, 3" PIPE, PLASTIC	Root Item Class	2.	A
700-0003-09	PIPE CLAMP, 4" PIPE, PLASTIC	Root Item Class	7.	A
700-0026-01	VMIBULK-NUT, HEX, M6, 316 SS	Root Item Class	6.	A.
700-0039-04	VMIBULK-WASHER, LARGE DIA, M4, 12 MM OD, 0.9MM-1.1MM T, 316 SS	Root Item Class	2.	B
700-0057-02	VMIBULK-NUT, HEX, M5 X 0.8 8.0 MM WIDE, 4.0 MM HIGH, DIN 934, 18-8 SS	Root Item Class	28.	E

700-0057-03	VMIBULK-NUT, HEX, M6 X 1.0, 10 MM WIDE, 5.0 MM HIGH, DIN 934, 18-8 SS	Root Item Class	146.	E
700-0057-04	VMIBULK-NUT, HEX, M8 X 1.25, 13 MM WIDE, 6.5 MM HIGH, DIN 934, 18-8 SS	Root Item Class	89.	E
700-0057-06	VMIBULK-NUT, HEX, M12 X 1.75, 19 MM WIDE, 10 MM HIGH, DIN 934, 18-8 SS	Root Item Class	12.	E
700-0057-07	VMIBULK-NUT, HEX, M10 X 1.5, 17 MM WIDE, 8 MM HIGH, DIN 934, 18-8 SS	Root Item Class	7.	E
700-0057-08	VMIBULK-NUT, HEX, M16 X 2, 24 MM WIDE, 13 MM HIGH, DIN 934, 18-8 SS	Root Item Class	192.	E
700-0062-03	SCMBULK-BLIND RIVET, WIDE HEAD, .125IN X .187IN, SS	Root Item Class	6.	A
700-0064-04	BUTTON SOCKET HEAD CAP SCREW, M6 X 1, 18-8 SS, 20MM L	Root Item Class	27.	A
700-0067-02	VMIBULK-NUT, STRUT CHANNEL, 1 5/8in X 13/16in STRUT, M8 X 1.25, 316 SS	Root Item Class	72.	1
700-0087-03	VMIBULK-WASHER, FLAT, M5 SCREW SIZE, 5.3MM ID, 10MMOD, DIN 125, 18-8 SS	Root Item Class	26.	1
700-0087-04	VMIBULK-WASHER, FLAT, M6 SCREW SIZE, 6.4MM ID, 12MMOD, DIN 125, 18-8 SS	Root Item Class	52.	F
700-0087-05	VMIBULK-WASHER, FLAT, M8 SCREW SIZE, 8.4MM ID, 16MMOD, DIN 125, 18-8 SS	Root Item Class	23.	F
700-0087-06	WASHER, FLAT, M10 SCREW SIZE, 10.5MM ID, 20.0MM OD, DIN 125, 18-8 SS	Root Item Class	7.	F
700-0087-07	VMIBULK-WASHER, FLAT, M12 SCREW SIZE, 13MM ID, 24MMOD, DIN 125, 18-8 SS	Root Item Class	20.	F
700-0087-09	VMIBULK-WASHER, FLAT, M16 SCREW SIZE, 17MM ID, 30MMOD, DIN 125, 18-8 SS	Root Item Class	384.	F
700-0092-01	SCMBULK-SCREW, HEX HEAD CAP, M4 X 0.7, X 10 MM L, DIN 933, 18-8 SS	Root Item Class	2.	1
700-0106-08	VMIBULK-SCREW, HEX HEAD CAP, M12 X 1.75, 55 MM, DIN 933,18-8SS	Root Item Class	4.	B
700-0108-06	SCREW, HEX HEAD CAP, M6 X 1, X 18 MM L, DIN 933, 18-8 SS	Root Item Class	24.	B
700-0108-07	VMIBULK-SCREW, HEX HEAD CAP, M6 X 1.0, 20mm LENGTH, 18-8 SS	Root Item Class	3.	B
700-0108-08	VMIBULK-SCREW, HEX HEAD CAP, M6 X 1.0, 22mm LENGTH, 18-8 SS	Root Item Class	4.	B
700-0111-09	CLAMP, STRUT CHANNEL, 6 IN, SS	Root Item Class	7.	B
700-0113-01	SCMBULK-CLAMP, STRUT CHANNEL, 1/2 IN, VIBRATION DAMPING	Root Item Class	1.	A
700-0116-07	VMIBULK-SCREW, HEX HEAD CAP, M8 X 1.25, 22mm LENGTH, 18-8 SS	Root Item Class	60.	B
700-0116-08	VMIBULK-SCREW, HEX HEAD CAP, M8 X 1.25, 25mm LENGTH, 18-8 SS	Root Item Class	18.	B

700-0116-09	VMIBULK-SCREW, HEX HEAD CAP, M8 X 1.25, 30mm LENGTH, 18-8 SS	Root Item Class	6.	B
700-0116-10	VMIBULK-SCREW, HEX HEAD CAP, M8 X 1.25, 35mm LENGTH, 18-8 SS	Root Item Class	6.	B
700-0117-01	VMIBULK-WASHER, LARGE DIA. M8, 24mm OD, 8mm ID, 18-8 SS	Root Item Class	174.	B
700-0127-01	VMIBULK-WASHER, SPLIT LOCK, M6, 1.6mm THK, 18-8 SS	Root Item Class	158.	C
700-0127-02	VMIBULK-WASHER, SPLIT LOCK, M8, 2.0mm THK, 18-8 SS	Root Item Class	161.	C
700-0127-03	VMIBULK-WASHER, SPLIT LOCK, M10, 2.2mm THK, 18-8 SS	Root Item Class	7.	C
700-0127-04	VMIBULK-WASHER, SPLIT LOCK, M12, 2.5mm THK, 18-8 SS	Root Item Class	12.	C
700-0127-05	VMIBULK-WASHER, SPLIT LOCK, M16, 3.5mm THK, 18-8 SS	Root Item Class	192.	C
700-0127-07	VMIBULK-WASHER, SPLIT LOCK, M5, 1.2mm THK, 18-8 SS	Root Item Class	28.	C
700-0131-03	VMIBULK-SCREW, BUTTON-HEAD SOCKET CAP SCREW, M5 X 0.8mm, 10mm LENGTH	Root Item Class	2.	B
700-0131-04	VMIBULK-SCREW, BUTTON-HEAD SOCKET CAP SCREW, M5 X 0.8mm, 12mm LENGTH	Root Item Class	6.	B
700-0139-02	VMIBULK-SCREW, HEX HEAD CAP, M16 X 2, X 65 MM L, DIN 933, 18-8 SS	Root Item Class	16.	D
700-0139-03	VMIBULK-SCREW, HEX HEAD CAP, M16 X 2, X 80 MM L, DIN 933, 18-8 SS	Root Item Class	8.	D
700-0139-04	VMIBULK-SCREW, HEX HEAD CAP, M16 X 2, X 90 MM L, DIN 933, 18-8 SS	Root Item Class	152.	D
700-0139-06	SCREW, HEX HEAD CAP, M16 X 2, 100 MM L, DIN 933, 18-8 SS	Root Item Class	16.	C
700-0168-01	VMIBULK-WASHER, OVERSIZED, FENDER, M6, 18mm OD, 18-8 SS	Root Item Class	96.	A
700-0169-06	VMIBULK-SCREW, HEX HEAD CAP, M5 X 0.8, X 16 MM L, DIN 933, 18-8 SS	Root Item Class	26.	A
700-0190-01	SCMBULK-18-8 STAINLESS STEEL PHILLIPS PAN HEAD, #4-20, 1/4" L, THREAD FORMING	Root Item Class	4.	A
800-0022-04	BOMBULK-STRUT CHANNEL, SLOTTED, 1 5/8" X 1 5/8", 12 GA, POWDER COATED WHITE	Root Item Class	275.	B
800-0022-05	BOMBULK-STRUT CHANNEL, SLOTTED, 1 5/8" X 1 3/16", 14 GA, POWDER COATED WHITE	Root Item Class	10,990.	B
800-0065-01	BOMBULK-RUBBER STRIP, EPDM, ADHESIVE BACKED, 1/4in THICK, 2 in WIDTH, VARIOUS LENGTH	Root Item Class	380.	B
900-0038-02	BUSHING, HEX, 3/4" SPG, 1/2 FNPT, CPVC	Root Item Class	1.	A
900-0073-01	BALL VALVE, 1/2 S, PVC	Root Item Class	2.	B

900-0073-03	BALL VALVE, 1 S, PVC	Root Item Class	1.	B
900-0073-06	BALL VALVE, 2 S, PVC	Root Item Class	2.	B
900-0088-01	PIPE FITTING, HEX BUSHING, 3/4 PIPE END MALE X 1/2 S FEMALE, PVC	Root Item Class	3.	C
900-0088-02	PIPE FITTING, HEX BUSHING, 1 PIPE END MALE X 3/4 S FEMALE, PVC	Root Item Class	1.	C
900-0088-12	PIPE FITTING, HEX BUSHING, 6 PIPE END MALE X 3 S FEMALE, PVC	Root Item Class	2.	C
900-0088-13	PIPE FITTING, HEX BUSHING, 1in PIPE END MALE X 1/2in S FEMALE, PVC	Root Item Class	3.	C
900-0088-14	PIPE FITTING, HEX BUSHING, 2in PIPE END MALE X 1/2in S FEMALE, PVC	Root Item Class	3.	C
900-0088-16	PIPE FITTING, HEX BUSHING, 2in PIPE END MALE X 1in S FEMALE, PVC	Root Item Class	4.	C
900-0088-18	PIPE FITTING, HEX BUSHING, 4in PIPE END MALE X 3in S FEMALE, PVC	Root Item Class	1.	C
900-0088-30	PIPE FITTING, HEX BUSHING, 4in PIPE END MALE X 2in S FEMALE, PVC	Root Item Class	4.	C
900-0088-35	PIPE FITTING, HEX BUSHING, 6in PIPE END MALE X 2in S FEMALE, PVC	Root Item Class	1.	C
900-0108-01	PIPE, PVC, 3/4", SCHEDULE 40, ASTM D 1785	Root Item Class	53.	C
900-0108-02	BOMBULK-PIPE, PVC, 1/2", SCHEDULE 40, ASTM D 1785	Root Item Class	15,828.	C
900-0108-03	BOMBULK-PIPE, PVC, 1", SCHEDULE 40, ASTM D 1785	Root Item Class	9,605.	C
900-0108-05	BOMBULK-PIPE, PVC, 2", SCHEDULE 40, ASTM D 1785	Root Item Class	1,492.	C
900-0108-06	BOMBULK-PIPE, PVC, 3", SCHEDULE 40, ASTM D 1785	Root Item Class	2,274.	C
900-0108-07	BOMBULK-PIPE, PVC, 4", SCHEDULE 40, ASTM D 1785	Root Item Class	12,991.	C
900-0108-11	BOMBULK-PIPE, PVC, 6", SCHEDULE 40, ASTM D 1785	Root Item Class	6,582.	C
900-0119-04	FITTING, FEMALE ELBOW, 1/2" S X 1/2" S, ASTM D 2466 SCH 40, PVC	Root Item Class	9.	C
900-0119-06	FITTING, FEMALE ELBOW, 1" S X 1" S, ASTM D 2466 SCH 40, PVC	Root Item Class	20.	C
900-0119-09	FITTING, FEMALE ELBOW, 2" S X 2" S, ASTM D 2466 SCH 40, PVC	Root Item Class	5.	C
900-0119-11	FITTING, FEMALE ELBOW, 3" S X 3" S, ASTM D 2466 SCH 40, PVC	Root Item Class	3.	C
900-0119-13	FITTING, FEMALE ELBOW, 4" S X 4" S, ASTM D 2466 SCH 40, PVC	Root Item Class	9.	C
900-0119-15	FITTING, FEMALE ELBOW, 6" S X 6" S, ASTM D 2466 SCH 40, PVC	Root Item Class	2.	A

900-0120-01	FITTING, TEE, 1/2" S X 1/2" S X 1/2" S, ASTM D2466 SCH 40, PVC	Root Item Class	1.	A
900-0120-03	FITTING, TEE, 1 S X 1 S X 1 S, ASTM D2466 SCH 40, PVC	Root Item Class	2.	A
900-0120-05	FITTING, TEE, 2 S X 2 S X 2 S, ASTM D2466 SCH 40, PVC	Root Item Class	2.	A
900-0120-07	FITTING, TEE, 4 S X 4 S X 4 S, ASTM D2466 SCH 40, PVC	Root Item Class	3.	A
900-0120-09	FITTING, TEE, 6" S X 6" S X 6" S, ASTM D2466 SCH 40, PVC	Root Item Class	3.	A
900-0125-01	FITTING, COUPLING, STRAIGHT, 1/2in S X 1/2in S, PVC	Root Item Class	3.	A
900-0125-02	FITTING, COUPLING, STRAIGHT, 3/4in S X 3/4in S, PVC	Root Item Class	1.	A
900-0125-03	FITTING, COUPLING, STRAIGHT, 1in S X 1in S, PVC	Root Item Class	5.	A
900-0125-07	FITTING, COUPLING, STRAIGHT, 4in S X 4in S, PVC	Root Item Class	1.	A
900-0125-08	FITTING, COUPLING, STRAIGHT, 6in S X 6in S, PVC	Root Item Class	2.	A
900-0131-05	FITTING, FEMALE ELBOW, 45 DEG, 1" S X 1" S, ASTM D 2466 SCH 40, PVC	Root Item Class	2.	A
900-0131-13	FITTING, FEMALE ELBOW, 45 DEG, 6" S X 6" S, ASTM D 2466 SCH 40, PVC	Root Item Class	1.	A
900-0146-04	FLANGE, BOLTED, N80, PVC, 4IN, EASY-ALIGN, SCH 80 PVC	Root Item Class	23.	E
900-0146-06	FLANGE, BOLTED, N80, PVC, 2 IN, EASY-ALIGN	Root Item Class	10.	E
900-0146-07	FLANGE, BOLTED, N80, PVC, 3 IN, EASY-ALIGN, SCH 80 PVC	Root Item Class	4.	E
900-0147-01	GASKET, 3" FLANGE, VITON, 1/16 in	Root Item Class	4.	C
900-0147-03	GASKET, 4" FLANGE, VITON, 1/16in	Root Item Class	6.	C
900-0147-05	GASKET, 2" FLANGE, VITON, 1/16in	Root Item Class	5.	C
900-0184-04	PLUG, 2in, MALE UNTHREADED PIPE END, PVC, WHITE	Root Item Class	2.	A
900-0204-03	PIPE UNION 1 S X 1 S, N80 PVC, SPEARS 2000	Root Item Class	4.	A
900-0204-06	PIPE UNION 2 S X 2 S, N80 PVC, SPEARS 2000	Root Item Class	2.	A
900-0223-03	FLANGE, BOLTED, BLIND, N80, PVC, 4in	Root Item Class	2.	A0
EL2-0079-01	CONDUCTIVITY LIQUID DETECTOR ASSEMBLY	Root Item Class	1.	D
EL3-0066-01	SENSOR PROBE, CONDUCTIVITY LIQUID DETECTOR	Root Item Class	4.	B
EL3-0067-01	Conductivity Liquid Detector PCB Assembly v1	Root Item Class	1.	C
ELC-0088-02	CONNECTOR ASSY, PLUG, 2P, ATM SERIES	Root Item Class	4.	B
ELC-0089-02	CONNECTOR ASSY, RECEPTACLE, 2P, ATM SERIES	Root Item Class	2.	A
ELC-0089-04	CONNECTOR ASSY, RECEPTACLE, 4P, ATM SERIES	Root Item Class	3.	A
ELC-0098-18	CONNECTOR ASSY, PLUG, 6P, MINIFIT JR SERIES, 18-24 AWG	Root Item Class	1.	A

ELC-0099-18	CONNECTOR ASSY, PLUG, 8P, MINIFIT JR SERIES, 18-24 AWG	Root Item Class	1.	A
STC-0206-202	L BRACKET, CONDUCTIVITY TYPE LEAK DETECTOR, POWDER COATED	Root Item Class	4.	A
200-0228-01	BRACE, STRUT CHANNEL BRACKET, 1 5/8" STRUT WIDTH, POWDER COATED BLACK	Root Item Class	3.	A
800-0034-03	SHRINK TUBING, ID=0.38in BEFORE SHRINKING, ID=0.19in AFTER SHRINKING, 0.030in WALL THICKNESS, BLACK, POLYOLEFIN	Root Item Class	90.	A
700-0228-02	SCREW, HEX HEAD CAP, 5/8-11, X 2.25 L, ASME B18.2.1, 18-8 SS	Root Item Class	52.	A
700-0228-05	VMIBULK-SCREW, HEX HEAD CAP, 5/8-11, X 3 L, ASME B18.2.1, 18-8 SS	Root Item Class	24.	A
700-0230-07	VMIBULK-WASHER, FLAT, 5/8" - NARROW - TYPE A, 0.656 ID, 1.312 OD, ASME B18.21.1, 18-8 SS	Root Item Class	100.	A
700-0231-05	WASHER, SPLIT LOCK, 1/2" SCREW SIZE, 0.125" THK, ASME B18.21.1, 18-8 SS	Root Item Class	5.	A
700-0231-07	VMIBULK-WASHER, SPLIT LOCK, 5/8" SCREW SIZE, 0.156" THK, ASME B18.21.1, 18-8 SS	Root Item Class	100.	A
300-0042-02	SCMBULK-AUTOMOTIVE CONNECTORS, MALE CRIMP CONTACT, SIZE 16, WIRE 18-20 GA, NICKEL	Root Item Class	104.	A
300-0328-06	SCMBULK-AUTOMOTIVE CONNECTOR, RECEPTACLE, 2 POSITION, REDUCED DIA SEAL, KEY A, GRAY BODY, AT SERIES	Root Item Class	3.	A
500-0087-01	SCMBULK-THERMISTOR, NTC, 10 K OHM, #6 RING LUG, 40 mm CABLE	Root Item Class	1.	A
300-0041-02	SCMBULK-AUTOMOTIVE CONNECTORS, FEMALE CRIMP CONTACT, SIZE 16, WIRE 18-20 GA, NICKEL	Root Item Class	57.	A
300-0353-01	SCMBULK-QUICK DISCONNECT TERMINAL, FEMALE 0.250, 22-16 AWG, NYLON INSULATED	Root Item Class	3.	A
700-0127-08	VMIBULK-WASHER, SPLIT LOCK, M4, 1.0mm THK, 18-8 SS	Root Item Class	2.	C
100-0003-02	SCMBULK-5 INCH, 40 LB, CABLE TIE, BLACK	Root Item Class	20.	A
100-0003-08	SCMBULK-FASTENER-MOUNT CABLE TIE HOLDER WITH ADHESIVE BACK, 4 WAY, 0.18" MAXIMUM TIE WIDTH, BLACK	Root Item Class	16.	1
800-0034-04	BOMBULK-SHRINK TUBING, ID=0.25in BEFORE SHRINKING, ID=0.13in AFTER SHRINKING, 0.030in WALL THICKNESS, BLACK, POLYOLEFIN	Root Item Class	340.	A
900-0058-09	REDUCING BUSHING, 1 MS X 1/2 FNPT, CPVC	Root Item Class	1.	A
700-0223-02	VMIBULK-RIVET, BLIND, 3/16" DIA., 0.126"-0.250" MATERIAL THICKNESS, 18-8 SS	Root Item Class	12.	A
800-0122-02	BOMBULK-ORING, CORD STOCK, 1/16", 0.070" ACTUAL OD, 70A DUROMETER, EPDM	Root Item Class	40.	A
900-0147-11	GASKET, 4" FLANGE, VITON, 1/8in	Root Item Class	15.	A

300-0087-08	BOMBULK-SHIELDED COMMUNICATION/SECURITY SYSTEM CABLE, 18 AWG, 8 WIRES, 0.245 IN O.D.	Root Item Class	12,022.	A
900-0353-02	FITTING, TEE, 1/2IN COMPRESSION, 316 SS	Root Item Class	5.	A
900-0357-02	TUBE, 316 SS, 1/2", SEAMLESS, ASTM A269	Root Item Class	1,424.	A
900-0357-01	BOMBULK-TUBE, 316 SS, 1/4", SEAMLESS, ASTM A269	Root Item Class	25.	A
200-0356-01	SCMBULK-BRACKET, STRUT CHANNEL, CONNECTOR, 1 5/8" STRUT, 3 1/2" LONG, GALVANIZED STEEL	Root Item Class	2.	A
200-0422-02	SCMBULK-ENCLOSURE, CONNECTION HEAD, AL, IP68, 0.5 NPT PROBE, 0.5 NPT COND, FOR TEMP PROBE	Root Item Class	2.	A
700-0117-03	VMIBULK-WASHER, LARGE DIA. M5, 15mm OD, 5.3mm ID, 18-8 SS	Root Item Class	26.	B
700-0279-01	SCMBULK-LOOP CLAMP, VIBRATION -DAMPING, 5/8" ID, SS	Root Item Class	4.	A
900-0373-01	PIPE FITTING, BUSHING, HEX, 1.00" MPT X 1/2" FPT, SS	Root Item Class	2.	A
900-0374-01	PIPE NIPPLE, 1/2" MPT X 1-1/2" LONG, SS	Root Item Class	2.	A
300-0223-050	CONDUIT ELBOW, BELL END, 45 DEGREES, 1/2	Root Item Class	4.	PR
300-0042-03	SCMBULK-AUTOMOTIVE CONNECTORS, MALE CRIMP CONTACT, SIZE 16, WIRE 14-16 GA, NICKEL	Root Item Class	6.	A
300-0328-01	SCMBULK-AUTOMOTIVE CONNECTOR, RECEPTACLE, 2 POSITION, GRAY BODY, AT SERIES	Root Item Class	4.	A
300-0328-03	SCMBULK-AUTOMOTIVE CONNECTOR, RECEPTACLE WEDGELOCK, 2 POSITION, AT SERIES	Root Item Class	14.	A
300-0403-14	BOMBULK-WIRE, 14 AWG STRANDED HOOKUP MTW/UL1015 600V 105C RED	Root Item Class	5,020.	A
300-0419-02	SCMBULK-LEVER-NUT, 2 WIRE, 20-10 AWG, WAGO 221-612	Root Item Class	12.	A
300-0400-14	BOMBULK-WIRE, 14 AWG STRANDED HOOKUP MTW/UL 1015 600V 105C BLACK	Root Item Class	5,020.	A
300-0041-03	SCMBULK-AUTOMOTIVE CONNECTORS, FEMALE CRIMP CONTACT, SIZE 16, WIRE 14-16 GA, NICKEL	Root Item Class	3.	A
300-0328-02	SCMBULK-AUTOMOTIVE CONNECTOR, PLUG, 2 POSITION, GRAY BODY, AT SERIES	Root Item Class	13.	A
300-0328-04	SCMBULK-AUTOMOTIVE CONNECTOR, PLUG WEDGELOCK, 2 POSITION, AT SERIES	Root Item Class	13.	A
FM2-0064-04	PUMP AND MOTOR ASSY, UC326, 6.375" TRIM, 3HP, 1800 RPM	Root Item Class	1.	A
100-0128-03	SCMBULK-RIBBON, PRINTER BLACK, 4.33" WIDE X 984' LONG	Root Item Class	0.00186	PR
200-0530-01	LABEL, CENTER OF GRAVITY, 3.0 X 3.0	Root Item Class	2.	A

300-0213-10	SCMBULK-FERRULE, 18 AWG, 10 MM CONTACT LENGTH	Root Item Class	92.	A
300-0423-12	SCMBULK-FERRULE, 2 X 18 AWG, TWIN WIRE, 12 MM CONTACT LENGTH	Root Item Class	2.	A
300-0400-18	BOMBULK-WIRE, 18 AWG STRANDED HOOKUP MTW/UL 1015 600V 105C BLACK	Root Item Class	4,630.	A
300-0401-18	BOMBULK-WIRE, 18 AWG STRANDED HOOKUP MTW/UL 1015 600V 105C WHITE	Root Item Class	6,630.	A
300-0403-18	BOMBULK-WIRE, 18 AWG STRANDED HOOKUP MTW/UL 1015 600V 105C RED	Root Item Class	5,020.	A
300-0404-18	BOMBULK-WIRE, 18 AWG STRANDED HOOKUP MTW/UL 1015 600V 105C BLUE	Root Item Class	180.	A
100-0128-04	SCMBULK-LABEL, 1.0" WIDE 150' LONG, WHITE, UL969 CERTIFIED	Root Item Class	0.0804	2
900-0384-01	PIPE UNION, 1/2 S X 1/2 BSPT, N80 PVC	Root Item Class	3.	A
300-0427-02	BOMBULK-CONTROL CABLE, 2 WIRES, 18 AWG, UNSHIELDED, 300V	Root Item Class	4,140.	A
300-0402-14	BOMBULK-WIRE, 14 AWG STRANDED HOOKUP MTW/UL1015 600V 105C GREEN W/YELLOW STRIPE	Root Item Class	5,100.	A
600-0175-01	ACTUATOR, 1" TO 6", 24 VAC/VDC, 310in/lbs, HRSN2 CHASSIS, WITHOUT FAILSAFE	Root Item Class	1.	A
700-0333-01	VMIBULK-SOCKET HEAD CAP SCREW, 6-32, 3/4", SS 18-8	Root Item Class	4.	A
ELC-0246-01	LABEL, VENTILATION OUTLET	Root Item Class	3.	B
ELC-0247-01	LABEL, DO NOT BLOCK	Root Item Class	6.	B
ELC-0248-01	LABEL, VENTILATION INLET	Root Item Class	3.	B
300-0215-10	SCMBULK-FERRULE, 14 AWG, 10MM CONTACT LENGTH	Root Item Class	3.	A
600-0108-02	WEATHERPROOF OUTLET BOX, 2-GANG, 2" DEEP, (3) 1/2" HUBS, DIE CAST, GRAY, POWER COATED	Root Item Class	3.	PR
100-0129-01	SCMBULK-LABEL, 2" WIDE 150' LONG, ORANGE	Root Item Class	0.0064	A
600-0186-02	PRESSURE TRANSDUCER, CERAMIC, 0-1.0 BAR GAUGE, 14-30VDC, 0-10VDC OUTPUT, DIN CONNECTOR	Root Item Class	1.	A
600-0186-03	PRESSURE TRANSDUCER, CERAMIC, 0-1.6 BAR GAUGE, 14-30VDC, 0-10VDC OUTPUT, DIN CONNECTOR	Root Item Class	2.	A
300-0407-18	BOMBULK-WIRE, 18 AWG STRANDED HOOKUP MTW/UL 1015 600V 105C YELLOW	Root Item Class	270.	A
200-0669-01	LABEL, DRAIN OUTLET	Root Item Class	4.	A
600-0190-01	SCMBULK-HUBBELL-RACO 5175-0 WEATHERPROOF COVER, 2-GANG	Root Item Class	3.	PR
900-0459-06	FLANGE, BOLTED, SCH 80, PVC, 2IN FPT, ONE-PIECE	Root Item Class	2.	A

900-0088-40	PIPE FITTING, HEX BUSHING, 4in PIPE END MALE X 1in S FEMALE, PVC	Root Item Class	1.	A
200-0777-01	ENCLOSURE, 82.04 X 80.01 X 55.12 MM, NEMA 4X, POLYCARBONATE, W/ CLEAR COVER	Root Item Class	1.	A
900-0297-03	FITTING, MALE ADAPTER, 1" SPG X 1" MNPT, SCH80 PVC	Root Item Class	4.	A
300-0482-01	BOMBULK-CONTROL CABLE, UNSHIELDED, 4 COND, 12AWG	Root Item Class	20,200.	A
500-0071-03	THERMISTOR NTC, 10 K OHM, PTFE BODY, DOUBLE SIDED MOUNTING, 1 m CABLE	Root Item Class	1.	B
300-0081-11	SCMBULK-SWITCH, PANEL MOUNT, ROCKER, SPST, 125V 16A	Root Item Class	1.	1
300-0081-09	SCMBULK-END CAP, WATERPROOF	Root Item Class	1.	1
FMC-0140-01	TANK, POSITIVE, HORIZONTAL CYLINDRICAL, 26,300 L	Root Item Class	1.	A
FMC-0141-01	TANK, NEGATIVE, HORIZONTAL CYLINDRICAL, 16,721 L	Root Item Class	1.	A
900-0146-12	FLANGE, BOLTED, N80, PVC, 6IN, EASY-ALIGN, SCH 80 PVC	Root Item Class	8.	1
STC-0412-01	FAN SHROUD, WELDMENT, ENERGY CENTER & ENERGY WAREHOUSE	Root Item Class	3.	B
700-0422-01	SCREW, SOCKET HEAD CAP, M8x1.25 x 110, STAINLESS STEEL	Root Item Class	18.	1
STC-0415-01	SPACER, 1/2", SCHEDULE 40 PVC	Root Item Class	18.	A
900-0088-38	PIPE FITTING, HEX BUSHING, 6in PIPE END MALE X 4in S FEMALE, PVC	Root Item Class	4.	1
300-0402-12	BOMBULK-WIRE, 12 AWG STRANDED HOOKUP MTW/UL1015 600V 105C GREEN W/YELLOW STRIPE	Root Item Class	420.	1
300-0081-07	LIGHT FIXTURE, N-SERIES LED 24VDC, FLEXIBLE, ULTRA BRIGHT, WATERPOOF 16.4' REEL	Root Item Class	1.	1
FM2-0155-02	PUMP AND MOTOR ASSY, UC436, 5-5.5HP, 1750 RPM	Root Item Class	2.	A
900-0146-10	FLANGE, BOLTED, N80, PVC, 1/2 IN, EASY-ALIGN	Root Item Class	2.	1
900-0147-08	SCMBULK-GASKET, 1/2" FLANGE, VITON, 1/16in	Root Item Class	1.	1
900-0306-06	VALVE, BUTTERFLY, TYPE BYV, PVC BODY, PVC DISC, VITON SEAL, ACTUATION READY, 2in, LUGGED	Root Item Class	1.	1
ST3-0180-01	ASSY, STUD STACK, FLOOR, 1-2IN	Root Item Class	3.	A
700-0244-01	1/2 IN-13, 18-8 STAINLESS STEEL HEX NUT	Root Item Class	5.	1
700-0245-01	1/2 IN, 1.25 IN OD, 18-8 STAINLESS STEEL WASHER	Root Item Class	5.	1
700-0484-01	STUD, THREADED-WOOD SCREW, SS, 1/2"	Root Item Class	5.	1
700-0485-01	WASHER, CUSHIONING, 1/2"	Root Item Class	3.	1
200-1354-01	LABEL, DANGER-HYDROGEN-NO SMOKING, 3.5" X 5", VINYL, UL969	Root Item Class	1.	1

200-1357-01	LABEL, "DANGER CONFINED SPACE", OSHA, UL969	Root Item Class	2.	1
200-1358-01	LABEL, NFPA 704 3-0-0, DIAMOND, UL969	Root Item Class	3.	1
300-0508-01	BOMBULK-CABLE, 4 WIRE, TWISTED PAIRS, 22 AWG, TINNED COPPER	Root Item Class	27,840.	1
300-0510-01	CONNECTOR, SEALED INLINE, FEMALE, 3 CONDUCTOR, 16 AWG	Root Item Class	3.	1
300-0511-01	CONNECTOR, SEALED INLINE, RECEPTACLE, 3 CONDUCTOR, 16 AWG	Root Item Class	6.	1
300-0518-01	BOMBULK-CABLE, 3 WIRE, 18 AWG, 600V AWM 11231/21959	Root Item Class	27,810.	1
300-0519-01	CONNECTOR, SEALED INLINE, RECEPTACLE, 3 CONDUCTOR, 20 AWG	Root Item Class	3.	1
300-0520-01	CONNECTOR, SEALED INLINE, PLUG, 3 CONDUCTOR, 20 AWG	Root Item Class	3.	1
EL3-0179-01	ASSY, PIGTAIL, FOR CONTROL VALVES	Root Item Class	1.	C
300-0042-04	AUTOMOTIVE CONNECTORS, MALE CRIMP CONTACT, SIZE 16, WIRE 22-24 GA, NICKEL	Root Item Class	6.	1
600-0232-01	BFLY MOUNTING KIT 2"-3"	Root Item Class	1.	1
900-0063-13	INJECTOR, 4" MNPT X 4" MNPT X 2" MNPT	Root Item Class	1.	1
900-0459-09	FLANGE, BOLTED, SCH80, PVC, 4IN FPT, ONE PIECE	Root Item Class	2.	1
900-0520-03	VALVE, BUTTERFLY, TYPE BYV, PVC BODY, PVC DISC, VITON SEAL, LEVER, 4in, LUGGED	Root Item Class	3.	1
900-0566-01	FITTING, STREET ELBOW, 4" S X 4" S, ASTM D 2466 SCH 40, PVC	Root Item Class	4.	1
FM3-0268-01	ASSY, TANK H2 AND EL RETURN PORT	Root Item Class	2.	A
FM3-0142-01	FLANGE ADAPTER, 4" TO 1", PVC	Root Item Class	2.	ARL1
FM3-0278-01	RBC INJECTOR LOOP	Root Item Class	1.	A
FM3-0279-01	RBC INJECTOR LOOP INLET	Root Item Class	1.	B
FM3-0280-01	TANK OVERFLOW CONNECTION	Root Item Class	1.	A
FM3-0281-01	MAIN PUMP INLET, POSITIVE	Root Item Class	1.	A
FM3-0282-01	MAIN PUMP OUTLET, POSITIVE	Root Item Class	1.	A
FM3-0283-01	MAIN PUMP INLET, NEGATIVE	Root Item Class	1.	A
FM3-0284-01	MAIN PUMP OUTLET, NEGATIVE	Root Item Class	1.	A
FM3-0287-01	RBC EL RETURN	Root Item Class	1.	ARL1
FM3-0291-01	SIGHT GAUGE ASSY	Root Item Class	1.	A
FM3-0293-01	RBC INJECTOR OUTLET	Root Item Class	1.	A
FM3-0294-01	RBC INJECTOR H2 INLET	Root Item Class	1.	ARL1
FM3-0296-01	POS EL RETURN, MID PIPE	Root Item Class	1.	A
FM3-0300-01	RBC H2 LINE, TANK CONTAINER	Root Item Class	1.	ARL2
FM3-0301-01	POSITIVE GAS RELIEF, TANK CONTAINER	Root Item Class	1.	ARL2
FM3-0302-01	NEG GAS RELIEF LINE, TANK CONTAINER	Root Item Class	1.	ARL1

FM3-0385-01	EC RBR H2 SUPPLY	Root Item Class	1.	ARL1
FM3-0285-01	POSITIVE EL TANK RETURN, SHORT LEG	Root Item Class	1.	A
FM3-0285-02	POS EL RETURN, LONG LEG	Root Item Class	1.	A
FM3-0286-01	NEG EL TANK RETURN	Root Item Class	1.	A
FM3-0292-01	RBC 4IN INJECTOR ASSY	Root Item Class	1.	C
FM3-0295-01	NEG EL RETURN, MID PIPE	Root Item Class	1.	A
FM3-0386-01	H2 SAFETY MANIFOLD, BOTTOM CONTAINER	Root Item Class	1.	ARL1
STC-0438-01	BRACKET, PLUMBING SUPPORT, XXX IN	Root Item Class	2.	A
STC-0441-01	BRACKET, PLUMBING SUPPORT	Root Item Class	2.	A
STC-0498-01	BRACKET, PLUMBING SUPPORT, 4 IN, EXTENDED	Root Item Class	1.	A
STC-0435-01	BOTTOM CONTAINER AIRFLOW BAFFLE	Root Item Class	2.	A
200-0123-03	SCMBULK-BRACKET, MOUNTING FEET, MOLDED ABS	Root Item Class	1.	1
200-1021-01	SCMBULK-EYE NUT, ZINC-PLATED, M8 X 1.25	Root Item Class	2.	1
300-0229-20	SCMBULK-CORD GRIP, M20 THREAD SIZE, CHEMICAL RESISTANT LIQUID-TIGHT, 0.28-0.51 IN CORD DIA	Root Item Class	1.	1
300-0532-02	CONNECTOR, SEALED INLINE, MALE, 4 CONDUCTOR, 12AWG	Root Item Class	10.	1
300-0559-01	SCMBULK-PLUG, M25 X 1.5mm THREAD, IP68/NEMA 4X	Root Item Class	2.	1
300-0559-02	SCMBULK-PLUG, M20 X 1.5mm THREAD, IP68/NEMA 4X	Root Item Class	1.	1
300-0560-01	CONNECTOR, EXTRA LARGE BACKSHELL, 0.400 - 0.430 OD CABLE, NYLON	Root Item Class	17.	1
800-0298-01	BOMBULK-INSECT SCREEN, 14 X 18 MESH SIZE, 0.009" WIRE DIAMETER, ZINC PLATED STEEL	Root Item Class	2,229.	1
FM2-0241-01	ASSY, NEG GAS RELIEF	Root Item Class	1.	A
FM2-0317-01	ASSY, EC RBR H2 SUPPLY	Root Item Class	1.	A
ST3-0155-01	ASSY, PLUMBING HANGER SUPPORT, 4 IN	Root Item Class	2.	A
ST3-0158-01	ASSY, PLUMBING HANGER SUPPORT, 4 IN	Root Item Class	2.	A
ST3-0193-01	ASSY, PLUMBING HANGAR, POS MAIN LINE, BOTTOM CONTAINER	Root Item Class	1.	A
ST3-0201-01	ASSY, AIRFLOW BRACKET	Root Item Class	2.	A
FM2-0232-01	ASSY, POS AUX LOOP RETURN	Root Item Class	1.	A
FM2-0237-01	ASSY, POS TANK INTEGRATION	Root Item Class	1.	B
FM2-0238-01	ASSY, NEG TANK INTEGRATION	Root Item Class	1.	B
EL3-0197-01	ASSY, PUMP PIGTAIL, POS MAIN	Root Item Class	1.	B
EL3-0198-01	ASSY, PUMP PIGTAIL, NEG MAIN	Root Item Class	1.	B
EL3-0199-01	ASSY, PUMP PIGTAIL, AUX LOOP	Root Item Class	1.	B
EL3-0202-01	ASSY, USER INTERFACE, EXTENSION	Root Item Class	1.	B

900-0147-13	GASKET, 6" FLANGE, VITON, 1/16in	Root Item Class	2.	1
900-0520-01	VALVE, BUTTERFLY, TYPE BYV, PVC BODY, PVC DISC, VITON SEAL, LEVER, 2in, LUGGED	Root Item Class	2.	1
300-0542-01	SCMBULK-AUTOMOTIVE CONNECTOR, RECEPTACLE, 2 POSITION, PANEL MOUNT, SELF THREADING, AT SERIES	Root Item Class	7.	1
700-0500-01	SCREW, SHEET METAL, #10, 1/2" LONG, 18-8 SS, PAN HEAD, NO. 2 PHILLIPS	Root Item Class	4.	1
800-0295-01	BOMBULK-NEOPRENE RUBBER, DUROMETER 70A, BLACK, 2" WIDE X 36" LONG X 3/8" THK	Root Item Class	306.	1
FM2-0231-01	ASSY, NEG RETURN PLUMBING	Root Item Class	1.	A
FM2-0236-01	ASSY, POS RETURN PLUMBING	Root Item Class	1.	A
ST1-0047-01	ASSY, STRUCTURAL, BOTTOM CONTAINER, EC	Root Item Class	1.	B
ST3-0159-01	ASSY, PLUMBING HANGER SUPPORT, 6 IN	Root Item Class	2.	A
ST3-0195-01	ASSY, PLUMBING HANGAR, EC POS RETURN, 6"	Root Item Class	1.	A
FM2-0233-01	ASSY, TANK OVERFLOW LINE	Root Item Class	1.	A
FM2-0239-01	ASSY, H2 FILL/SIGHT GAUGE	Root Item Class	1.	A
FM2-0242-01	ASSY, POS GAS RELIEF	Root Item Class	1.	A
FM2-0243-01	ASSY, POS AUX H2 CONNECTION	Root Item Class	1.	A
FM2-0245-01	ASSY, POSITIVE AUX LOOP	Root Item Class	1.	B
FM2-0318-01	ASSY, H2 SAFETY MANIFOLD, BOTTOM CONTAINER	Root Item Class	1.	B
ST3-0188-01	ASSY, SPILL OVER PLUMBING SUPPORT, 4IN	Root Item Class	1.	A
ST3-0192-01	ASSY, PLUMBING SUPPORT, EC MAIN PUMP LINES	Root Item Class	1.	A
ST3-0194-01	ASSY, PLUMBING HANGER, NEG MAIN LINE, BOTTOM CONTAINER	Root Item Class	1.	B
200-1417-01	BASE PLATE, LEAK DETECTOR, 1/4" THK, 304 SS	Root Item Class	4.	A
STC-0512-01	BRACKET ASSEMBLY, L TYPE, CONDUCTIVITY TYPE LEAK DETECTOR	Root Item Class	4.	A
FM2-0234-01	ASSY, NEG MAIN PLUMBING SUPPLY	Root Item Class	1.	ARL1
FM2-0235-01	ASSY, POS MAIN PLUMBING SUPPLY	Root Item Class	1.	BRL1
900-0637-01	BOMBULK-TUBE, FIRM, SEMI-CLEAR, PE, 5/16" O.D. X 1/16" WALL	Root Item Class	8,000.	1
STC-0471-02	BRACKET, UNIVERSAL, PLUMBING MOUNT, 12 GA. MILD STEEL	Root Item Class	23.	A
700-0228-06	SCREW, HEX HEAD CAP, 5/8"-11, X 1.5" L, ASME B18.2.1, 18-8 SS	Root Item Class	24.	1
300-0562-01	CONNECTOR, SEALED INLINE, FEMALE, 4 CONDUCTOR, 12 AWG	Root Item Class	5.	1
STC-0520-01	FAN MOUNT PLT, 16GA ST	Root Item Class	3.	B
200-1461-01	DOT PLACARD, ADHESIVE VINYL, CORROSIVE, UN 3264	Root Item Class	4.	1
300-0519-02	CONNECTOR, SEALED INLINE, RECEPTACLE, 3 CONDUCTOR, 20 AWG, EXTENDED BARREL	Root Item Class	3.	1

200-1502-01	ENCLOSURE, 11-3/4" X 11-3/4" x 7", IP65, GRAY, POLYCARBONATE	Root Item Class	1.	1
200-1503-01	PANEL, 10-5/8" X 10-5/8", STEEL	Root Item Class	1.	1
700-0548-01	SPACER, 3/4" OD X 1" LG FOR 3/8" (M8) SCREW, NYLON	Root Item Class	62.	1
900-0660-01	CHECK VALVE, POPPET, 1/4" COMP, SS	Root Item Class	1.	1
200-1497-01	CLAMP, WIRE MANAGEMENT, RATCHET, 13mm TO 20mm BUNDLE, 8mm BOLT MOUNT	Root Item Class	44.	1
200-1497-02	CLAMP, WIRE MANAGEMENT, RATCHET, 20mm TO 36mm BUNDLE, 8mm BOLT MOUNT	Root Item Class	21.	1
300-0329-01	AUTOMOTIVE CONNECTOR, RECEPTACLE, 3 POSITION, GRAY BODY, AT SERIES	Root Item Class	9.	1
300-0329-02	SCMBULK-AUTOMOTIVE CONNECTOR, PLUG, 3 POSITION, GRAY BODY, AT SERIES	Root Item Class	6.	1
300-0329-03	SCMBULK-AUTOMOTIVE CONNECTOR, RECEPTACLE WEDGELOCK, 3 POSITION, AT SERIES	Root Item Class	12.	1
300-0329-04	SCMBULK-AUTOMOTIVE CONNECTOR, PLUG WEDGELOCK, 3 POSITION, AT SERIES	Root Item Class	6.	1
300-0329-07	SCMBULK-AUTOMOTIVE CONNECTOR, RECEPTACLE, 3 POSITION, PANEL MOUNT, SELF THREADING, AT SERIES	Root Item Class	3.	1
300-0330-01	SCMBULK-AUTOMOTIVE CONNECTOR, RECEPTACLE, 4 POSITION, GRAY BODY, AT SERIES	Root Item Class	3.	1
300-0330-03	SCMBULK-AUTOMOTIVE CONNECTOR, RECEPTACLE WEDGELOCK, 4 POSITION, AT SERIES	Root Item Class	3.	1
300-0332-01	AUTOMOTIVE CONNECTOR, RECEPTACLE, 8 POSITION, GRAY BODY, AT SERIES	Root Item Class	3.	1
300-0332-02	SCMBULK-AUTOMOTIVE CONNECTOR, PLUG, 8 POSITION, GRAY BODY, AT SERIES	Root Item Class	2.	1
300-0332-03	SCMBULK-AUTOMOTIVE CONNECTOR, RECEPTACLE WEDGELOCK, 8 POSITION, AT SERIES	Root Item Class	5.	1
300-0332-04	SCMBULK-AUTOMOTIVE CONNECTOR, PLUG WEDGELOCK, 8 POSITION, AT SERIES	Root Item Class	2.	1
300-0332-07	SCMBULK-AUTOMOTIVE CONNECTOR, RECEPTACLE, 8 POSITION, PANEL MOUNT, SELF THREADING, AT SERIES	Root Item Class	2.	1
STC-0547-01	BRACKET, UNIVERSAL, LONG, PLUMBING MOUNT, 12 GA. MILD STEEL	Root Item Class	1.	A
STC-0548-01	CONTAINER, 40' HI-CUBE, EC BOTTOM	Root Item Class	1.	A
600-0133-07	HEATER, FLANGED, IMMERSION, 12.5KW, 480V,3PH,19 WPSI, 4" FLANGE, 43" LENGTH, 12" COLD, TITANIUM	Root Item Class	2.	A
300-0530-06	FERRULE, 26 AWG, 6 MM CONTACT LENGTH	Root Item Class	3.	1
800-0293-01	BOMBULK-ADHESIVE BACKED GASKET, 1/8" THK X 1/2" WIDE, POLYURETHANE FOAM, NEMA 12 & 4X	Root Item Class	16,488.	1

EL3-0225-01	ASSY, HEATER PIGTAIL, POS TANK	Root Item Class	1.	A
EL3-0226-01	ASSY, HEATER PIGTAIL, NEG TANK	Root Item Class	1.	A
ST3-0237-01	ASSY, FAN SHROUD WITH SCREEN	Root Item Class	3.	A
FMC-0177-01	ADAPTER, 1/2" PVC SPIGOT x 3/8" BSPP, PVC	Root Item Class	1.	A
EL4-0002-01	ASSY, PIGTAIL, FOR THERMISTOR 500-0071-03	Root Item Class	1.	A
EL4-0004-01	ASSY, PIGTAIL, FOR THERMISTOR 500-0087-01	Root Item Class	1.	A
200-1521-01	SCMBULK-SIDE MOUNTING CLIP, 11mm HOLE DIA, STEEL ZINC PLATING	Root Item Class	7.	1
700-0507-03	SPACER, UNTHREADED, 25MM LONG, 13MM OD, 6.3MM ID, SS	Root Item Class	22.	1
700-0507-04	SPACER, UNTHREADED, 25MM LONG, 16MM OD, 10MM ID, SS	Root Item Class	7.	1
STC-0596-01	ESTOP/ MAIN DISCONNECT SUPPORT	Root Item Class	1.	A
FM3-0428-01	BUTTERFLY VALVE, MOTOR DRIVEN, HRSN2B ACTUATOR, 2" U X 2" U, PVC BODY/DISC, VITON LINER, 24 VAC/VDC	Root Item Class	1.	B
EL2-0321-01	OVERHEAD LIGHTING AND WIRING KIT, EC R1 - BOTTOM CONTAINER	Root Item Class	1.	A
ELC-0442-01	CONDUIT RUN, 1/2 DIA FLEX, OUTLET BOX CONNECTION	Root Item Class	2.	A
ELC-0443-01	CONDUIT RUN, 1/2 DIA FLEX, OUTLET BOX CONNECTION	Root Item Class	1.	A
ELC-0444-01	CONDUIT RUN, 1/2 DIA FLEX, OUTLET BOX CONNECTION	Root Item Class	1.	A
ELC-0445-01	CONDUIT RUN, 1/2 DIA FLEX, OUTLET BOX CONNECTION	Root Item Class	1.	A
ELC-0446-01	LIGHT FIXTURE, LED STRIP, FLEXIBLE, WATERPROOF - 16.4'	Root Item Class	1.	A
ELC-0449-01	CABLE ASSY, SWITCH TO OVERHEAD LIGHTING, EC R1 - BOTTOM CONTAINER	Root Item Class	1.	A
700-0279-07	SCMBULK-LOOP CLAMP, VIBRATION -DAMPING, 3/4" ID, SS	Root Item Class	6.	1
STC-0594-01	MOUNTING PLATE, HUBBLE-RACO 5333-0 OUTLET BOX	Root Item Class	3.	A
EL2-0315-01	FIRE DETECTOR CONDUIT KIT - EC R1 - BOTTOM CONTAINER	Root Item Class	1.	A
700-0263-08	SCREW, BUTTON-HEAD SOCKET CAP SCREW, M4 X 0.7mm, 18mm L, 18-8 SS	Root Item Class	4.	1
700-0467-01	NUT, HEX, NYLOCK, M4x0.7	Root Item Class	4.	1
EL2-0305-01	ASSY, PUMPS AND HEATER WIRING, BOTTOM CONTAINER	Root Item Class	1.	A
EL2-0306-01	ASSY, SENSOR KIT, BOTTOM CONTAINER	Root Item Class	1.	B
EL2-0328-01	ASSY, FAN POWER AND COMMS, BOTTOM CONTAINER	Root Item Class	1.	B

EL2-0329-01	ASSY, E-STOP/RESET/LIGHT WIRING, BOTTOM CONTAINER	Root Item Class	1.	A
EL4-0003-01	ASSY, PIGTAIL, FOR PRESSURE TRANSDUCER, 600-0186-03	Root Item Class	2.	A
EL4-0003-02	ASSY, PIGTAIL, FOR PRESSURE TRANSDUCER, 600-0186-02	Root Item Class	1.	A
ST2-0160-01	ASSY, USER INTERFACE EXTENSION MOUNT, BOTTOM CONTAINER	Root Item Class	1.	A
ST2-0161-01	ASSY, WIRING SUPPORTS, BOTTOM CONTAINER	Root Item Class	1.	ARL1
600-0273-01	TEMP TRANSMITTER, 10-36 VDC	Root Item Class	2.	1
600-0213-02	FAN, SINGLE PHASE, 200-277 VAC, 528mm X 154 mm, V2	Root Item Class	3.	1
200-1554-01	ORING, 1/16" DIA, 0.75", DASH NUM: 016, 75A, VITON	Root Item Class	2.	1
900-0709-01	ADAPTER, 1/4 in TUBE X 3/8 in BSPP, 316SS	Root Item Class	1.	1
FM3-0307-02	H2 FILL MANIFOLD	Root Item Class	1.	C
FM2-0319-02	ASSY, H2 FILL MANIFOLD	Root Item Class	1.	C
STC-0618-01	BRACKET, PLUMBING SUPPORT	Root Item Class	4.	A
ST3-0248-01	ASSY, PLUMBING HANGER SUPPORT, 4 IN	Root Item Class	4.	A
ELC-0457-01	LABEL, "LIGHT" UL RECOGNIZED, 1" WIDTH	Root Item Class	1.	A
ELC-0457-02	LABEL, "EMERGENCY STOP" UL RECOGNIZED, 1" WIDTH	Root Item Class	1.	A
ELC-0457-03	LABEL, "POWER LATCH RESET" UL RECOGNIZED, 1" WIDTH	Root Item Class	1.	A
200-0062-21	LABEL, 24VDC 4X1 IN	Root Item Class	1.	1
900-0714-09	FITTING, FEMALE ELBOW, 22½ DEG, 4" S X 4" S, ASTM D 2466 SCH 40, PVC	Root Item Class	2.	1
800-0320-01	PLASTIC BAR STOCK, UHMW, 1in WIDTH, WHITE	Root Item Class	7,686.	1
200-0980-02	SIGN, EXIT, 14 X 10 INCH, 4 MIL THICK, GLOW-IN-THE-DARK, POLYESTER, PEEL-AND-STICK	Root Item Class	1.	1
ST2-0172-01	ASSEMBLY, EC 1.0 BOTTOM EXIT SIGNS	Root Item Class	1.	A
200-1585-01	LABEL, COMBINED EXTERNAL SAFETY SIGN, EC BOTTOM CONTAINER	Root Item Class	1.	A
200-1575-01	LABEL, CAUTION, WATCH YOUR STEP, 3" X 5", UL969 CERTIFIED	Root Item Class	1.	A
200-1586-01	LABEL, NOTICE, DO NOT OPEN WHEN STACKED, UL969 CERTIFIED	Root Item Class	2.	A
200-1579-01	LABEL, NOTICE, DO NOT BLOCK DOOR, 3.5" X 5", UL RECOGNIZED	Root Item Class	1.	A
200-1576-01	LABEL, CAUTION, WATCH YOUR HEAD, 3" X 5", UL969 CERTIFIED	Root Item Class	1.	A
SS3-0008-01	EXTERIOR LABEL INSTALLATION, EC BOTTOM CONTAINER	Root Item Class	1.	C
900-0742-02	ADAPTER, CAMLOCK, TYPE A, PVC, MALE X SLIP, 1in	Root Item Class	4.	1

900-0742-01	ADAPTER, CAMLOCK, TYPE A, PVC, MALE X SLIP, 3/4in	Root Item Class	3.	1
900-0742-05	ADAPTER, CAMLOCK, TYPE A, PVC, MALE X SLIP, 3in	Root Item Class	1.	1
300-0622-01	CORD GRIP, PG-11 THREAD SIZE, IP68, BLACK, 0.08 - 0.28 IN CORD DIA	Root Item Class	1.	1
900-0778-01	FLANGE, BOLTED, BLIND, N80, PVC, 4in	Root Item Class	2.	1
600-0295-01	PRESSURE TRANSDUCER, CERAMIC, 0-250 BAR GAUGE, 14-30VDC, 4-20MA OUTPUT, DIN CONNECTOR, SIL2 IS	Root Item Class	2.	1
600-0296-01	VALVE, SOLENOID, SERVO-ASSISTED, 1/2FNPT, SST BODY, FKM	Root Item Class	2.	1
900-0786-01	CHECK VALVE, POPPET, 1/2" COMP, 1/3 PSI CRACK, FKM, 316SS	Root Item Class	1.	1
900-0785-01	FITTING, NIPPLE, 1/2 in MPT X 1/4in MPT, 316SS	Root Item Class	1.	1
900-0784-01	FITTING, STREET ELBOW, 1/2 in FPT X 1/2in MPT, 316SS	Root Item Class	1.	1
900-0783-01	FITTING, ELBOW, 1/2IN COMPRESSION X 1/4IN MNPT, 316 SS	Root Item Class	1.	1
900-0789-01	FITTING, MUD DAUBER, 1/2 IN MNPT, 316 SS	Root Item Class	1.	1
900-0788-01	ELBOW, 1/2" COMP X 1/2 FNPT, 316SS	Root Item Class	1.	1
600-0298-01	VALVE, SOLENOID, DIRECT ACTING, PVC BODY, FKM SEAL	Root Item Class	1.	1
900-0782-01	ADAPTER, 1/2" TUBE X 1/2FBSPP, 316SST	Root Item Class	2.	1
900-0781-01	ADAPTER, 1/2" TUBE X 1/4" MNPT, 316SST	Root Item Class	5.	1
900-0780-01	ADAPTER, 1/2" TUBE X 1/2" MNPT, 316SST	Root Item Class	6.	1
600-0297-01	FLOW SWITCH, 2-200L/MIN, 1/4FNPT, NPN	Root Item Class	1.	1
STC-0702-01	EC, PUMP FOOT ANCHOR	Root Item Class	8.	PR
900-0777-01	UNION, REDUCER, 5/16 X 1/4, COMP, 316SS	Root Item Class	1.	1
900-0352-02	FITTING, ELBOW, 1/2IN COMPRESSION, 316 SS	Root Item Class	7.	1
900-0362-01	VALVE, BALL, 1/2" FNPT X 1/2" FNPT, 316 SS	Root Item Class	1.	1
900-0795-01	FITTING, BULKHEAD, 5/16IN COMPRESSION, 316 SS	Root Item Class	1.	1
400-0230-01	LED, 22MM PANEL MOUNT, GREEN, IP69	Root Item Class	2.	1
400-0230-03	LED, 22MM PANEL MOUNT, RED, IP69	Root Item Class	3.	1
400-0230-02	LED, 22MM PANEL MOUNT, YELLOW, IP69	Root Item Class	1.	1
600-0301-01	PRESSURE TRANSDUCER, CERAMIC, 0-1.6 BAR GAUGE, 14-30VDC, 4-20MA OUTPUT, DIN CONNECTOR, SIL2 IS	Root Item Class	1.	1
600-0302-01	AIR FLOW SWITCH, NO, 2.5M/S, REED/MAGNET	Root Item Class	3.	1
STC-0712-01	PLATE, MOUNTING, POSITIVE PRESSURE	Root Item Class	1.	A
FM3-0550-01	ASSY, ARGON SUPPLY TO TANK	Root Item Class	1.	A
900-0799-01	GAS DISTRIBUTION PANEL, ARGON, SST, 2X2CYLINDER BANKS	Root Item Class	1.	1

500-0227-01	PLC, SIL2 SAFETY CONTROLLER, MOSAIC	Root Item Class	1.	1
500-0230-01	4 SINGLE OUTPUTS, 2 DUAL OUTPUTS, 8 STATUS OUTPUTS	Root Item Class	1.	1
500-0229-01	MOSAIC SIL2 SAFETY MODULE, 4 ANALOG INPUTS	Root Item Class	1.	1
500-0228-01	MOSAIC CONTROLLER, CONNECTOR	Root Item Class	1.	1
EL4-0023-02	CABLE ASSEMBLY, SOLENOID VALVE 600-0298-01	Root Item Class	1.	A
STC-0720-01	MOUNT PLATE, SAFETY CONTROL BOX, MODIFIED	Root Item Class	1.	A
700-0513-01	SOCKET HEAD HEX SCREW, 10-32 THREAD, 9/16" LG	Root Item Class	6.	1
STC-0719-01	SAFETY CONTROL BOX, MODIFIED	Root Item Class	1.	A
700-0610-01	ADHESIVE READY STUD, M6 X 40MM, SST	Root Item Class	3.	1
900-0807-01	FITTING, ELBOW FEMALE, 1/2COMP x 1/4FNPT, SST	Root Item Class	4.	1
EL4-0028-01	ASSY, PIGTAIL, FOR PRESSURE TRANSDUCER, 600-0301-01	Root Item Class	1.	A
EL4-0029-01	ASSY, PIGTAIL, FOR PRESSURE TRANSDUCER, 600-0295-01	Root Item Class	2.	A
LBL-0001-01	ARGON POSITIVE PRESSURE SUPPLY LABEL	Root Item Class	1.	A
700-0614-01	DOUBLE NUT, RAIL, T-SLOT, M5 THD, 20MM SPACING	Root Item Class	3.	1
800-0098-07	HEAT SHRINK TUBING, 0.19" BEFORE SHRINK, 0.09" AFTER SHRINK, PVC, BLACK	Root Item Class	90.	1
700-0615-01	WASHER, FLAT, M5 SCREW SIZE, 19.8mm OD, 18-8 SS	Root Item Class	6.	1
700-0613-01	CLAMP, P-TYPE, 5/16" DIA., 17/64" HOLE, TPE SLEEVE	Root Item Class	3.	1
200-1630-01	LABEL, NOTICE, DOOR LOTO PROCEDURE, UL RECOGNIZED	Root Item Class	1.	B
200-1655-01	QUICK-RELEASE LATCHES, FOR POLYCARBONATE ENCLOSURE, SET OF 2	Root Item Class	1.	1
700-0500-02	SCREW, SHEET METAL, #10, 5/8" LONG, 18-8 SS, PAN HEAD, NO. 2 PHILLIPS	Root Item Class	20.	1
600-0306-01	PUSHBUTTON, BLACK, 22mm, MOMENTARY, N.O., 30mm BUTTON	Root Item Class	1.	1
LBL-0004-01	LABEL, "PRESSURE SYSTEM BYPASS" UL RECOGNIZED, 1" WIDTH	Root Item Class	1.	A
LBL-0004-07	LABEL, "FLOW REST PASSED" UL RECOGNIZED, 1" WIDTH	Root Item Class	1.	A
LBL-0004-06	LABEL, "BANK B REPLACE" UL RECOGNIZED, 1" WIDTH	Root Item Class	1.	A
LBL-0004-05	LABEL, "BANK A REPLACE" UL RECOGNIZED, 1" WIDTH	Root Item Class	1.	A
LBL-0004-04	LABEL, "PRESSURE CRITICAL" UL RECOGNIZED, 1" WIDTH	Root Item Class	1.	A
LBL-0004-03	LABEL, "ARGON ON" UL RECOGNIZED, 1" WIDTH	Root Item Class	1.	A

LBL-0004-02	LABEL, "TANK PRESSURE OK" UL RECOGNIZED, 1" WIDTH	Root Item Class	1.	A
EL4-0026-01	ASSY, PIGTAIL, FOR AIR FLOW SENSOR, 600-0302-01	Root Item Class	3.	A
EL4-0031-01	CABLE ASSEMBLY, SOLENOID VALVE 600-0296-01	Root Item Class	2.	A
ST3-0290-01	ASSY, NFPA FAN FLOW SENSOR	Root Item Class	3.	A
FM3-0572-01	PANEL, PURGE, POSITIVE	Root Item Class	1.	A
EL2-0358-01	ASSY, NFPA SAFETY CONTROL PANEL, INTEGRATION	Root Item Class	1.	A
EL3-0264-01	ASSY, SAFETY CONTROL BOX, NFPA	Root Item Class	1.	A
EL2-0357-01	ASSY, NFPA SAFETY CONTROL PANEL WIRING, BOTTOM CONTAINER	Root Item Class	1.	A
LBL-0005-01	NAMEPLATE, EC 1.0 BOTTOM, ETL	Root Item Class	1.	B
FM3-0566-01	POSITIVE GAS RELIEF, TANK CONNECTION, EC	Root Item Class	1.	A
ST3-0146-02	CONTAINER FAN MOUNT ASSY, ANALOG CONTROL	Root Item Class	3.	A
ST2-0149-02	ASSY, FAN MOUNTING KIT, ANALOG CONTROL	Root Item Class	3.	A
FM2-0440-01	PLUMBING, PURGE, POSITIVE	Root Item Class	1.	A