

CERTIFICATE OF CONFORMITY

Side 1 – Complete Vehicles

The undersigned: Alican GÜVEN / Product Manager hereby certifies that the vehicle:

0.1.	Make (Trade name of manufacturer)	:GVN TRAILER
	Type	:4GVN
0.2.		Variant <sup>(153)</sup> :1R29A
		Version <sup>(153)</sup> :F3W1L2C
0.2.1.	Commercial name	:4GVN29
0.4.	Vehicle Category	:O <sub>4</sub>
0.5.	Company name and address of the manufacturer	: GVN TRAILER OTOMOTİV SANAYİ TİCARET LİMİTED ŞİRKETİ BÜYÜKKAYACIKOSB MAH. LALEHAN CAD. NO:1 SELÇUKLU/KONYA/TÜRKİYE
0.6.	Location and method of attachment of the statutory plates	: Statutory plate is clinched on the front right-hand side of the chassis
	Location of the vehicle identification number	VIN is stamped on the front right-hand side of the chassis
0.9.	Name and address of manufacturer's representative (if any)	: FRANCISCO MIRÓN FERNANDEZ Autovía A-, salida 507 Pol. Ind. fase 1, parcela 2- 4, Villa Outeiro de Rei, 6, 27150 Outeiro de Rei, Lugo, Spain
0.10.	Vehicle Identification Number	: NR94GVN06T1186021
0.11.	Date of manufacture of the vehicle	: 27.02.2026

conforms in all respect to the type described in approval ( e24\*2018/858\*00402\*00) granted on (22.11.2024) and can be permanently registered in Member States having right/left(154) hand traffic and using metric/imperial(154) units for the speedometer and metric/imperial(155) units for the odometer (if applicable)(156)

Place: Konya / TURKEY

**GVN** GVN TRAILER  
OTOMOTİV SAN.  
TİC. LTD. ŞTİ.  
Mahallesi Lalehan Cad. No:1  
Selçuklu/KONYA  
Tic. Sic. No: 55323  
Mersis No: 0454189611700001





**VEHICLE CATEGORIES O3 and O4**  
Side 2 – Complete and Completed Vehicles

**General Construction Characteristics**

1. Number of axles: ..... and wheels <sup>(5)</sup> : 4 Axle, 16 Wheels  
 1.1. Number and position of axles with twin wheels : All axles  
 2. Steered axles (number, position) : 4. Axle

**Main Dimensions**

4. Wheelbase <sup>(157)(174)</sup> : 12110 mm  
 4.1. Axle spacing : 0-1 : 7850 mm, 1-2: 1420 mm, 2-3: 1420 mm, 3-4: 1420 mm  
 5. Length : 14680  
 5.3. Vehicle equipped with aerodynamic device or equipment on the rear/not equipped <sup>(4)</sup> : Not equipped  
 6. Width : 2550 mm  
 7. Height : 2900mm  
 10. Distance between the centre of the coupling device and the rear end of the vehicle : 13470mm  
 11. Length of the loading area : 10680mm  
 12. Rear overhang : 1360 mm

**Masses** <sup>(158)</sup>

13. Mass in running order : 11700 kg  
 13.Oca Distribution of this mass amongst the axles : 1. 2415 kg, 2. 2415 kg, 3. 2415 kg, 4. 2415 kg  
 13.2. Actual mass of the vehicle : 11700 kg  
 16. Technically permissible maximum masses  
 16.1. Technically permissible maximum laden mass : 68000 kg  
 16.2. Technically permissible mass on each axle : 1. 12000 kg, 2. 12000 kg, 3. 12000 kg, 4. 12000 kg  
 16.3. Technically permissible mass on each axle group : 48000 kg  
 Intended registration/in service maximum permissible masses in national/international traffic (4) (166)  
 17. Only for national traffic, the lower-case letter 'e' followed by the distinguishing number of the Member State: N.A.  
 For international traffic, number of the Directive/Regulation:  
 17.1. Intended registration/in service maximum permissible laden mass : 48000 kg  
 17.2. Intended registration/in service maximum permissible laden mass on each axle : 1. 9000 kg, 2. 9000 kg, 3. 9000 kg, 4. 9000 kg  
 17.3. Intended registration/in service maximum permissible laden mass on each axle group : 1. 36000 kg  
 19. Technically permissible maximum static mass on the coupling point of a semi-trailer or centre-axle trailer : 20000 kg

**Maximum Speed**

29. Maximum speed : 80 km/h

**Axles and Suspension**

31. Position of lift axle(s) : 1st axle  
 32. Position of loadable axle(s) : N.A.  
 33. Drive axle(s) fitted with air suspension or equivalent: yes/no (4) : N.A.  
 34. Axle(s) fitted with air suspension or equivalent: yes/no (4) : Yes, Air suspension  
 35. Tyre/wheel combination (160) : ALL 245/70R17,5" 143/141 J

**Brakes**

36. Trailer brake connections mechanical/electric/pneumatic/hydraulic <sup>(4)</sup> : WABCO T EBS-E

**Bodywork**

38. Code for bodywork <sup>(113)</sup> : DA: Semi-trailer ; 29: Low Floor Trailer

**Coupling Device**

44. Approval number or approval mark of coupling device (if fitted) : E2055R-01 3753  
 45.1. Characteristics values (4) D: ... / V: ... / S: ... / U: ... : D: 190 kN / V: ... / S: ... / U: ...

**Miscellaneous**

50. Type-approved in accordance with the design requirements for transporting dangerous goods of UN Regulation No 105 of the Economic Commission for Europe of the United Nations: yes/class(es): .../no (4):  
 For special purpose vehicles: designation in accordance with point 5 of Part A of Annex I to Regulation (EU) 2018/858 of the European Parliament and of the Council : SK: Exceptional load transport trailer

52. Remarks (165)

:The vehicle exceeds the dimensions given by the regulation, the vehicle is allowed to be driven on the road with a special permit.Removable hydraulic ramps in rear part. Rotating headlight support in rear part. Double placement for the king pin.

**GVN** GVN TRAILER  
 OTOMOTIV SAN.  
 TRAILER TIC. LTD. ŞTİ.  
 88. Sokak, Çakir ÇBB Mahallesi Lalehan Cad. No:1  
 46100 Konya, Turkey  
 Tel: +90 332 451 189 6117  
 E-mail: No: 0454189611700001



10