



**CERTIFICATE NUMBER**

**Commercial Vehicle Inspection Certificate  
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION**

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:			
Address:			
City:		Province:	AB
		Postal Code:	
Telephone Number:	(403) 321-0459		
Vehicle Identification Number:	2DEGBSA31G1034989		
Make:	doepker	Model:	gb19763I
Year:	2016	Unit Number:	
Odometer:	KM	Licence Plate Number:	5RT396
		Province:	AB

**IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE**

**PART 2 - CERTIFICATION**

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Glover International Trucks Ltd.	13266
Inspection Technician Name:	Technician Number:
Weldon Seidler	A1110
Inspection Technician Signature:	<i>Weldon Seidler</i>
Inspection Date:	2026/02/12



## COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

<b>Type of Vehicle</b>										<b>Gross Vehicle Weight registered</b>									
Trailer										kg									
<b>Vehicle Information</b>																			
<b>VIN</b>	2	D	E	G	B	S	A	3	1	G	1	0	3	4	9	8	9		
Unit Number		Year 2016			Make doepker			Model gb19763l				Odometer							
Registered Owner's Name ROBERT & LISA ROSGEN FARMS LTD															Plate Number 5RT396				
Address PO BOX 370										Postal Code T0J0Y0				Phone Number (403) 321-0459					

Drum Brakes: **A-Full Inspection with Drum Removed**      Disc Brakes:

		LEFT	FRONT	RIGHT		
100 psi	100 psi	420.6 mm	Drums/Rotors	420.6 mm	100 psi	100 psi
10 mm	10 mm	16 mm	Linings/Pads	16 mm	9 mm	9 mm
		40 mm	Push Rod Travel	40 mm		
100 psi	100 psi	420.6 mm	Drums/Rotors	420.6 mm	100 psi	100 psi
5 mm	5 mm	16 mm	Linings/Pads	16 mm	6 mm	6 mm
		40 mm	Push Rod Travel	40 mm		
100 psi	100 psi	419.10 mm	Drums/Rotors	419.10 mm	100 psi	100 psi
18 mm	18 mm	21 mm	Linings/Pads	21 mm	18 mm	18 mm
		40 mm	Push Rod Travel	40 mm		
psi	psi	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
		mm	Push Rod Travel	mm		
psi	psi	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
		mm	Push Rod Travel	mm		
psi	psi	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
		mm	Push Rod Travel	mm		

Park Brake Lining   Left NA mm   Right NA mm   Trans NA mm  
 Wheel Torque Checked    Inner NA ft lbs   Outer 450 ft lbs

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓	

**NOTES:**

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

**NOTES:**

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle			✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment			✓					

**NOTES:**

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System			✓	
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components			✓	
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components			✓	
3H.8. Vacuum System			✓	3H.19. Brake Performance			✓	
3H.9. Air-Boosted Trailer Brake System			✓					

**NOTES:**

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System	✓			
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓	
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components			✓	
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)	✓			
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)			✓	
3A.14. Brake Chamber	✓			3A.23. Brake Performance	✓			
3A.15. Drum Brake System Components	✓							

**NOTES:**  
REPAIRED BRAKES

Section 4 - Steering								
Component	P	F	NA	Component	P	F	NA	
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle			✓	
4.4. Kingpin			✓					

**NOTES:**

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

### Section 5 - Instruments and Auxilliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher			✓				

**NOTES:**

### Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

**NOTES:**

### Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery			✓				

**NOTES:**

CLEANED TRAILER CORD & PLUG

### Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System	✓		
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Unitized Body Elements			✓	8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door	✓			8.23. Sliding Axle Assembly (Sliding Bogie)			✓
8.9. Cargo Tank or Vessel			✓	8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.25. Rear Impact Guard (RIG)	✓		

**NOTES:**

REPAIRED FENDER

### Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

**NOTES:**

REPLACED AXLE #3 TIRES, REPLACED AXLE#3LH WHEEL SEAL , TORQUED ALL WHEELS AFTER REPAIRS COMPLETED


### Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler	✓		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				

**COMMERCIAL VEHICLE RECORD OF INSPECTION  
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

**NOTES:**  
LUBRICATED & ADJUSTED FIFTH WHEEL

**Certification**  
The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8317286) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

<b>Date of Inspection</b> 2026/02/12	<b>Technician Number</b> A1110	<b>Facility Number</b> 13266	<b>Signature</b> 
---	-----------------------------------	---------------------------------	---

**Customer Acknowledgment**  
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

**Date (Year/Month/Day)**  
2026/02/12

**Customer Signature**  
