

Hydraulic Shop Liquidation Manifest
Hose End Fittings

Intertraco Part#	Parker Part#	Description	Quantity On Hand
8G-8FJX		1/2" JIC Fitting for Non-conductive Hose	2.00
9S6F4-04		Swivel Joint 3000 PSI Elbow 90°	2.00
9S6F6-06		Swivel Joint 3000 PSI Elbow 90°	1.00
9S6F8-08		Swivel Joint 3000 PSI Elbow 90°	2.00
AX10J-08-08	11571-8-8	SAE Code 61 Flange, J Series High Pressure	4.00
AX10J-08-12	11571-12-8	SAE Code 61 Flange, J Series High Pressure	4.00
AX10J-10-12	11571-12-10	SAE Code 61 Flange, J Series High Pressure	4.00
AX10J-12-12	11571-12-12	SAE Code 61 Flange, J Series High Pressure	4.00
AX10J-12-16	11571-16-12	SAE Code 61 Flange, J Series High Pressure	5.00
AX10J-12-20	11571-20-12	SAE Code 61 Flange, J Series High Pressure	4.00
AX10J-16-16	11571-16-16	SAE Code 61 Flange, J Series High Pressure	4.00
AX10J-16-20	11571-20-16	SAE Code 61 Flange, J Series High Pressure	4.00
AX10J-20-16	11571-16-20	SAE Code 61 Flange, J Series High Pressure	4.00
AX10J-20-20	11571-20-20	SAE Code 61 Flange, J Series High Pressure	4.00
AX10K-08-08	11543-8-8	SAE Code 61 Flange, K Series Normal Pressure	8.00
AX10K-08-12	11543-12-8	SAE Code 61 Flange, K Series Normal Pressure	8.00
AX10K-10-12	11543-12-10	SAE Code 61 Flange, K Series Normal Pressure	8.00
AX10K-12-12	11543-12-12	SAE Code 61 Flange, K Series Normal Pressure	8.00
AX10K-12-16	11543-16-12	SAE Code 61 Flange, K Series Normal Pressure	7.00
AX10K-16-16	11543-16-16	SAE Code 61 Flange, K Series Normal Pressure	7.00
AX110J-12-12	12U71-12-12	110° SAE Code 61 Flange, J Series High Pressure	4.00
AX110J-16-16	12U71-16-16	110° SAE Code 61 Flange, J Series High Pressure	4.00
AX110J-20-20	12U71-20-20	110° SAE Code 61 Flange, J Series High Pressure	4.00
AX20J-08-08	11671-8-8	22.5° SAE Code 61 Flange, J Series High Pressure	4.00
AX20J-08-12	11671-8-12	22.5° SAE Code 61 Flange, J Series High Pressure	4.00
AX20J-12-12	11671-12-12	22.5° SAE Code 61 Flange, J Series High Pressure	4.00
AX20J-12-16	11671-12-16	22.5° SAE Code 61 Flange, J Series High Pressure	4.00
AX20J-16-16	11671-16-16	22.5° SAE Code 61 Flange, J Series High Pressure	6.00
AX20J-16-20	11671-16-20	22.5° SAE Code 61 Flange, J Series High Pressure	4.00
AX20J-20-20	11671-20-20	22.5° SAE Code 61 Flange, J Series High Pressure	3.00
AX30J-08-08	12671-8-8	30° SAE Code 61 Flange, J Series High Pressure	4.00
AX30J-08-12	12671-12-8	30° SAE Code 61 Flange, J Series High Pressure	4.00
AX30J-12-12	12671-12-12	30° SAE Code 61 Flange, J Series High Pressure	4.00
AX30J-12-16	12671-16-12	30° SAE Code 61 Flange, J Series High Pressure	4.00
AX30J-16-16	12671-16-16	30° SAE Code 61 Flange, J Series High Pressure	4.00
AX30J-16-20	12671-20-16	30° SAE Code 61 Flange, J Series High Pressure	4.00
AX30J-20-20	12671-20-20	30° SAE Code 61 Flange, J Series High Pressure	4.00
AX30J-20-24	12671-12-12	30° SAE Code 61 Flange, J Series High Pressure	4.00
AX40J-08-08	11771-8-8	45° SAE Code 61 Flange, J Series High Pressure	4.00
AX40J-08-12	11771-12-8	45° SAE Code 61 Flange, J Series High Pressure	4.00
AX40J-10-12	11771-12-10	45° SAE Code 61 Flange, J Series High Pressure	4.00
AX40J-12-12	11771-12-12	45° SAE Code 61 Flange, J Series High Pressure	4.00
AX40J-12-16	11771-16-12	45° SAE Code 61 Flange, J Series High Pressure	3.00
AX40J-16-16	11771-16-16	45° SAE Code 61 Flange, J Series High Pressure	2.00
AX40J-16-20	11771-20-16	45° SAE Code 61 Flange, J Series High Pressure	4.00
AX40J-20-16	11771-16-20	45° SAE Code 61 Flange, J Series High Pressure	4.00
AX40J-20-20	11771-20-20	45° SAE Code 61 Flange, J Series High Pressure	4.00
AX40J-20-24	11771-24-20	45° SAE Code 61 Flange, J Series High Pressure	4.00
AX40K-08-08	11743-8-8	45° SAE Code 61 Flange, K Series Normal Pressure	8.00

Hydraulic Shop Liquidation Manifest
Hose End Fittings

Intertraco Part#	Parker Part#	Description	Quantity On Hand
AX40K-08-12	11743-8-12	45° SAE Code 61 Flange, K Series Normal Pressure	8.00
AX40K-10-12	11743-10-12	45° SAE Code 61 Flange, K Series Normal Pressure	8.00
AX40K-12-12	11743-12-12	45° SAE Code 61 Flange, K Series Normal Pressure	8.00
AX40K-12-16	11743-16-12	45° SAE Code 61 Flange, K Series Normal Pressure	8.00
AX40K-16-16	11743-16-16	45° SAE Code 61 Flange, K Series Normal Pressure	8.00
AX40K-16-20	11743-20-16	45° SAE Code 61 Flange, K Series Normal Pressure	8.00
AX60J-08-08	12771-8-8	60° SAE Code 61 Flange, J Series High Pressure	4.00
AX60J-08-12	12771-12-8	60° SAE Code 61 Flange, J Series High Pressure	4.00
AX60J-12-12	12771-12-12	60° SAE Code 61 Flange, J Series High Pressure	3.00
AX60J-12-16	12771-16-12	60° SAE Code 61 Flange, J Series High Pressure	4.00
AX60J-16-16	12771-16-16	60° SAE Code 61 Flange, J Series High Pressure	4.00
AX60J-16-20	12771-20-16	60° SAE Code 61 Flange, J Series High Pressure	4.00
AX60J-20-20	12771-20-20	60° SAE Code 61 Flange, J Series High Pressure	4.00
AX70J-08-08	11871-08-08	67° SAE Code 61 Flange, J Series High Pressure	4.00
AX70J-08-12	11871-12-08	67° SAE Code 61 Flange, J Series High Pressure	4.00
AX70J-12-12	11871-12-12	67° SAE Code 61 Flange, J Series High Pressure	4.00
AX70J-12-16	11871-16-12	67° SAE Code 61 Flange, J Series High Pressure	4.00
AX70J-16-16	11871-16-16	67° SAE Code 61 Flange, J Series High Pressure	4.00
AX70J-16-20	11871-16-20	67° SAE Code 61 Flange, J Series High Pressure	4.00
AX70J-20-20	11871-20-20	67° SAE Code 61 Flange, J Series High Pressure	4.00
AX70J-20-24	11871-20-24	67° SAE Code 61 Flange, J Series High Pressure	3.00
AX90J-08-08	11971-8-8	90° SAE Code 61 Flange, J Series High Pressure	4.00
AX90J-08-12	11971-12-8	90° SAE Code 61 Flange, J Series High Pressure	4.00
AX90J-10-12	11971-12-10	90° SAE Code 61 Flange, J Series High Pressure	4.00
AX90J-12-12	11971-12-12	90° SAE Code 61 Flange, J Series High Pressure	4.00
AX90J-12-12-100	18971-12-12	90° SAE Code 61 Flange 100mm Drop, J Series High Pressure	4.00
AX90J-12-12-125	18971-12-12	90° SAE Code 61 Flange 125mm Drop, J Series High Pressure	4.00
AX90J-12-16	11971-16-12	90° SAE Code 61 Flange, J Series High Pressure	3.00
AX90J-12-16-100	18971-16-12	90° SAE Code 61 Flange Long, J Series High Pressure	4.00
AX90J-12-20	11971-20-12	90° SAE Code 61 Flange, J Series High Pressure	4.00
AX90J-16-16	11971-16-16	90° SAE Code 61 Flange, J Series High Pressure	4.00
AX90J-16-16-120	18971-16-16	90° SAE Code 61 Flange Long, J Series High Pressure	6.00
AX90J-16-20	11971-20-16	90° SAE Code 61 Flange, J Series High Pressure	4.00
AX90J-20-16	11971-16-20	90° SAE Code 61 Flange, J Series High Pressure	4.00
AX90J-20-20	11971-20-20	90° SAE Code 61 Flange, J Series High Pressure	4.00
AX90J-20-20-170	18971-20-20	90° SAE Code 61 Flange Long, J Series High Pressure	4.00
AX90K-08-08	11943-8-8	90° SAE Code 61 Flange, K Series Normal Pressure	8.00
AX90K-08-12	11943-12-8	90° SAE Code 61 Flange, K Series Normal Pressure	6.00
AX90K-10-12	11943-12-10	90° SAE Code 61 Flange, K Series Normal Pressure	8.00
AX90K-12-12	11943-12-12	90° SAE Code 61 Flange, K Series Normal Pressure	8.00
AX90K-12-16	11943-16-12	90° SAE Code 61 Flange, K Series Normal Pressure	8.00
AX90K-16-16	11943-16-16	90° SAE Code 61 Flange, K Series Normal Pressure	7.00
AX90K-16-20	11943-20-16	90° SAE Code 61 Flange, K Series Normal Pressure	8.00
AY10J-12-12	16A71-12-12	SAE Code 62 Flange, J Series High Pressure	4.00
AY10J-12-16	16A71-16-12	SAE Code 62 Flange, J Series High Pressure	4.00
AY10J-16-16	16A71-16-16	SAE Code 62 Flange, J Series High Pressure	4.00
AY10J-16-20	16A71-20-16	SAE Code 62 Flange, J Series High Pressure	4.00
AY10J-20-16	16A71-16-20	SAE Code 62 Flange, J Series High Pressure	4.00
AY10J-20-20	16A71-20-20	SAE Code 62 Flange, J Series High Pressure	4.00

Hydraulic Shop Liquidation Manifest
Hose End Fittings

Intertraco Part#	Parker Part#	Description	Quantity On Hand
AY10J-20-24	16A71-24-20	SAE Code 62 Flange, J Series High Pressure	4.00
AY90J-08-08	16N71-08-08	90° SAE Code 62 Flange, J Series High Pressure	4.00
AY90J-08-12	16N71-12-08	90° SAE Code 62 Flange, J Series High Pressure	4.00
AY90J-10-12	16N71-12-10	90° SAE Code 62 Flange, J Series High Pressure	4.00
AY90J-12-12	16N71-12-12	90° SAE Code 62 Flange, J Series High Pressure	4.00
AY90J-12-16	16N71-16-12	90° SAE Code 62 Flange, J Series High Pressure	4.00
AY90J-16-16	16N71-16-16	90° SAE Code 62 Flange, J Series High Pressure	3.00
AY90J-16-16-120		90° SAE Code 62 Flange Long, J Series High Pressure	3.00
AY90J-16-20	16N71-20-16	90° SAE Code 62 Flange, J Series High Pressure	4.00
AY90J-20-16	16N71-16-20	90° SAE Code 62 Flange, J Series High Pressure	4.00
AY90J-20-20	16N71-20-20	90° SAE Code 62 Flange, J Series High Pressure	3.00
AY90J-20-20-130		90° SAE Code 62 Flange Long, J Series High Pressure	4.00
AY90J-20-20-150		90° SAE Code 62 Flange Long, J Series High Pressure	4.00
BB10K-04-02		BSPP Banjo Fitting, K Series Normal Pressure	8.00
BB10K-04-04		BSPP Banjo Fitting, K Series Normal Pressure	8.00
BB10K-04-06		BSPP Banjo Fitting, K Series Normal Pressure	8.00
BB10K-06-06		BSPP Banjo Fitting, K Series Normal Pressure	7.00
BB10K-08-08		BSPP Banjo Fitting, K Series Normal Pressure	8.00
BB10K-12-12		BSPP Banjo Fitting, K Series Normal Pressure	8.00
FB11J-08-08	1GU71-8-8	Female BSPP, J Series High Pressure	3.00
FB11J-10-10	1GU71-10-10	Female BSPP, J Series High Pressure	4.00
FB11J-10-12	1GU71-12-10	Female BSPP, J Series High Pressure	4.00
FB11J-12-12	1GU71-12-12	Female BSPP, J Series High Pressure	11.00
FB11K-04-02	19243-2-4	Female BSPP, K Series Normal Pressure	8.00
FB11K-04-06	19243-6-4	Female BSPP, K Series Normal Pressure	67.00
FB11K-06-04	19243-4-6	Female BSPP, K Series Normal Pressure	18.00
FB11K-08-06	19243-6-8	Female BSPP, K Series Normal Pressure	8.00
FB11K-08-10	19243-10-8	Female BSPP, K Series Normal Pressure	8.00
FB11K-08-12	19243-12-8	Female BSPP, K Series Normal Pressure	8.00
FB11K-10-10	19243-10-10	Female BSPP, K Series Normal Pressure	8.00
FB11K-10-12	19243-12-10	Female BSPP, K Series Normal Pressure	8.00
FB11K-12-12	19243-12-12	Female BSPP, K Series Normal Pressure	10.00
FB12J-12-16	1GU71-16-12	Female BSPP, J Series High Pressure	4.00
FB12J-16-16	1GU71-16-16	Female BSPP, J Series High Pressure	4.00
FB12J-20-20	1GU71-20-20	Female BSPP, J Series High Pressure	4.00
FB12K-12-16	19243-16-12	Female BSPP, K Series Normal Pressure	8.00
FB12K-16-16	19243-16-16	Female BSPP, K Series Normal Pressure	7.00
FB12K-16-20	19243-20-16	Female BSPP, K Series Normal Pressure	8.00
FB13J-06-06	1GU71-6-6	Female BSPP, J Series High Pressure	24.00
FB13J-06-08	1GU71-8-6	Female BSPP, J Series High Pressure	6.00
FB13K-04-04	19243-4-4	Female BSPP, K Series Normal Pressure	104.00
FB13K-06-06	19243-6-6	Female BSPP, K Series Normal Pressure	106.00
FB13K-08-08	19243-8-8	Female BSPP, K Series Normal Pressure	45.00
FB41J-08-08	1B156-8-8	45° Female BSPP Swivel, J Series High Pressure	4.00
FB41J-10-10	1B156-10-10	45° Female BSPP Swivel, J Series High Pressure	4.00
FB41J-10-12	1B156-12-10	45° Female BSPP Swivel, J Series High Pressure	4.00
FB41J-12-12	1B156-12-12	45° Female BSPP Swivel, J Series High Pressure	39.00
FB41K-04-06	1B143-6-4	45° Female BSPP Swivel, K Series Normal Pressure	8.00
FB41K-06-08	1B143-8-6	45° Female BSPP Swivel, K Series Normal Pressure	10.00

Hydraulic Shop Liquidation Manifest
Hose End Fittings

Intertraco Part#	Parker Part#	Description	Quantity On Hand
FB41K-10-10	1B143-10-10	45° Female BSPP Swivel, K Series Normal Pressure	8.00
FB41K-10-12	1B143-12-10	45° Female BSPP Swivel, K Series Normal Pressure	8.00
FB42J-16-16	1B156-16-16	45° Female BSPP Swivel, J Series High Pressure	4.00
FB42J-20-20	1B156-20-20	45° Female BSPP Swivel, J Series High Pressure	4.00
FB42K-16-16	1B143-16-16	45° Female BSPP Swivel, K Series Normal Pressure	8.00
FB43J-06-06	1B156-6-6	45° Female BSPP Swivel, J Series High Pressure	4.00
FB43K-04-04	1B143-4-4	45° Female BSPP Swivel, K Series Normal Pressure	8.00
FB43K-06-06	1B143-6-6	45° Female BSPP Swivel, K Series Normal Pressure	8.00
FB43K-08-08	1B143-8-8	45° Female BSPP Swivel, K Series Normal Pressure	22.00
FB91J-08-08	1B256-8-8	90° Female BSPP Swivel, J Series High Pressure	4.00
FB91J-10-10	1B256-10-10	90° Female BSPP Swivel, J Series High Pressure	4.00
FB91J-10-12	1B256-12-10	90° Female BSPP Swivel, J Series High Pressure	4.00
FB91J-12-12	1B256-12-12	90° Female BSPP Swivel, J Series High Pressure	4.00
FB91K-04-06	1B243-6-4	90° Female BSPP Swivel, K Series Normal Pressure	8.00
FB91K-06-08	1B243-8-6	90° Female BSPP Swivel, K Series Normal Pressure	8.00
FB91K-08-10	1B243-10-8	90° Female BSPP Swivel, K Series Normal Pressure	8.00
FB91K-10-12	1B243-12-10	90° Female BSPP Swivel, K Series Normal Pressure	8.00
FB91K-12-12	1B243-12-12	90° Female BSPP Swivel, K Series Normal Pressure	6.00
FB92J-16-16	1B256-16-16	90° Female BSPP Swivel, J Series High Pressure	4.00
FB92J-20-20	1B256-20-20	90° Female BSPP Swivel, J Series High Pressure	4.00
FB92K-16-16	1B243-16-16	90° Female BSPP Swivel, K Series Normal Pressure	7.00
FB93J-06-06	1B256-6-6	90° Female BSPP Swivel, J Series High Pressure	7.00
FB93K-04-04	1B243-4-4	90° Female BSPP Swivel, K Series Normal Pressure	3.00
FB93K-06-06	1B243-6-6	90° Female BSPP Swivel, K Series Normal Pressure	7.00
FB93K-08-08	1B243-8-8	90° Female BSPP Swivel, K Series Normal Pressure	3.00
FJ11J-08-06	10671-6-8	Female JIC Swivel, J Series High Pressure	4.00
FJ11J-08-08	10671-8-8	Female JIC Swivel, J Series High Pressure	11.00
FJ11J-08-10	10671-10-8	Female JIC Swivel, J Series High Pressure	4.00
FJ11J-10-08	10671-8-10	Female JIC Swivel, J Series High Pressure	4.00
FJ11J-10-10	10671-10-10	Female JIC Swivel, J Series High Pressure	6.00
FJ11J-12-10	10671-10-12	Female JIC Swivel, J Series High Pressure	3.00
FJ11J-16-12	10671-12-16	Female JIC Swivel, J Series High Pressure	4.00
FJ11K-04-04	10643-4-4	Female JIC Swivel, K Series Normal Pressure	541.00
FJ11K-04-06	10643-6-4	Female JIC Swivel, K Series Normal Pressure	100.00
FJ11K-06-04	10643-4-6	Female JIC Swivel, K Series Normal Pressure	14.00
FJ11K-06-06	10643-6-6	Female JIC Swivel, K Series Normal Pressure	519.00
FJ11K-06-08	10643-8-6	Female JIC Swivel, K Series Normal Pressure	521.00
FJ11K-06-10	10643-10-6	Female JIC Swivel, K Series Normal Pressure	16.00
FJ11K-08-06	10643-6-8	Female JIC Swivel, K Series Normal Pressure	11.00
FJ11K-08-08	10643-8-8	Female JIC Swivel, K Series Normal Pressure	192.00
FJ11K-08-10	10643-10-8	Female JIC Swivel, K Series Normal Pressure	497.00
FJ11K-10-08	10643-8-10	Female JIC Swivel, K Series Normal Pressure	7.00
FJ11K-10-10	10643-10-10	Female JIC Swivel, K Series Normal Pressure	14.00
FJ11K-12-08	10643-8-12	Female JIC Swivel, K Series Normal Pressure	10.00
FJ11K-12-10	10643-10-12	Female JIC Swivel, K Series Normal Pressure	9.00
FJ11K-12-14	10643-14-12	Female JIC Swivel, K Series Normal Pressure	12.00
FJ12J-08-12	10671-12-8	Female JIC Swivel, J Series High Pressure	4.00
FJ12J-10-12	10671-12-10	Female JIC Swivel, J Series High Pressure	9.00
FJ12J-12-12	10671-12-12	Female JIC Swivel, J Series High Pressure	5.00

Hydraulic Shop Liquidation Manifest
Hose End Fittings

Intertraco Part#	Parker Part#	Description	Quantity On Hand
FJ12J-12-14	10671-14-12	Female JIC Swivel, J Series High Pressure	4.00
FJ12J-16-16	10671-16-16	Female JIC Swivel, J Series High Pressure	8.00
FJ12J-16-20	10671-20-16	Female JIC Swivel, J Series High Pressure	4.00
FJ12J-20-16	10671-16-20	Female JIC Swivel, J Series High Pressure	4.00
FJ12J-20-20	10671-20-20	Female JIC Swivel, J Series High Pressure	4.00
FJ12K-08-12	10643-12-8	Female JIC Swivel, K Series Normal Pressure	11.00
FJ12K-10-12	10643-12-10	Female JIC Swivel, K Series Normal Pressure	13.00
FJ12K-12-12	10643-12-12	Female JIC Swivel, K Series Normal Pressure	164.00
FJ12K-12-16	10643-16-12	Female JIC Swivel, K Series Normal Pressure	8.00
FJ12K-16-12	10643-12-16	Female JIC Swivel, K Series Normal Pressure	9.00
FJ12K-16-16	10643-16-16	Female JIC Swivel, K Series Normal Pressure	102.00
FJ16J-06-06	10671-6-6	Female JIC Swivel, J Series High Pressure	24.00
FJ16J-06-08	10671-8-6	Female JIC Swivel, J Series High Pressure	7.00
FJ41J-06-06	13771-6-6	45° Female JIC Swivel, J Series High Pressure	4.00
FJ41J-08-08	13771-8-8	45° Female JIC Swivel, J Series High Pressure	8.00
FJ41J-10-10	13771-10-10	45° Female JIC Swivel, J Series High Pressure	6.00
FJ41J-10-12	13771-12-10	45° Female JIC Swivel, J Series High Pressure	4.00
FJ41J-12-12	13771-12-12	45° Female JIC Swivel, J Series High Pressure	2.00
FJ41K-04-04	13743-4-4	45° Female JIC Swivel, K Series Normal Pressure	87.00
FJ41K-06-06	13743-6-6	45° Female JIC Swivel, K Series Normal Pressure	86.00
FJ41K-08-08	13743-8-8	45° Female JIC Swivel, K Series Normal Pressure	117.00
FJ41K-10-10	13743-10-10	45° Female JIC Swivel, K Series Normal Pressure	5.00
FJ42J-12-16	13771-16-12	45° Female JIC Swivel, J Series High Pressure	4.00
FJ42J-16-16	13771-16-16	45° Female JIC Swivel, J Series High Pressure	4.00
FJ42J-16-20	13771-20-16	45° Female JIC Swivel, J Series High Pressure	4.00
FJ42J-20-20	13771-20-20	45° Female JIC Swivel, J Series High Pressure	4.00
FJ42K-10-12	13743-12-10	45° Female JIC Swivel, K Series Normal Pressure	8.00
FJ42K-12-12	13743-12-12	45° Female JIC Swivel, K Series Normal Pressure	7.00
FJ42K-12-16	13743-16-12	45° Female JIC Swivel, K Series Normal Pressure	7.00
FJ42K-16-16	13743-16-16	45° Female JIC Swivel, K Series Normal Pressure	7.00
FJ43J-06-08	13771-8-6	45° Female JIC Swivel, J Series High Pressure	4.00
FJ43J-08-10	13771-10-8	45° Female JIC Swivel, J Series High Pressure	4.00
FJ43K-04-06	13743-6-4	45° Female JIC Swivel, K Series Normal Pressure	8.00
FJ43K-06-08	13743-8-6	45° Female JIC Swivel, K Series Normal Pressure	13.00
FJ43K-06-10	13743-10-6	45° Female JIC Swivel, K Series Normal Pressure	8.00
FJ43K-08-10	13743-10-8	45° Female JIC Swivel, K Series Normal Pressure	11.00
FJ46K-06-04	13743-4-6	45° Female JIC Swivel, K Series Normal Pressure	8.00
FJ91J-06-06	13971-6-6	90° Female JIC Swivel, J Series High Pressure	4.00
FJ91J-08-08	13971-8-8	90° Female JIC Swivel, J Series High Pressure	11.00
FJ91J-08-08-62	14171-8-8	90° Female JIC Swivel Long, J Series High Pressure	4.00
FJ91J-10-10	13971-10-10	90° Female JIC Swivel, J Series High Pressure	4.00
FJ91J-12-10	13971-10-12	90° Female JIC Swivel, J Series High Pressure	4.00
FJ91J-12-12-95	14171-12-12	90° Female JIC Swivel Long, J Series High Pressure	6.00
FJ91K-04-04	13943-4-4	90° Female JIC Swivel, K Series Normal Pressure	98.00
FJ91K-04-04-46	14143-4-4	90° Female JIC Swivel Long, K Series Normal Pressure	18.00
FJ91K-06-06	13943-6-6	90° Female JIC Swivel, K Series Normal Pressure	91.00
FJ91K-06-06-56	14143-6-6	90° Female JIC Swivel, K Series Normal Pressure	15.00
FJ91K-08-06	13943-6-8	90° Female JIC Swivel, K Series Normal Pressure	8.00
FJ91K-08-08	13943-8-8	90° Female JIC Swivel, K Series Normal Pressure	93.00

Hydraulic Shop Liquidation Manifest
Hose End Fittings

Intertraco Part#	Parker Part#	Description	Quantity On Hand
FJ91K-08-08-62	14143-8-8	90° Female JIC Swivel Long, K Series Normal Pressure	21.00
FJ91K-10-10	13943-10-10	90° Female JIC Swivel, K Series Normal Pressure	25.00
FJ91K-10-10-65	14143-10-10	90° Female JIC Swivel Long, K Series Normal Pressure	4.00
FJ92J-08-12	13971-12-8?	90° Female JIC Swivel, J Series High Pressure	3.00
FJ92J-10-12	13971-12-10?	90° Female JIC Swivel, J Series High Pressure	4.00
FJ92J-12-12	13971-12-12	90° Female JIC Swivel, J Series High Pressure	7.00
FJ92J-12-16	13971-16-12?	90° Female JIC Swivel, J Series High Pressure	4.00
FJ92J-16-16	13971-16-16	90° Female JIC Swivel, J Series High Pressure	3.00
FJ92J-16-20	13971-20-16	90° Female JIC Swivel, J Series High Pressure	4.00
FJ92J-20-20	13971-20-20	90° Female JIC Swivel, J Series High Pressure	4.00
FJ92J-20-20-110	14171-20-20	90° Female JIC Swivel Long, J Series High Pressure	4.00
FJ92K-08-12	13943-12-8	90° Female JIC Swivel, K Series Normal Pressure	8.00
FJ92K-10-12	13943-12-10	90° Female JIC Swivel, K Series Normal Pressure	8.00
FJ92K-12-12-95	14143-12-12	90° Female JIC Swivel Long, K Series Normal Pressure	4.00
FJ92K-12-12	13943-12-12	90° Female JIC Swivel, K Series Normal Pressure	7.00
FJ92K-12-16	13943-16-12	90° Female JIC Swivel, K Series Normal Pressure	8.00
FJ92K-16-16	13943-16-16	90° Female JIC Swivel, K Series Normal Pressure	6.00
FJ92K-16-16-110	14143-16-16	90° Female JIC Swivel Long, K Series Normal Pressure	5.00
FJ92K-16-20	13943-20-16	90° Female JIC Swivel, K Series Normal Pressure	6.00
FJ93J-06-08	13971-8-6	90° Female JIC Swivel, J Series High Pressure	3.00
FJ93J-08-10	13971-10-8	90° Female JIC Swivel, J Series High Pressure	4.00
FJ93J-08-10-65	14171-10-8?	90° Female JIC Swivel Long, J Series High Pressure	3.00
FJ93K-04-06-56	14143-6-4?	90° Female JIC Swivel Long, K Series Normal Pressure	3.00
FJ93K-04-06	13943-6-4	90° Female JIC Swivel, K Series Normal Pressure	12.00
FJ93K-06-08	13943-8-6	90° Female JIC Swivel, K Series Normal Pressure	53.00
FJ93K-06-08-62	14143-8-6	90° Female JIC Swivel Long, K Series Normal Pressure	27.00
FJ93K-06-10	13943-10-6	90° Female JIC Swivel, K Series Normal Pressure	8.00
FJ93K-08-10	13943-10-8	90° Female JIC Swivel, K Series Normal Pressure	88.00
FJ93K-08-10-65	14143-10-8	90° Female JIC Swivel Long, K Series Normal Pressure	10.00
FJ96J-06-06-56	14171-6-6	90° Female JIC Swivel Long, J Series High Pressure	4.00
FK11J-06-18	1MU71-6-6	Female Komatsu 30° Swivel, J Series High Pressure	4.00
FK11J-08-22	1MU71-8-8	Female Komatsu 30° Swivel, J Series High Pressure	4.00
FK11J-08-24	1MU71-8-8	Female Komatsu 30° Swivel, J Series High Pressure	4.00
FK11J-10-24	1XU71-10-10	Female Komatsu 30° Swivel, J Series High Pressure	4.00
FK11J-12-30	1XU71-12-12	Female Komatsu 30° Swivel, J Series High Pressure	4.00
FK11J-16-33	1XU71-16-16	Female Komatsu 30° Swivel, J Series High Pressure	4.00
FK11J-20-36	1XU71-20-20	Female Komatsu 30° Swivel, J Series High Pressure	4.00
FN10K-04-02	10243-2-4	Female NPT Rigid, K Series Normal Pressure	8.00
FN10K-04-04	10243-4-4	Female NPT Rigid, K Series Normal Pressure	8.00
FN10K-04-06	10243-6-4	Female NPT Rigid, K Series Normal Pressure	8.00
FN10K-06-04	10243-4-6	Female NPT Rigid, K Series Normal Pressure	8.00
FN10K-06-06	10243-6-6	Female NPT Rigid, K Series Normal Pressure	8.00
FN10K-06-08	10243-8-6	Female NPT Rigid, K Series Normal Pressure	8.00
FN10K-08-08	10243-8-8	Female NPT Rigid, K Series Normal Pressure	8.00
FN10K-12-12	10243-12-12	Female NPT Rigid, K Series Normal Pressure	8.00
FN11K-04-04	10743-4-4	Female NPSM, K Series Normal Pressure	7.00
FN11K-06-06	10743-6-6	Female NPSM, K Series Normal Pressure	6.00
FN11K-06-08	10743-8-6	Female NPSM, K Series Normal Pressure	8.00
FN11K-08-08	10743-8-8	Female NPSM, K Series Normal Pressure	4.00

Hydraulic Shop Liquidation Manifest
Hose End Fittings

Intertraco Part#	Parker Part#	Description	Quantity On Hand
FN11K-08-12	10743-12-8	Female NPSM, K Series Normal Pressure	8.00
FN11K-12-12	10743-12-12	Female NPSM, K Series Normal Pressure	4.00
FP11K-06-08	1B543-8-6	Female BSPP Flat Face Swivel, K Series Normal Pressure	8.00
FP11K-08-08	1B543-8-8	Female BSPP Flat Face Swivel, K Series Normal Pressure	8.00
FP11K-12-12	1B543-12-12	Female BSPP Flat Face Swivel, K Series Normal Pressure	8.00
FQ13K-04-14		Female Metric Swivel Universal Seat, K Series Normal Pressure	8.00
FQ13K-06-16		Female Metric Swivel Universal Seat, K Series Normal Pressure	14.00
FQ13K-06-18		Female Metric Swivel Universal Seat, K Series Normal Pressure	8.00
FQ13K-08-22		Female Metric Swivel Universal Seat, K Series Normal Pressure	8.00
FQ13K-10-26		Female Metric Swivel Universal Seat, K Series Normal Pressure	8.00
FQ93K-04-14		90° Female Metric Swivel Universal Seat, K Series Normal Pressure	8.00
FQ93K-06-18		90° Female Metric Swivel Universal Seat, K Series Normal Pressure	8.00
FQ93K-08-22		90° Female Metric Swivel Universal Seat, K Series Normal Pressure	8.00
FQ93K-10-26		90° Female Metric Swivel Universal Seat, K Series Normal Pressure	8.00
FT11K-04-04	1FU43-4-4	30° JIS Female Swivel Fitting	6.00
FT11K-06-06	1FU43-6-6	30° JIS Female Swivel Fitting	6.00
FT11K-08-08	1FU43-8-8	30° JIS Female Swivel Fitting	4.00
FU11K-04-06	10843-6-4	Female SAE 45° Flare Swivel, K Series Normal Pressure	8.00
FU11K-06-06	10843-6-6	Female SAE 45° Flare Swivel, K Series Normal Pressure	8.00
FU11K-10-12	10843-12-10	Female SAE 45° Flare Swivel, K Series Normal Pressure	9.00
FU11K-12-12	10843-12-12	Female SAE 45° Flare Swivel, K Series Normal Pressure	7.00
KC10J-12-36		Male Komatsu Fitting, J Series High Pressure	4.00
KC10J-16-36		Male Komatsu Fitting, J Series High Pressure	4.00
KC10J-16-45		Male Komatsu Fitting, J Series High Pressure	4.00
MB10K-04-02	1D943-4-2	Male BSPP Fitting, K Series Normal Pressure	8.00
MB10K-04-04	1D943-4-4	Male BSPP Fitting, K Series Normal Pressure	10.00
MB10K-04-06	1D943-4-6	Male BSPP Fitting, K Series Normal Pressure	5.00
MB10K-06-04	1D943-6-4	Male BSPP Fitting, K Series Normal Pressure	7.00
MB10K-06-06	1D943-6-6	Male BSPP Fitting, K Series Normal Pressure	7.00
MB10K-06-08	1D943-6-8	Male BSPP Fitting, K Series Normal Pressure	6.00
MB10K-08-06	1D943-8-6	Male BSPP Fitting, K Series Normal Pressure	7.00
MB10K-08-08	1D943-8-8	Male BSPP Fitting, K Series Normal Pressure	8.00
MB10K-08-10	1D943-8-10	Male BSPP Fitting, K Series Normal Pressure	7.00
MB10K-08-12	1D943-8-12	Male BSPP Fitting, K Series Normal Pressure	8.00
MB10K-10-10	1D943-10-10	Male BSPP Fitting, K Series Normal Pressure	8.00
MB10K-10-12	1D943-10-12	Male BSPP Fitting, K Series Normal Pressure	8.00
MB10K-12-12	1D943-12-12	Male BSPP Fitting, K Series Normal Pressure	8.00
MB10K-12-16	1D943-12-16	Male BSPP Fitting, K Series Normal Pressure	8.00
MB10K-16-16	1D943-16-16	Male BSPP Fitting, K Series Normal Pressure	8.00
ME10K-04-04	10543-4-4	Male SAE O-Ring Rigid, K Series Normal Pressure	8.00
ME10K-04-06	10543-6-4	Male SAE O-Ring Rigid, K Series Normal Pressure	7.00
ME10K-06-06	10543-6-6	Male SAE O-Ring Rigid, K Series Normal Pressure	9.00
ME10K-06-08	10543-8-6	Male SAE O-Ring Rigid, K Series Normal Pressure	10.00
ME10K-06-10	10543-10-6	Male SAE O-Ring Rigid, K Series Normal Pressure	8.00
ME10K-08-08	10543-8-8	Male SAE O-Ring Rigid, K Series Normal Pressure	8.00
ME10K-08-10	10543-10-8	Male SAE O-Ring Rigid, K Series Normal Pressure	5.00
ME10K-08-12	10543-12-8	Male SAE O-Ring Rigid, K Series Normal Pressure	8.00
ME10K-10-08	10543-8-10	Male SAE O-Ring Rigid, K Series Normal Pressure	8.00
ME10K-10-10	10543-10-10	Male SAE O-Ring Rigid, K Series Normal Pressure	6.00

Hydraulic Shop Liquidation Manifest
Hose End Fittings

Intertraco Part#	Parker Part#	Description	Quantity On Hand
ME10K-10-12	10543-12-10	Male SAE O-Ring Rigid, K Series Normal Pressure	5.00
ME10K-12-12	10543-12-12	Male SAE O-Ring Rigid, K Series Normal Pressure	12.00
ME10K-12-16	10543-16-12	Male SAE O-Ring Rigid, K Series Normal Pressure	8.00
ME10K-16-16	10543-16-16	Male SAE O-Ring Rigid, K Series Normal Pressure	8.00
MFA10K-04-04	11143-4-4	Male Flareless Tube, K Series Normal Pressure	4.00
MFA10K-06-06	11143-6-6	Male Flareless Tube, K Series Normal Pressure	4.00
MFA10K-06-08	11143-8-6	Male Flareless Tube, K Series Normal Pressure	4.00
MFA10K-08-08	11143-8-8	Male Flareless Tube, K Series Normal Pressure	4.00
MFA10K-08-10	11143-10-8	Male Flareless Tube, K Series Normal Pressure	4.00
MFA10K-12-12	11143-12-12	Male Flareless Tube, K Series Normal Pressure	4.00
MFA10K-16-16	11143-16-16	Male Flareless Tube, K Series Normal Pressure	4.00
MG10K-04-02	11343-2-4	Male NPT Swivel Fitting, K Series Normal Pressure	8.00
MG10K-04-04	11343-4-4	Male NPT Swivel Fitting, K Series Normal Pressure	8.00
MG10K-04-06	11343-6-4	Male NPT Swivel Fitting, K Series Normal Pressure	8.00
MG10K-06-04	11343-4-6	Male NPT Swivel Fitting, K Series Normal Pressure	8.00
MG10K-06-06	11343-6-6	Male NPT Swivel Fitting, K Series Normal Pressure	8.00
MG10K-06-08	11343-8-6	Male NPT Swivel Fitting, K Series Normal Pressure	7.00
MG10K-08-06	11343-6-8	Male NPT Swivel Fitting, K Series Normal Pressure	8.00
MG10K-08-08	11343-8-8	Male NPT Swivel Fitting, K Series Normal Pressure	6.00
MG10K-12-08	11343-8-12	Male NPT Swivel Fitting, K Series Normal Pressure	8.00
MG10K-12-12	11343-12-12	Male NPT Swivel Fitting, K Series Normal Pressure	5.00
MG10K-16-16	11343-16-16	Male NPT Swivel Fitting, K Series Normal Pressure	8.00
MG90K-04-04	11L434-4-4	90° Male NPT Swivel Fitting, K Series Normal Pressure	8.00
MG90K-04-06	11L434-4-6	90° Male NPT Swivel Fitting, K Series Normal Pressure	8.00
MG90K-06-06	11L436-6-6	90° Male NPT Swivel Fitting, K Series Normal Pressure	10.00
MG90K-06-08	11L438-8-6	90° Male NPT Swivel Fitting, K Series Normal Pressure	6.00
MG90K-08-08	11L438-8-8	90° Male NPT Swivel Fitting, K Series Normal Pressure	8.00
MG90K-12-12	11L43-12-12	90° Male NPT Swivel Fitting, K Series Normal Pressure	7.00
MJ10J-06-06	10371-6-6	Male JIC Fitting, J Series High Pressure	10.00
MJ10J-06-08	10371-8-6	Male JIC Fitting, J Series High Pressure	24.00
MJ10J-08-08	10371-8-8	Male JIC Fitting, J Series High Pressure	8.00
MJ10J-08-10	10371-10-8	Male JIC Fitting, J Series High Pressure	16.00
MJ10J-08-12	10371-12-8	Male JIC Fitting, J Series High Pressure	12.00
MJ10J-10-10	10371-10-10	Male JIC Fitting, J Series High Pressure	12.00
MJ10J-10-12	10371-12-10	Male JIC Fitting, J Series High Pressure	16.00
MJ10J-12-10	10371-10-12	Male JIC Fitting, J Series High Pressure	12.00
MJ10J-12-12	10371-12-12	Male JIC Fitting, J Series High Pressure	11.00
MJ10J-12-14	10371-14-12	Male JIC Fitting, J Series High Pressure	8.00
MJ10J-12-16	10371-16-12	Male JIC Fitting, J Series High Pressure	12.00
MJ10J-16-16	10371-16-16	Male JIC Fitting, J Series High Pressure	8.00
MJ10J-16-20	10371-20-16	Male JIC Fitting, J Series High Pressure	8.00
MJ10J-20-20	10371-20-20	Male JIC Fitting, J Series High Pressure	6.00
MJ10K-04-04	10343-4-4	Male JIC Fitting, K Series Normal Pressure	107.00
MJ10K-04-06	10343-6-4	Male JIC Fitting, K Series Normal Pressure	8.00
MJ10K-06-06	10343-6-6	Male JIC Fitting, K Series Normal Pressure	100.00
MJ10K-06-08	10343-8-6	Male JIC Fitting, K Series Normal Pressure	12.00
MJ10K-06-10	10343-10-6	Male JIC Fitting, K Series Normal Pressure	23.00
MJ10K-08-06	10343-6-8	Male JIC Fitting, K Series Normal Pressure	11.00
MJ10K-08-08	10343-8-8	Male JIC Fitting, K Series Normal Pressure	49.00

Hydraulic Shop Liquidation Manifest
Hose End Fittings

Intertraco Part#	Parker Part#	Description	Quantity On Hand
MJ10K-08-10	10343-10-8	Male JIC Fitting, K Series Normal Pressure	1.00
MJ10K-08-12	10343-12-8	Male JIC Fitting, K Series Normal Pressure	12.00
MJ10K-10-08	10343-8-10	Male JIC Fitting, K Series Normal Pressure	18.00
MJ10K-10-10	10343-10-10	Male JIC Fitting, K Series Normal Pressure	12.00
MJ10K-10-12	10343-12-10	Male JIC Fitting, K Series Normal Pressure	12.00
MJ10K-12-10	10343-10-12	Male JIC Fitting, K Series Normal Pressure	12.00
MJ10K-12-12	10343-12-12	Male JIC Fitting, K Series Normal Pressure	103.00
MJ10K-12-14	10343-14-12	Male JIC Fitting, K Series Normal Pressure	12.00
MJ10K-12-16	10343-16-12	Male JIC Fitting, K Series Normal Pressure	12.00
MJ10K-16-16	10343-16-16	Male JIC Fitting, K Series Normal Pressure	10.00
MJ10K-16-20	10343-20-16	Male JIC Fitting, K Series Normal Pressure	20.00
MN10K-04-02	10143-2-4	Male NPT Fitting, K Series Normal Pressure	8.00
MN10K-04-04	10143-4-4	Male NPT Fitting, K Series Normal Pressure	8.00
MN10K-06-04	10143-4-6	Male NPT Fitting, K Series Normal Pressure	9.00
MN10K-06-06	10143-6-6	Male NPT Fitting, K Series Normal Pressure	7.00
MN10K-06-08	10143-8-6	Male NPT Fitting, K Series Normal Pressure	10.00
MN10K-08-04	10143-4-8	Male NPT Fitting, K Series Normal Pressure	8.00
MN10K-08-06	10143-6-8	Male NPT Fitting, K Series Normal Pressure	8.00
MN10K-08-08	10143-8-8	Male NPT Fitting, K Series Normal Pressure	8.00
MN10K-08-12	10143-12-8	Male NPT Fitting, K Series Normal Pressure	8.00
MN10K-10-08	10143-8-10	Male NPT Fitting, K Series Normal Pressure	8.00
MN10K-10-12	10143-12-10	Male NPT Fitting, K Series Normal Pressure	8.00
MN10K-12-08	10143-8-12	Male NPT Fitting, K Series Normal Pressure	8.00
MN10K-12-12	10143-12-12	Male NPT Fitting, K Series Normal Pressure	15.00
MN10K-12-16	10143-16-12	Male NPT Fitting, K Series Normal Pressure	8.00
MN10K-16-12	10143-12-16	Male NPT Fitting, K Series Normal Pressure	8.00
MN10K-16-16	10143-16-16	Male NPT Fitting, K Series Normal Pressure	8.00
MN10K-16-20	10143-20-16	Male NPT Fitting, K Series Normal Pressure	6.00
MT10J-06-06	1UT71-6-6	Male BSPT Fitting, J Series High Pressure	4.00
MT10J-08-08	1UT71-8-8	Male BSPT Fitting, J Series High Pressure	4.00
MT10J-12-12	1UT71-12-12	Male BSPT Fitting, J Series High Pressure	6.00
MT10J-16-16	1UT71-16-16	Male BSPT Fitting, J Series High Pressure	4.00
MT10K-04-02	1UT43-2-4	Male BSPT Fitting, K Series Normal Pressure	8.00
MT10K-04-04	1UT43-4-4	Male BSPT Fitting, K Series Normal Pressure	10.00
MT10K-04-06	1UT43-6-4	Male BSPT Fitting, K Series Normal Pressure	6.00
MT10K-06-04	1UT43-4-6	Male BSPT Fitting, K Series Normal Pressure	7.00
MT10K-06-06	1UT43-6-6	Male BSPT Fitting, K Series Normal Pressure	9.00
MT10K-08-06	1UT43-8-6	Male BSPT Fitting, K Series Normal Pressure	8.00
MT10K-08-08	1UT43-8-8	Male BSPT Fitting, K Series Normal Pressure	8.00
MT10K-10-10	1UT43-10-10	Male BSPT Fitting, K Series Normal Pressure	8.00
MT10K-10-12	1UT43-12-10	Male BSPT Fitting, K Series Normal Pressure	30.00
MT10K-12-12	1UT43-12-12	Male BSPT Fitting, K Series Normal Pressure	7.00
MT10K-16-16	1UT43-16-16	Male BSPT Fitting, K Series Normal Pressure	8.00
MU10K-06-06	10443-6-6	Male SAE 45° Flare, K Series Normal Pressure	8.00
MU10K-12-12	10443-12-12	Male SAE 45° Flare, K Series Normal Pressure	8.00
MV10K-04-04	10G43-4-4	Male SAE O-Ring Swivel, K Series Normal Pressure	7.00
MV10K-04-06	10G43-6-4	Male SAE O-Ring Swivel, K Series Normal Pressure	7.00
MV10K-06-06	10G43-6-6	Male SAE O-Ring Swivel, K Series Normal Pressure	8.00
MV10K-06-08	10G43-8-6	Male SAE O-Ring Swivel, K Series Normal Pressure	8.00

Hydraulic Shop Liquidation Manifest
Hose End Fittings

Intertraco Part#	Parker Part#	Description	Quantity On Hand
MV10K-06-10	10G43-10-6	Male SAE O-Ring Swivel, K Series Normal Pressure	8.00
MV10K-08-08	10G43-8-8	Male SAE O-Ring Swivel, K Series Normal Pressure	14.00
MV10K-08-10	10G43-10-8	Male SAE O-Ring Swivel, K Series Normal Pressure	9.00
MV10K-08-12	10G43-12-8	Male SAE O-Ring Swivel, K Series Normal Pressure	6.00
MV10K-12-12	10G43-12-12	Male SAE O-Ring Swivel, K Series Normal Pressure	7.00
MV90K-04-04	10L43-4-4	90° Male SAE O-Ring Swivel, K Series Normal Pressure	5.00
MV90K-04-06	10L43-6-4	90° Male SAE O-Ring Swivel, K Series Normal Pressure	8.00
MV90K-06-06	10L43-6-6	90° Male SAE O-Ring Swivel, K Series Normal Pressure	9.00
MV90K-06-08	10L43-8-6	90° Male SAE O-Ring Swivel, K Series Normal Pressure	7.00
MV90K-06-10	10L43-10-6	90° Male SAE O-Ring Swivel, K Series Normal Pressure	8.00
MV90K-08-08	10L43-8-8	90° Male SAE O-Ring Swivel, K Series Normal Pressure	5.00
MV90K-08-10	10L43-10-8	90° Male SAE O-Ring Swivel, K Series Normal Pressure	8.00
MV90K-12-12	10L43-12-12	90° Male SAE O-Ring Swivel, K Series Normal Pressure	8.00
MZ40K-04-04		Male Inverted Swivel, K Series Normal Pressure	4.00
MZ40K-06-06		Male Inverted Swivel, K Series Normal Pressure	4.00
MZ40K-08-08		Male Inverted Swivel, K Series Normal Pressure	4.00
MZ90K-04-04		45° Male Inverted Swivel, K Series Normal Pressure	4.00
MZ90K-06-06		45° Male Inverted Swivel, K Series Normal Pressure	4.00
MZ90K-08-08		45° Male Inverted Swivel, K Series Normal Pressure	4.00
OM10J-06-06	1J071-6-6	Male ORS Fitting, J Series High Pressure	4.00
OM10J-06-08	1J071-8-6	Male ORS Fitting, J Series High Pressure	4.00
OM10J-08-08	1J071-8-8	Male ORS Fitting, J Series High Pressure	4.00
OM10J-10-12	1J071-12-10	Male ORS Fitting, J Series High Pressure	6.00
OM10J-12-12	1J071-12-12	Male ORS Fitting, J Series High Pressure	9.00
OM10J-12-16	1J071-16-12	Male ORS Fitting, J Series High Pressure	8.00
OM10J-16-16	1J071-16-16	Male ORS Fitting, J Series High Pressure	4.00
OM10J-16-20	1J071-20-16	Male ORS Fitting, J Series High Pressure	4.00
OM10J-20-20	1J071-20-20	Male ORS Fitting, J Series High Pressure	4.00
OM10K-04-04	1J043-4-4	Male ORS Fitting, K Series Normal Pressure	13.00
OM10K-04-06	1J043-6-4	Male ORS Fitting, K Series Normal Pressure	8.00
OM10K-06-06	1J043-6-6	Male ORS Fitting, K Series Normal Pressure	58.00
OM10K-06-08	1J043-8-6	Male ORS Fitting, K Series Normal Pressure	23.00
OM10K-08-08	1J043-8-8	Male ORS Fitting, K Series Normal Pressure	11.00
OM10K-08-10	1J043-10-8	Male ORS Fitting, K Series Normal Pressure	6.00
OM10K-08-12	1J043-12-8	Male ORS Fitting, K Series Normal Pressure	8.00
OM10K-10-10	1J043-10-10	Male ORS Fitting, K Series Normal Pressure	8.00
OM10K-10-12	1J043-12-10	Male ORS Fitting, K Series Normal Pressure	7.00
OM10K-12-12	1J043-12-12	Male ORS Fitting, K Series Normal Pressure	6.00
OM10K-12-16	1J043-16-12	Male ORS Fitting, K Series Normal Pressure	8.00
OR12J-16-20	1JS71-20-16	Female ORS Swivel, J Series High Pressure	4.00
OR12J-20-20	1JS71-20-20	Female ORS Swivel, J Series High Pressure	7.00
OR13J-06-06	1JS71-6-6	Female ORS Swivel, J Series High Pressure	3.00
OR13J-06-08	1JS71-8-6	Female ORS Swivel, J Series High Pressure	8.00
OR13J-08-06	1JS71-6-8	Female ORS Swivel, J Series High Pressure	4.00
OR13J-08-08	1JS71-8-8	Female ORS Swivel, J Series High Pressure	12.00
OR13J-08-10	1JS71-10-8	Female ORS Swivel, J Series High Pressure	4.00
OR13J-08-12	1JS71-12-8	Female ORS Swivel, J Series High Pressure	4.00
OR13J-10-10	1JS71-10-10	Female ORS Swivel, J Series High Pressure	10.00
OR13J-10-12	1JS71-12-10	Female ORS Swivel, J Series High Pressure	6.00

Hydraulic Shop Liquidation Manifest
Hose End Fittings

Intertraco Part#	Parker Part#	Description	Quantity On Hand
OR13J-12-10	1JS71-10-12	Female ORS Swivel, J Series High Pressure	4.00
OR13J-12-12	1JS71-12-12	Female ORS Swivel, J Series High Pressure	3.00
OR13J-12-16	1JS71-16-12	Female ORS Swivel, J Series High Pressure	4.00
OR13J-16-12	1JS71-12-16	Female ORS Swivel, J Series High Pressure	4.00
OR13J-16-16	1JS71-16-16	Female ORS Swivel, J Series High Pressure	3.00
OR13K-04-04	1JS43-4-4	Female ORS Swivel, K Series Normal Pressure	131.00
OR13K-04-06	1JS43-6-4	Female ORS Swivel, K Series Normal Pressure	18.00
OR13K-06-04	1JS43-4-6	Female ORS Swivel, K Series Normal Pressure	32.00
OR13K-06-06	1JS43-6-6	Female ORS Swivel, K Series Normal Pressure	515.00
OR13K-06-08	1JS43-8-6	Female ORS Swivel, K Series Normal Pressure	8.00
OR13K-08-06	1JS43-6-8	Female ORS Swivel, K Series Normal Pressure	14.00
OR13K-08-08	1JS43-8-8	Female ORS Swivel, K Series Normal Pressure	525.00
OR13K-08-10	1JS43-10-8	Female ORS Swivel, K Series Normal Pressure	30.00
OR13K-08-12	1JS43-12-8	Female ORS Swivel, K Series Normal Pressure	7.00
OR13K-10-10	1JS43-10-10	Female ORS Swivel, K Series Normal Pressure	13.00
OR13K-10-12	1JS43-12-10	Female ORS Swivel, K Series Normal Pressure	7.00
OR13K-12-10	1JS43-10-12	Female ORS Swivel, K Series Normal Pressure	8.00
OR13K-12-12	1JS43-12-12	Female ORS Swivel, K Series Normal Pressure	89.00
OR13K-12-16	1JS43-16-12	Female ORS Swivel, K Series Normal Pressure	14.00
OR43J-06-08	1J771-8-6	45° Female ORS Swivel, J Series High Pressure	4.00
OR43J-08-08	1J771-8-8	45° Female ORS Swivel, J Series High Pressure	4.00
OR43J-08-10	1J771-10-8	45° Female ORS Swivel, J Series High Pressure	4.00
OR43J-08-12	1J771-12-8	45° Female ORS Swivel, J Series High Pressure	6.00
OR43J-10-10	1J771-10-10	45° Female ORS Swivel, J Series High Pressure	5.00
OR43J-10-12	1J771-12-10	45° Female ORS Swivel, J Series High Pressure	4.00
OR43J-20-20	1J771-20-20	45° Female ORS Swivel, J Series High Pressure	4.00
OR43K-04-04	1J743-4-4	45° Female ORS Swivel, K Series Normal Pressure	5.00
OR43K-04-06	1J743-6-4	45° Female ORS Swivel, K Series Normal Pressure	12.00
OR43K-06-06	1J743-6-6	45° Female ORS Swivel, K Series Normal Pressure	7.00
OR43K-08-06	1J743-6-8	45° Female ORS Swivel, K Series Normal Pressure	8.00
OR43K-08-08	1J743-8-8	45° Female ORS Swivel, K Series Normal Pressure	12.00
OR43K-08-10	1J743-10-8	45° Female ORS Swivel, K Series Normal Pressure	8.00
OR43K-10-10	1J743-10-10	45° Female ORS Swivel, K Series Normal Pressure	7.00
OR43K-10-12	1J743-12-10	45° Female ORS Swivel, K Series Normal Pressure	8.00
OR43K-12-10	1J743-10-12	45° Female ORS Swivel, K Series Normal Pressure	8.00
OR43K-12-12	1J743-12-12	45° Female ORS Swivel, K Series Normal Pressure	5.00
OR43K-12-16	1J743-16-12	45° Female ORS Swivel, K Series Normal Pressure	5.00
OR43K-16-16	1J743-16-16	45° Female ORS Swivel, K Series Normal Pressure	8.00
OR44J-06-06	1J771-6-6	45° Female ORS Swivel, J Series High Pressure	4.00
OR44J-12-12	1J771-12-12	45° Female ORS Swivel, J Series High Pressure	4.00
OR44J-12-16	1J771-16-12	45° Female ORS Swivel, J Series High Pressure	4.00
OR44J-16-16	1J771-16-16	45° Female ORS Swivel, J Series High Pressure	8.00
OR44K-06-08	1J743-8-6	45° Female ORS Swivel, K Series Normal Pressure	12.00
OR92J-16-20	1J971-20-16	90° Female ORS Swivel, J Series High Pressure	4.00
OR92J-20-20	1J971-20-20	90° Female ORS Swivel, J Series High Pressure	4.00
OR93J-08-08	1J971-8-8	90° Female ORS Swivel, J Series High Pressure	5.00
OR93J-08-08-64	1J171-8-8	90° Female ORS Swivel Long, J Series High Pressure	4.00
OR93J-08-10	1J971-10-8	90° Female ORS Swivel, J Series High Pressure	4.00
OR93J-08-10-70	1J171-10-8	90° Female ORS Swivel Long, J Series High Pressure	4.00

Hydraulic Shop Liquidation Manifest
Hose End Fittings

Intertraco Part#	Parker Part#	Description	Quantity On Hand
OR93J-08-12	1J971-12-8	90° Female ORS Swivel, J Series High Pressure	4.00
OR93J-10-12	1J971-12-10	90° Female ORS Swivel, J Series High Pressure	4.00
OR93J-12-10	1J971-10-12	90° Female ORS Swivel, J Series High Pressure	4.00
OR93J-12-16-114	1J171-16-12	90° Female ORS Swivel Long, J Series High Pressure	4.00
OR93K-04-04-46		90° Female ORS Swivel Long, K Series Normal Pressure	5.00
OR93K-04-06-54		90° Female ORS Swivel Long, K Series Normal Pressure	8.00
OR93K-06-04	1J943-4-6	90° Female ORS Swivel, K Series Normal Pressure	7.00
OR93K-06-08-64		90° Female ORS Swivel Long, K Series Normal Pressure	6.00
OR93K-08-06	1J943-6-8	90° Female ORS Swivel, K Series Normal Pressure	8.00
OR93K-08-12	1J943-12-8	90° Female ORS Swivel, K Series Normal Pressure	8.00
OR93K-10-12	1J943-12-10	90° Female ORS Swivel, K Series Normal Pressure	8.00
OR93K-12-10	1J943-10-12	90° Female ORS Swivel, K Series Normal Pressure	8.00
OR94J-06-06	1J971-6-6	90° Female ORS Swivel, J Series High Pressure	28.00
OR94J-06-08	1J971-8-6	90° Female ORS Swivel, J Series High Pressure	4.00
OR94J-10-10	1J971-10-10	90° Female ORS Swivel, J Series High Pressure	5.00
OR94J-12-12	1J971-12-12	90° Female ORS Swivel, J Series High Pressure	4.00
OR94J-12-16	1J971-16-12	90° Female ORS Swivel, J Series High Pressure	4.00
OR94J-16-16	1J971-16-16	90° Female ORS Swivel, J Series High Pressure	1.00
OR94K-04-04	1J943-4-4	90° Female ORS Swivel, K Series Normal Pressure	13.00
OR94K-04-06	1J943-6-4	90° Female ORS Swivel, K Series Normal Pressure	14.00
OR94K-06-06-54	1J143-6-6	90° Female ORS Swivel Long, K Series Normal Pressure	8.00
OR94K-06-06	1J943-6-6	90° Female ORS Swivel, K Series Normal Pressure	29.00
OR94K-06-08	1J943-8-6	90° Female ORS Swivel, K Series Normal Pressure	8.00
OR94K-08-08	1J943-8-8	90° Female ORS Swivel, K Series Normal Pressure	15.00
OR94K-08-08-64	1J143-8-8	90° Female ORS Swivel Long, K Series Normal Pressure	5.00
OR94K-08-10-70	1J143-10-8	90° Female ORS Swivel Long, K Series Normal Pressure	8.00
OR94K-08-10	1J943-10-8	90° Female ORS Swivel, K Series Normal Pressure	28.00
OR94K-10-10	1J943-10-10	90° Female ORS Swivel, K Series Normal Pressure	8.00
OR94K-10-10-70	1J143-10-10	90° Female ORS Swivel Long, K Series Normal Pressure	8.00
OR94K-12-12	1J943-12-12	90° Female ORS Swivel, K Series Normal Pressure	2.00
OR94K-12-12-96	1J143-12-12	90° Female ORS Swivel Long, K Series Normal Pressure	8.00
OR94K-12-16	1J943-16-12	90° Female ORS Swivel, K Series Normal Pressure	16.00
OR94K-16-16	1J943-16-16	90° Female ORS Swivel, K Series Normal Pressure	4.00
SFK-08	FL-08	Code 61 Split Flange Kit	2.00
SFK-12	FL-12	Code 61 Split Flange Kit	2.00
SFK-16	FL-16	Code 61 Split Flange Kit	2.00
SFK-20	FL-20	Code 61 Split Flange Kit	2.00
SFX-08	FS-08	Code 62 Split Flange Kit	2.00
SFX-12	FS-12	Code 62 Split Flange Kit	2.00
SFX-16	FS-16	Code 62 Split Flange Kit	2.00
SFX-20	FS-20	Code 62 Split Flange Kit	2.00

Hydraulic Shop Liquidation Manifest
Fitting Adapters, Caps, and Plugs

Intertraco Part#	Parker Part#	Description	Quantity On Hand
0304-C-02	2 FNTX-S	JIC Cap	8.00
0304-C-04	4 FNTX-S	JIC Cap	8.00
0304-C-06	6 FNTX-S	JIC Cap	8.00
0304-C-08	8 FNTX-S	JIC Cap	12.00
0304-C-10	10 FNTX-S	JIC Cap	8.00
0304-C-12	12 FNTX-S	JIC Cap	6.00
0304-C-14	14 FNTX-S	JIC Cap	8.00
0304-C-16	16 FNTX-S	JIC Cap	8.00
0304-C-20	20 FNTX-S	JIC Cap	4.00
0306-02	2 WLN-S	Lock Nut	4.00
0306-04	4 WLN-S	Lock Nut	4.00
0306-06	6 WLN-S	Lock Nut	6.00
0306-08	8 WLN-S	Lock Nut	9.00
0306-10	10 WLN-S	Lock Nut	4.00
0306-12	12 WLN-S	Lock Nut	4.00
0306-14	14 WLN-S	Lock Nut	4.00
0306-16	16 WLN-S	Lock Nut	4.00
0306-20	20 WLN-S	Lock Nut	4.00
10DB-06-04-WD		DINxBSPP Male Captive Seal - 3/8"x1/4"	5.00
20JC-04-06		Light DIN to JIC Adapter	6.00
20JC-06-08		Light DIN to JIC Adapter	6.00
20JC-06-10		Light DIN to JIC Adapter	6.00
20JC-06-12		Light DIN to JIC Adapter	6.00
20JC-08-15		Light DIN to JIC Adapter	3.00
20JC-12-18		Light DIN to JIC Adapter	5.00
20JC-12-22		Light DIN to JIC Adapter	6.00
20JC-16-28		Light DIN to JIC Adapter	6.00
20JD-04-06		Heavy DIN S to JIC Adapter	12.00
20JD-06-10		Heavy DIN S to JIC Adapter	4.00
20JD-06-12		Heavy DIN S to JIC Adapter	6.00
20JD-08-16		Heavy DIN S to JIC Adapter	6.00
20JD-12-20		Heavy DIN S to JIC Adapter	12.00
20JD-12-25		Heavy DIN S to JIC Adapter	6.00
2221086		Pressure Check Fitting	4.00
2403-02-02	2 HTX-S	JIC Male Union	8.00
2403-04-02	4-2 HTX-S	JIC Male Union	8.00
2403-04-04	4 HTX-S	JIC Male Union	8.00
2403-06-04	6-4 HTX-S	JIC Male Union	8.00
2403-06-06	6 HTX-S	JIC Male Union	8.00
2403-08-04	8-4 HTX-S	JIC Male Union	8.00
2403-08-06	8-6 HTX-S	JIC Male Union	8.00
2403-08-08	8 HTX-S	JIC Male Union	8.00

Hydraulic Shop Liquidation Manifest
Fitting Adapters, Caps, and Plugs

Intertraco Part#	Parker Part#	Description	Quantity On Hand
2403-10-04	10-4 HTX-S	JIC Male Union	8.00
2403-10-06	10-6 HTX-S	JIC Male Union	8.00
2403-10-08	10-8 HTX-S	JIC Male Union	8.00
2403-10-10	10 HTX-S	JIC Male Union	8.00
2403-12-04	12-4 HTX-S	JIC Male Union	8.00
2403-12-06	12-6 HTX-S	JIC Male Union	8.00
2403-12-08	12-8 HTX-S	JIC Male Union	8.00
2403-12-10	12-10 HTX-S	JIC Male Union	8.00
2403-12-12	12 HTX-S	JIC Male Union	7.00
2403-14-12	14-12 HTX-S	JIC Male Union	8.00
2403-14-14	14 HTX-S	JIC Male Unionr	8.00
2403-16-06	16-6 HTX-S	JIC Male Union	2.00
2403-16-08	16-8 HTX-S	JIC Male Union	8.00
2403-16-10	16-10 HTX-S	JIC Male Union	8.00
2403-16-12	16-12 HTX-S	JIC Male Union	8.00
2403-16-16	16 HTX-S	JIC Male Union	8.00
2403-20-12	20-12 HTX-S	JIC Male Union	4.00
2403-20-16	20-16 HTX-S	JIC Male Union	4.00
2403-20-20	20 HTX-S	JIC Male Union	4.00
2406-04-02	4-2 TRTXN-S	JIC Reducer/Increaser	4.00
2406-04-06	4-6 TRTXN-S	JIC Reducer/Increaser	4.00
2406-04-08	4-8 TRTXN-S	JIC Reducer/Increaser	4.00
2406-06-02	6-2 TRTXN-S	JIC Reducer/Increaser	4.00
2406-06-04	6-4 TRTXN-S	JIC Reducer/Increaser	4.00
2406-06-06	6 TRTXN-S	JIC Reducer/Increaser	4.00
2406-06-08	6-8 TRTXN-S	JIC Reducer/Increaser	4.00
2406-08-04	8-4 TRTXN-S	JIC Reducer/Increaser	4.00
2406-08-06	8-6 TRTXN-S	JIC Reducer/Increaser	4.00
2406-08-10	8-10 TRTXN-S	JIC Reducer/Increaser	4.00
2406-08-12	8-12 TRTXN-S	JIC Reducer/Increaser	4.00
2406-10-04	10-4 TRTXN-S	JIC Reducer/Increaser	4.00
2406-10-06	10-6 TRTXN-S	JIC Reducer/Increaser	4.00
2406-10-08	10-8 TRTXN-S	JIC Reducer/Increaser	4.00
2406-10-12	10-12 TRTXN-S	JIC Reducer/Increaser	4.00
2406-10-16	10-16 TRTXN-S	JIC Reducer/Increaser	2.00
2406-12-04	12-4 TRTXN-S	JIC Reducer/Increaser	4.00
2406-12-06	12-6 TRTXN-S	JIC Reducer/Increaser	4.00
2406-12-08	12-8 TRTXN-S	JIC Reducer/Increaser	4.00
2406-12-10	12-10 TRTXN-S	JIC Reducer/Increaser	4.00
2406-12-12	12 TRTXN-S	JIC Reducer/Increaser	4.00
2406-12-16	12-16 TRTXN-S	JIC Reducer/Increaser	4.00
2406-14-08	14-8 TRTXN-S	JIC Reducer/Increaser	2.00

Hydraulic Shop Liquidation Manifest
Fitting Adapters, Caps, and Plugs

Intertraco Part#	Parker Part#	Description	Quantity On Hand
2406-14-10	14-10 TRTXN-S	JIC Reducer/Increaser	3.00
2406-14-12	14-12 TRTXN-S	JIC Reducer/Increaser	2.00
2406-16-04	16-4 TRTXN-S	JIC Reducer/Increaser	4.00
2406-16-06	16-6 TRTXN-S	JIC Reducer/Increaser	4.00
2406-16-08	16-8 TRTXN-S	JIC Reducer/Increaser	4.00
2406-16-10	16-10 TRTXN-S	JIC Reducer/Increaser	4.00
2406-16-12	16-12 TRTXN-S	JIC Reducer/Increaser	4.00
2406-16-20	16-20 TRTXN-S	JIC Reducer/Increaser	4.00
2406-20-12	20-12 TRTXN-S	JIC Reducer/Increaser	4.00
2406-20-16	20-16 TRTXN-S	JIC Reducer/Increaser	4.00
2408-02	2 PNTX-S	JIC Plug	8.00
2408-04	4 PNTX-S	JIC Plug	8.00
2408-06	6 PNTX-S	JIC Plug	12.00
2408-08	8 PNTX-S	JIC Plug	12.00
2408-10	10 PNTX-S	JIC Plug	8.00
2408-12	12 PNTX-S	JIC Plug	8.00
2408-14	14 PNTX-S	JIC Plug	8.00
2408-16	16 PNTX-S	JIC Plug	8.00
2408-20	20 PNTX-S	JIC Plug	4.00
2500-02-02	2 ETX-S	JIC Male Union 90°	4.00
2500-04-04	4 ETX-S	JIC Male Union 90°	2.00
2500-06-06	6 ETX-S	JIC Male Union 90°	4.00
2500-08-06	8-6 ETX-S	JIC Male Union 90°	4.00
2500-08-08	8 ETX-S	JIC Male Union 90°	4.00
2500-10-08	10-8 ETX-S	JIC Male Union 90°	4.00
2500-10-10	10 ETX-S	JIC Male Union 90°	4.00
2500-12-08	12-8 ETX-S	JIC Male Union 90°	4.00
2500-12-10	12-10 ETX-S	JIC Male Union 90°	4.00
2500-12-12	12 ETX-S	JIC Male Union 90°	4.00
2500-14-14	14 ETX-S	JIC Male Union 90°	3.00
2500-16-12	16-12 ETX-S	JIC Male Union 90°	4.00
2500-16-16	16 ETX-S	JIC Male Union 90°	4.00
2500-20-20	20 ETX-S	JIC Male Union 90°	4.00
2504-04-04		JIC Male Union 45°	4.00
2504-06-04		JIC Male Union 45°	4.00
2504-06-06		JIC Male Union 45°	4.00
2504-08-08		JIC Male Union 45°	3.00
2504-10-10		JIC Male Union 45°	4.00
2504-12-12		JIC Male Union 45°	4.00
2504-16-16		JIC Male Union 45°	4.00
2603-02-02-02	2 JTX-S	JIC Male Tee	3.00
2603-04-04-04	4 JTX-S	JIC Male Tee	4.00

Hydraulic Shop Liquidation Manifest
Fitting Adapters, Caps, and Plugs

Intertraco Part#	Parker Part#	Description	Quantity On Hand
2603-04-04-06	4-4-6 JTX-S	JIC Male Tee	4.00
2603-06-06-04	6-6-4 JTX-S	JIC Male Tee	4.00
2603-06-06-06	6 JTX-S	JIC Male Tee	4.00
2603-06-06-08	6-6-8 JTX-S	JIC Male Tee	2.00
2603-08-06-06	8-6-6 JTX-S	JIC Male Tee	2.00
2603-08-08-06	8-8-6 JTX-S	JIC Male Tee	4.00
2603-08-08-08	8 JTX-S	JIC Male Tee	2.00
2603-08-08-10	8-8-10 JTX-S	JIC Male Tee	2.00
2603-08-08-12	8-8-12 JTX-S	JIC Male Tee	4.00
2603-10-08-08	10-8-8 JTX-S	JIC Male Tee	2.00
2603-10-10-08	10-10-8 JTX-S	JIC Male Tee	4.00
2603-10-10-10	10 JTX-S	JIC Male Tee	4.00
2603-10-10-12	10-10-12 JTX-S	JIC Male Tee	4.00
2603-12-12-12	12 JTX-S	JIC Male Tee	4.00
2603-16-16-16	16 JTX-S	JIC Male Tee	4.00
2603-20-20-20	20 JTX-S	JIC Male Tee	4.00
2650-04040404	4 KTX-S	JIC Cross Fitting	2.00
2650-06060606	6 KTX-S	JIC Cross Fitting	2.00
2650-08080808	8 KTX-S	JIC Cross Fitting	2.00
2650-10-10-10-10	10 KTX-S	JIC Cross Fitting	2.00
2650-12-12-12	12 KTX-S	JIC Cross Fitting	2.00
2650-16-16-16-16	16 KTX-S	JIC Cross Fitting	1.00
2700-04-04	4 WTX-S	JIC Male Bulkhead	4.00
2700-06-06	6 WTX-S	JIC Male Bulkhead	4.00
2700-08-08	8 WTX-S	JIC Male Bulkhead	4.00
2700-10-10	10 WTX-S	JIC Male Bulkhead	4.00
2700-12-12	12 WTX-S	JIC Male Bulkhead	4.00
2700-14-14	14 WTX-S	JIC Male Bulkhead	1.00
2700-16-16	16 WTX-S	JIC Male Bulkhead	4.00
2700-20-20	20 WTX-S	JIC Male Bulkhead	4.00
2702-04-04	4 WTX-S	JIC Male Bulkhead 45°	4.00
2702-06-06	6 WTX-S	JIC Male Bulkhead 45°	4.00
2702-08-08	8 WTX-S	JIC Male Bulkhead 45°	4.00
2702-10-10	10 WTX-S	JIC Male Bulkhead 45°	4.00
2702-12-12	12 WTX-S	JIC Male Bulkhead 45°	4.00
2702-16-16	16 WTX-S	JIC Male Bulkhead 45°	4.00
2702-20-20	20 WTX-S	JIC Male Bulkhead 45°	2.00
60BB-06-06-LN		3/8" Male BSPP Bulkhead Union with Lock Nut	1.00
60BB-08-08-LN		1/2" Male BSPP Bulkhead Union with Lock Nut	2.00
6400-02-02	2 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-04-02	4-2 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-04-04	4 F5OX-S	JIC Male x SAE O-Ring Male	4.00

Hydraulic Shop Liquidation Manifest
Fitting Adapters, Caps, and Plugs

Intertraco Part#	Parker Part#	Description	Quantity On Hand
6400-04-06	4-6 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-04-08	4-8 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-04-10	4-10 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-04-12	4-12 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-06-04	6-4 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-06-06	6 F5OX-S	JIC Male x SAE O-Ring Male	3.00
6400-06-08	6-8 F5OX-S	JIC Male x SAE O-Ring Male	6.00
6400-06-10	6-10 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-06-12	6-12 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-06-16	6-16 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-08-04	8-4 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-08-06	8-6 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-08-08	8 F5OX-S	JIC Male x SAE O-Ring Male	11.00
6400-08-10	8-10 F5OX-S	JIC Male x SAE O-Ring Male	3.00
6400-08-12	8-12 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-08-14	8-14 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-08-16	8-16 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-10-04	10-4 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-10-06	10-6 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-10-08	10-8 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-10-10	10 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-10-12	10-12 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-10-14	10-14 F5OX-S	JIC Male x SAE O-Ring Male	6.00
6400-10-16	10-16 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-10-20	10-20 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-12-06	12-6 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-12-08	12-8 F5OX-S	JIC Male x SAE O-Ring Male	8.00
6400-12-10	12-10 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-12-12	12 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-12-14	12-14 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-12-16	12-16 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-12-20	12-20 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-14-10	14-10 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-14-12	14-12 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-14-14	14 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-14-16	14-16 F5OX-S	JIC Male x SAE O-Ring Male	2.00
6400-16-08	16-8 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-16-10	16-10 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-16-12	16-12 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-16-14	16-14 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-16-16	16 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-16-20	16-20 F5OX-S	JIC Male x SAE O-Ring Male	4.00

Hydraulic Shop Liquidation Manifest
Fitting Adapters, Caps, and Plugs

Intertraco Part#	Parker Part#	Description	Quantity On Hand
6400-20-12	20-12 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-20-16	20-16 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6400-20-20	20 F5OX-S	JIC Male x SAE O-Ring Male	4.00
6401-04-02	4-1/8 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6401-04-04	4-1/4 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6401-04-06	4-3/8 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6401-06-02	6-1/8 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6401-06-04	6-1/4 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6401-06-06	6-3/8 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6401-06-08	6-1/2 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6401-08-04	8-1/4 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6401-08-06	8-3/8 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6401-08-08	8-1/2 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6401-10-04	10-1/4 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6401-10-06	10-3/8 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6401-10-08	10-1/2 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6401-10-12	10-3/4 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6401-12-06	12-3/8 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6401-12-08	12-1/2 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6401-12-12	12-3/4 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6401-14-12	14-3/4 F5OF-S	NPT Male x SAE O-Ring Male	2.00
6401-16-12	16-3/4 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6401-16-16	16-1 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6401-16-20	16-1 1/4 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6401-20-20	20-1 1/4 F5OF-S	NPT Male x SAE O-Ring Male	4.00
6408-02	2 PNLO-S	SAE Plug	4.00
6408-04	4 PNLO-S	SAE Plug	4.00
6408-06	6 PNLO-S	SAE Plug	3.00
6408-08	8 PNLO-S	SAE Plug	4.00
6408-10	10 PNLO-S	SAE Plug	4.00
6408-12	12 PNLO-S	SAE Plug	4.00
6408-14	14 PNLO-S	SAE Plug	4.00
6408-16	16 PNLO-S	SAE Plug	4.00
6408-20	20 PNLO-S	SAE Plug	4.00
6408-H02	2PNMLOS	SAE Plug Hex Head	4.00
6408-H04	4PNMLOS	SAE Plug Hex Head	4.00
6408-H06	6PNMLOS	SAE Plug Hex Head	4.00
6408-H08	8PNMLOS	SAE Plug Hex Head	2.00
6408-H10	10PNMLOS	SAE Plug Hex Head	4.00
6408-H12	12PNMLOS	SAE Plug Hex Head	4.00
6408-H14	14PNMLOS	SAE Plug Hex Head	4.00
6408-H16	16PNMLOS	SAE Plug Hex Head	4.00

Hydraulic Shop Liquidation Manifest
Fitting Adapters, Caps, and Plugs

Intertraco Part#	Parker Part#	Description	Quantity On Hand
6408-H20	20PNMLOS	SAE Plug Hex Head	4.00
6500-02-02	2 C6X-S	JIC Male x Female Swivel 90°	8.00
6500-04-04	4 C6X-S	JIC Male x Female Swivel 90°	8.00
6500-04-06	4-6 C6X-S	JIC Male x Female Swivel 90°	4.00
6500-06-04	6-4 C6X-S	JIC Male x Female Swivel 90°	8.00
6500-06-06	6 C6X-S	JIC Male x Female Swivel 90°	4.00
6500-06-08	6-8 C6X-S	JIC Male x Female Swivel 90°	8.00
6500-08-06	8-6 C6X-S	JIC Male x Female Swivel 90°	8.00
6500-08-08	8 C6X-S	JIC Male x Female Swivel 90°	8.00
6500-08-10	8-10 C6X-S	JIC Male x Female Swivel 90°	7.00
6500-08-12	8-12 C6X-S	JIC Male x Female Swivel 90°	8.00
6500-10-08	10-8 C6X-S	JIC Male x Female Swivel 90°	8.00
6500-10-10	10 C6X-S	JIC Male x Female Swivel 90°	8.00
6500-10-12	10-12 C6X-S	JIC Male x Female Swivel 90°	8.00
6500-12-08	12-8 C6X-S	JIC Male x Female Swivel 90°	8.00
6500-12-10	12-10 C6X-S	JIC Male x Female Swivel 90°	8.00
6500-12-12	12 C6X-S	JIC Male x Female Swivel 90°	8.00
6500-12-16	12-16 C6X-S	JIC Male x Female Swivel 90°	8.00
6500-14-14	14 C6X-S	JIC Male x Female Swivel 90°	8.00
6500-16-16	16 C6X-S	JIC Male x Female Swivel 90°	8.00
6500-20-20	20 C6X-S	JIC Male x Female Swivel 90°	4.00
6502-04-04	4 V6X-S	JIC Male x Female Swivel 45°	4.00
6502-06-06	6 V6X-S	JIC Male x Female Swivel 45°	4.00
6502-08-08	8 V6X-S	JIC Male x Female Swivel 45°	4.00
6502-10-10	10 V6X-S	JIC Male x Female Swivel 45°	4.00
6502-12-12	12 V6X-S	JIC Male x Female Swivel 45°	4.00
6502-14-14	14 V6X-S	JIC Male x Female Swivel 45°	4.00
6502-16-16	16 V6X-S	JIC Male x Female Swivel 45°	4.00
6502-20-20	20 V6X-S	JIC Male x Female Swivel 45°	4.00
6504-04-04	4 XHX-S	JIC Male x Female Swivel	2.00
6504-06-04	6-4 XHX-S	JIC Male x Female Swivel	1.00
6504-06-06	6 XHX-S	JIC Male x Female Swivel	2.00
6504-06-08	6-8 XHX-S	JIC Male x Female Swivel	2.00
6504-08-06	8-6 XHX-S	JIC Male x Female Swivel	2.00
6504-08-08	8 XHX-S	JIC Male x Female Swivel	2.00
6504-08-10	8-10 XHX-S	JIC Male x Female Swivel	2.00
6504-08-12	8-12 XHX-S	JIC Male x Female Swivel	2.00
6504-10-08	10-8 XHX-S	JIC Male x Female Swivel	2.00
6504-10-10	10 XHX-S	JIC Male x Female Swivel	2.00
6504-10-12	10-12 XHX-S	JIC Male x Female Swivel	1.00
6504-12-08	12-8 XHX-S	JIC Male x Female Swivel	2.00
6504-12-10	12-10 XHX-S	JIC Male x Female Swivel	2.00

Hydraulic Shop Liquidation Manifest
Fitting Adapters, Caps, and Plugs

Intertraco Part#	Parker Part#	Description	Quantity On Hand
6504-12-12	12 XHX-S	JIC Male x Female Swivel	2.00
6504-12-16	12-16 XHX-S	JIC Male x Female Swivel	2.00
6504-16-12	16-12 XHX-S	JIC Male x Female Swivel	1.00
6504-16-16	16 XHX-S	JIC Male x Female Swivel	2.00
6504-20-20	20 XHX-S	JIC Male x Female Swivel	4.00
6600-04-04-04	4 S6X-S	JIC Swivel Branch Tee	2.00
6600-06-06-06	6 S6X-S	JIC Swivel Branch Tee	3.00
6600-06-06-08	6-8 S6X-S	JIC Swivel Branch Tee	1.00
6600-08-08-08	8 S6X-S	JIC Swivel Branch Tee	2.00
6600-10-10-10	10 S6X-S	JIC Swivel Branch Tee	2.00
6600-12-12-12	12 S6X-S	JIC Swivel Branch Tee	2.00
6600-14-14-14	14 S6X-S	JIC Swivel Branch Tee	1.00
6600-16-16-16	16 S6X-S	JIC Swivel Branch Tee	2.00
6600-20-20-20	20 S6X-S	JIC Swivel Branch Tee	2.00
6603-06-06-06		JIC Female Swivel x Male Branch Tee	1.00
6603-08-08-08		JIC Female Swivel x Male Branch Tee	2.00
6603-10-10-10		JIC Female Swivel x Male Branch Tee	2.00
6603-12-12-12		JIC Female Swivel x Male Branch Tee	2.00
6603-16-16-16		JIC Female Swivel x Male Branch Tee	2.00
6801-02-02	2 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-04-02	4-2 C5OX-S	JIC x SAE O-Ring Male 90°	6.00
6801-04-04	4 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-04-06	4-6 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-04-08	4-8 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-06-02	6-2 C5OX-S	JIC x SAE O-Ring Male 90°	3.00
6801-06-04	6-4 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-06-06	6 C5OX-S	JIC x SAE O-Ring Male 90°	3.00
6801-06-08	6-8 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-06-10	6-10 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-06-12	6-12 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-08-04	8-4 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-08-06	8-6 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-08-08	8 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-08-10	8-10 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-08-12	8-12 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-08-16	8-16 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-10-08	10-8 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-10-10	10 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-10-12	10-12 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-10-16	10-16 C5OX-S	JIC x SAE O-Ring Male 90°	2.00
6801-12-06	12-6 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-12-08	12-8 C5OX-S	JIC x SAE O-Ring Male 90°	4.00

Hydraulic Shop Liquidation Manifest
Fitting Adapters, Caps, and Plugs

Intertraco Part#	Parker Part#	Description	Quantity On Hand
6801-12-10	12-10 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-12-12	12 C5OX-S	JIC x SAE O-Ring Male 90°	3.00
6801-12-16	12-16 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-12-20	12-20 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-14-14	14 C5OX-S	JIC x SAE O-Ring Male 90°	2.00
6801-16-08	16-8 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-16-10	16-10 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-16-12	16-12 C5OX-S	JIC x SAE O-Ring Male 90°	3.00
6801-16-14	16-14 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-16-16	16 C5OX-S	JIC x SAE O-Ring Male 90°	3.00
6801-16-20	16-20 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-20-12	20-12 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-20-14	20-14 C5OX-S	JIC x SAE O-Ring Male 90°	1.00
6801-20-16	20-16 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6801-20-20	20 C5OX-S	JIC x SAE O-Ring Male 90°	4.00
6802-04-04	4 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-04-06	4-6 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-04-08	4-8 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-06-04	6-4 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-06-06	6 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-06-08	6-8 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-06-10	6-10 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-08-06	8-6 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-08-08	8 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-08-10	8-10 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-08-12	8-12 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-10-08	10-8 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-10-10	10 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-10-12	10-12 V5OX-S	JIC x SAE O-Ring Male 45°	6.00
6802-12-08	12-8 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-12-10	12-10 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-12-12	12 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-12-16	12-16 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-14-14	14 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-16-12	16-12 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-16-16	16 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-16-20	16-20 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-20-16	20-16 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
6802-20-20	20 V5OX-S	JIC x SAE O-Ring Male 45°	4.00
FS0306-08	8 BL-S	1/2" Flat Face O-Ring Bulkhead Nut	2.00
FS0306-12	12 BL-S	3/4" Flat Face O-Ring Bulkhead Nut	2.00
FS2404-04-02	4-2 FLO-S	ORS Male x NPT Male	2.00

Hydraulic Shop Liquidation Manifest
Fitting Adapters, Caps, and Plugs

Intertraco Part#	Parker Part#	Description	Quantity On Hand
FS2404-04-04	4 FLO-S	ORS Male x NPT Male	2.00
FS2404-04-06	4-6 FLO-S	ORS Male x NPT Male	2.00
FS2404-04-08	4-8 FLO-S	ORS Male x NPT Male	2.00
FS2404-06-02	6-2 FLO-S	ORS Male x NPT Male	2.00
FS2404-06-04	6-4 FLO-S	ORS Male x NPT Male	2.00
FS2404-06-06	6 FLO-S	ORS Male x NPT Male	2.00
FS2404-06-08	6-8 FLO-S	ORS Male x NPT Male	2.00
FS2404-08-04	8-4 FLO-S	ORS Male x NPT Male	2.00
FS2404-08-06	8-6 FLO-S	ORS Male x NPT Male	2.00
FS2404-08-08	8 FLO-S	ORS Male x NPT Male	2.00
FS2404-08-12	8-12 FLO-S	ORS Male x NPT Male	2.00
FS2404-08-16	8-16 FLO-S	ORS Male x NPT Male	2.00
FS2404-10-08	10-8 FLO-S	ORS Male x NPT Male	2.00
FS2404-10-12	10-12 FLO-S	ORS Male x NPT Male	2.00
FS2404-10-16	10-16 FLO-S	ORS Male x NPT Male	2.00
FS2404-12-08	12-8 FLO-S	ORS Male x NPT Male	2.00
FS2404-12-12	12 FLO-S	ORS Male x NPT Male	2.00
FS2404-12-16	12-16 FLO-S	ORS Male x NPT Male	2.00
FS2404-16-12	16-12 FLO-S	ORS Male x NPT Male	5.00
FS2404-16-16	16 FLO-S	ORS Male x NPT Male	2.00
FS2404-16-20	16-20 FLO-S	ORS Male x NPT Male	4.00
FS2404-20-16	20-16 FLO-S	ORS Male x NPT Male	4.00
FS2404-20-20	20 FLO-S	ORS Male x NPT Male	4.00
FS2501-04-02	4 CLO-S	ORS Male x NPT Male 90°	2.00
FS2501-04-04	4-4 CLO-S	ORS Male x NPT Male 90°	2.00
FS2501-04-06	4-6 CLO-S	ORS Male x NPT Male 90°	2.00
FS2501-04-08	4-8 CLO-S	ORS Male x NPT Male 90°	2.00
FS2501-06-02	6-2 CLO-S	ORS Male x NPT Male 90°	2.00
FS2501-06-04	6 CLO-S	ORS Male x NPT Male 90°	2.00
FS2501-06-06	6-6 CLO-S	ORS Male x NPT Male 90°	2.00
FS2501-06-08	6-8 CLO-S	ORS Male x NPT Male 90°	3.00
FS2501-08-04	8-4 CLO-S	ORS Male x NPT Male 90°	2.00
FS2501-08-06	8 CLO-S	ORS Male x NPT Male 90°	2.00
FS2501-08-08	8-8 CLO-S	ORS Male x NPT Male 90°	2.00
FS2501-08-12	8-12 CLO-S	ORS Male x NPT Male 90°	2.00
FS2501-10-06	10-6 CLO-S	ORS Male x NPT Male 90°	2.00
FS2501-10-08	10 CLO-S	ORS Male x NPT Male 90°	1.00
FS2501-10-12	10-12 CLO-S	ORS Male x NPT Male 90°	2.00
FS2501-12-08	12-8 CLO-S	ORS Male x NPT Male 90°	2.00
FS2501-12-12	12 CLO-S	ORS Male x NPT Male 90°	2.00
FS2501-12-16	12-16 CLO-S	ORS Male x NPT Male 90°	2.00
FS2501-16-12	16-12 CLO-S	ORS Male x NPT Male 90°	2.00

Hydraulic Shop Liquidation Manifest
Fitting Adapters, Caps, and Plugs

Intertraco Part#	Parker Part#	Description	Quantity On Hand
FS2501-16-16	16 CLO-S	ORS Male x NPT Male 90°	2.00
FS2501-16-20	16-20 CLO-S	ORS Male x NPT Male 90°	2.00
FS2501-20-20	20 CLO-S	ORS Male x NPT Male 90°	2.00
FS2700-08-08	8WLMOS	1/2" Flat Face O-Ring Bulkhead	2.00
FS2700-12-12	12WLMOS	3/4" Flat Face O-Ring Bulkhead	2.00
FS6400-06-06	6 F5OLO-S	ORS Male to SAE O-Ring Male Adapter	4.00
FS6400-08-08	8 F5OLO-S	ORS Male to SAE O-Ring Male Adapter	4.00
FS6400-12-12	12 F5OLO-S	ORS Male to SAE O-Ring Male Adapter	4.00
FS6400-16-16	16 F5OLO-S	ORS Male to SAE O-Ring Male Adapter	4.00
FS6403-04-04	4 XHLO-S	JIC Male x ORS Male	4.00
FS6403-06-06	6 XHLO-S	JIC Male x ORS Male	4.00
FS6403-08-08	8 XHLO-S	JIC Male x ORS Male	4.00
FS6403-10-10	10 XHLO-S	JIC Male x ORS Male	4.00
FS6403-12-12	12 XHLO-S	JIC Male x ORS Male	4.00
FS6403-16-16	16 XHLO-S	JIC Male x ORS Male	4.00
FS6403-20-20	20 XHLO-S	JIC Male x ORS Male	4.00
FS6504-04-04	4 XHLO-S	JIC Male x ORS Female Swivel	4.00
FS6504-06-06	6 XHLO-S	JIC Male x ORS Female Swivel	4.00
FS6504-08-08	8 XHLO-S	JIC Male x ORS Female Swivel	4.00
FS6504-10-10	10 XHLO-S	JIC Male x ORS Female Swivel	4.00
FS6504-12-10	12-10 XHLO-S	JIC Male x ORS Female Swivel	4.00
FS6504-12-12	12 XHLO-S	JIC Male x ORS Female Swivel	3.00
FS6504-16-16	16 XHLO-S	JIC Male x ORS Female Swivel	4.00
FS6504-20-20	20 XHLO-S	JIC Male x ORS Female Swivel	4.00

Hydraulic Shop Liquidation Manifest
Hydraulic Hoses

Intertraco Part#	Parker Part#	Description	Quantity On Hand (feet)
12-R12	SAE 100R12 - 3/4"	3/4 inch hose, 4000 PSI SAE100R12	67.42
16-R12	SAE 100R12 - 1"	1 inch hose, 4000 PSI SAE100R12	71.00
1SN04	SAE 100R1AT - 1/4"	1/4 inch hose, 3625 PSI 100R1AT FlexIT 1T 1SN	2243.42
20-R12	SAE 100R12 - 1-1/4"	1-1/4 inch hose, 4000 PSI SAE100R12	50.00
2SN04	SAE 100R2AT - 1/4"	1/4 inch hose, 5800 PSI 100R2AT FlexIT 2T	2522.75
2SN06	SAE 100R2AT - 3/8"	3/8 inch hose, 4800 PSI 100R2AT FlexIT 2T	2235.21
2SN08	SAE 100R2AT - 1/2"	1/2 inch hose, 4000 PSI 100R2AT FlexIT 2T	2221.58
2SN10	SAE 100R2AT - 5/8"	5/8 inch hose, 3625 PSI 100R2AT FlexIT 2T	682.92
2SN12	SAE 100R2AT - 3/4"	3/4 inch hose, 3100 PSI 100R2AT FlexIT 2T	238.33
2SN16	SAE 100R2AT - 1"	1 inch hose, 2400 PSI 100R2AT FlexIT 2T	158.75
4ST+06	4 Wire 6000 PSI - 3/8"	3/8 inch hose, 6500 PSI	25.00
4ST+08	4 Wire 6000 PSI - 1/2"	1/2 inch hose, 6000 PSI	19.67
4ST-10	4 Wire 5000 PSI - 5/8"	5/8 inch hose, 5000 PSI	42.25
4ST+10	4 Wire 6000 PSI - 5/8"	5/8 inch hose, 6000 PSI	35.83
4ST-12	4 Wire 5000 PSI - 3/4"	3/4 inch hose, 5000 PSI	23.00
4ST+12	4 Wire 6000 PSI - 3/4"	3/4 inch hose, 6000 PSI	67.21
4ST-16	4 Wire 5000 PSI - 1"	1 inch hose, 5000 PSI	22.25
4ST+16	4 Wire 6000 PSI - 1"	1 inch hose, 6000 PSI	74.50
4ST-20	4 Wire 5000 PSI - 1-1/4"	1-1/4 inch hose, 5000 PSI	39.83
4ST+20	4 Wire 6000 PSI - 1-1/4"	1-1/4 inch hose, 6000 PSI	20.67
6-R12	SAE 100R12 - 3/8"	3/8 inch hose, 4000 PSI SAE100R12	57.50
8-R12	SAE 100R12 - 1/2"	1/2 inch hose, 4000 PSI SAE100R12	100.00
FPR4-12	SAE 100R4 - 3/4"	3/4 inch hose, 300 PSI 1000R4	25.00
FPR4-16	SAE 100R4 - 1"	1 inch hose, 250 PSI 1000R4	16.58
FPR4-20	SAE 100R4 - 1-1/4"	1-1/4 inch hose, 200 PSI 1000R4	21.33
FPR4-24	SAE 100R4 - 1-1/2"	1-1/2 inch hose, 150 PSI 1000R4	18.00
SK117-06	SAE 100R17 - 3/8"	3/8 inch hose, 3000 PSI 100R17 Small Outside Diameter	324.25
SK21606	SAE 100R16 - 3/8"	3/8 inch hose, 5500 PSI 100R16	2128.15
SK21608	SAE 100R16 - 1/2"	1/2 inch hose, 5000 PSI 100R16	3195.58
SK21610	SAE 100R16 - 5/8"	5/8 inch hose, 4200 PSI 100R16	35.50
SK21612	SAE 100R16 - 3/4"	3/4 inch hose, 4000 PSI 100R16	1556.25
SK21616	SAE 100R16 - 1"	1 inch hose, 3300 PSI 100R16	4.33

Hydraulic Shop Liquidation Manifest
Quick Couplers

Intertraco Part#	Parker Part#	Description	Quantity On Hand
1002 QCAG-12F-NPT-1/2"-P	4050-4P	QuickConnect Agricultural Poppet Female 1/2"x1/2"	4.00
1007 QCAG-12M-NPT-1/2"-P	8010-4P	QuickConnect Agricultural Poppet Male 1/2"x1/2"	4.00
1022 QCAG-12F-NPT-1/2"	4050-4	QuickConnect Agricultural Ball Female 1/2"x1/2"	4.00
1027 QCAG-12M-NPT-1/2"	8010-4	QuickConnect Agricultural Ball Male 1/2"x1/2"	4.00
1049 QCHP-38F-NPT-3/8"	3050-3	QuickConnect HighPressure Female 3/8"x3/8"	4.00
1051 QCHP-38M-NPT-3/8"	3010-3	QuickConnect HighPressure Male 3/8"x3/8"	4.00
1057 QCA-38F-NPT-3/8"	6601-6-6	QuickConnect HydraulicSeriesA Female 3/8"x3/8"	4.00
1058 QCA-12F-NPT-1/2"	6601-8-10	QuickConnect HydraulicSeriesA Female 1/2"x1/2"	5.00
1059 QCA-34F-NPT-3/4"	6601-12-12	QuickConnect HydraulicSeriesA Female 3/4"x3/4"	4.00
1060 QCA-1F-NPT-1"	6601-16-16	QuickConnect HydraulicSeriesA Female 1"x1"	4.00
1062 QCA-38M-NPT-3/8"	6602-6-6	QuickConnect HydraulicSeriesA Male 3/8"x3/8"	4.00
1063 QCA-12M-NPT-1/2"	6602-8-10	QuickConnect HydraulicSeriesA Male 1/2"x1/2"	4.00
1064 QCA-34M-NPT-3/4"	6602-12-12	QuickConnect HydraulicSeriesA Male 3/4"x3/4"	4.00
1065 QCA-1M-NPT-1"	6602-16-16	QuickConnect HydraulicSeriesA Male 1"x1"	4.00
1074 QCB-14F-NPT-1/4"	H3-62	QuickConnect HydraulicSeriesB Female 1/4"x1/4"	4.00
1075 QCB-38F-NPT-3/8"	H4-62	QuickConnect HydraulicSeriesB Female 3/8"x3/8"	4.00
1076 QCB-12F-NPT-1/2"	H6-62	QuickConnect HydraulicSeriesB Female 1/2"x1/2"	4.00
1077 QCB-34F-NPT-3/4"	H8-62	QuickConnect HydraulicSeriesB Female 3/4"x3/4"	4.00
1078 QCB-1F-NPT-1"	KZB-N08PF	QuickConnect HydraulicSeriesB Female 1"x1"	4.00
1079 QCB-14M-NPT-1/4"	H3-63	QuickConnect HydraulicSeriesB Male 1/4"x1/4"	4.00
1080 QCB-38M-NPT-3/8"	H4-63	QuickConnect HydraulicSeriesB Male 3/8"x3/8"	4.00
1081 QCB-12M-NPT-1/2"	H6-63	QuickConnect HydraulicSeriesB Male 1/2"x1/2"	3.00
1082 QCB-34M-NPT-3/4"	H8-63	QuickConnect HydraulicSeriesB Male 3/4"x3/4"	3.00
1083 QCB-1M-NPT-1"	KZB-N08SF	QuickConnect HydraulicSeriesB Male 1"x1"	4.00
1104 QCFF-14F-NPT-1/4"	FEM-251-4FP-NL	QuickConnect HydraulicFlushFace Female 1/4"x1/4"	4.00
1105 QCFF-38F-NPT-3/8"	FEM-371-6FP-NL	QuickConnect HydraulicFlushFace Female 3/8"x3/8"	3.00
1106 QCFF-38F-NPT-1/2"	FEM-371-8FP-NL	QuickConnect HydraulicFlushFace Female 3/8"x1/2"	3.00
1107 QCFF-12F-NPT-1/2"	FEM-501-8FP-NL	QuickConnect HydraulicFlushFace Female 1/2"x1/2"	1.00
1108 QCFF-12F-NPT-3/4"	FEM-751-12FP-NL	QuickConnect HydraulicFlushFace Female 1/2"x3/4"	2.00
1113 QCFF-38M-NPT-3/8"	FEM-372-6FP	QuickConnect HydraulicFlushFace Male 3/8"x3/8"	4.00
1114 QCFF-38M-NPT-1/2"	FEM-372-8FP	QuickConnect HydraulicFlushFace Male 3/8"x1/2"	3.00
1115 QCFF-12M-NPT-1/2"	FEM-502-8FP	QuickConnect HydraulicFlushFace Male 1/2"x1/2"	3.00
1116 QCFF-12M-NPT-3/4"	FEM-752-12FP	QuickConnect HydraulicFlushFace Male 1/2"x3/4"	5.00
1132 QCFF-38F-SAE-3/4"-16	FEM-371-8FO-NL	QuickConnect HydraulicFlushFace SAE Female 3/8"x3/4"	4.00
1133 QCFF-12F-SAE-3/4"-16	FEM-501-8FO-NL	QuickConnect HydraulicFlushFace SAE Female 1/2"x3/4"	3.00
1134 QCFF-12F-SAE-7/8"-14	FEM-501-10FO-NL	QuickConnect HydraulicFlushFace SAE Female 1/2"x7/8"	3.00
1135 QCFF-12F-SAE-1-1/16"-12	FEM-501-12FO-NL	QuickConnect HydraulicFlushFace SAE Female 1/2"x1-1/16"	1.00
1139 QCFF-34F-SAE-1-1/16"-12	FEM-751-12FO-NL	QuickConnect HydraulicFlushFace SAE Female 3/4"x1-1/16"	12.00
1145 QCFF-12M-SAE-3/4"-16	FEM-502-8FO	QuickConnect HydraulicFlushFace SAE Male 1/2"x3/4"	3.00
1147 QCFF-12M-SAE-1-1/16"-12	FEM-502-12FO	QuickConnect HydraulicFlushFace SAE Male 1/2"x1-1/16"	1.00
1151 QCFF-34M-SAE-1-1/16"-12	FEM-752-12FO	QuickConnect HydraulicFlushFace SAE Male 3/4"x1/16"	7.00
1181 QCST-38-F/F-NPT-3/8"-B	BST-3	QuickConnect NonValvedStraightThroughBrass Female/Female 3/8"	4.00
1186 QCST-38-M/M-NPT-3/8"-B	BST-N3M	QuickConnect NonValvedStraightThroughBrass Male/Male 3/8"	4.00
1191 QCST-38-F/M-NPT-3/8"-B	BST-3M	QuickConnect NonValvedStraightThroughBrass Female/Male 3/8"	4.00
1196 QCST-38-M/F-NPT-3/8"-B	BST-N3	QuickConnect NonValvedStraightThroughBrass Male/Female 3/8"	4.00
1201 QCST-14-M/F-NPT-1/4"-S	ST-N3	QuickConnect NonValvedStraightThroughSteel Male/Female 1/4"	4.00
1206 QCST-38-M/M-NPT-3/8"-S	ST-N3M	QuickConnect NonValvedStraightThroughSteel Male/Male 3/8"	4.00
1210 QCST-14-F/F-NPT-1/4"-B	BST-2	QuickConnect NonValvedStraightThroughBrass Female/Female 1/4"	4.00
1904 QCFB-16-F	6125-16	QuickConnect ScrewTypeCoupling Female 1"	4.00
1905 QCFB-16-M	6105-16	QuickConnect ScrewTypeCoupling Male 1"	4.00
1906 QCFB-20-F	6125-20	QuickConnect ScrewTypeCoupling Female 1-1/4"	4.00
1913 QCFB-20-M	6105-20	QuickConnect ScrewTypeCoupling Male 1-1/4"	4.00