

Air Equipment

9101210 S	AIR DRYER: BENDIX AD-IS HEATED	0	0
9108001 S	MOISTURE EJT VLV: PULL CABLE DRAIN	0	0
9110071 O	TRAC KIT: CTR FRM-MTD W/HOSETENNA -INCL COMPOSITE GLDHD/LT PLG HLDR	637	24
9121112 O	AIR/LIGHT LINES: 12 FT COILED	16	0
9140020 S	NYLON AIR TUBING: FRAME/CAB	0	0
9140328 O	TRAILER ABS ELECT SUPPLY THRU SAE J560 7 PIN CONNECTOR (PER TMC RP137)	0	0
9140702 O	HOSETENNA BRACKET 2' BOC/S	25	0

Extended Warranty

9200021 S	STANDARD WARRANTY	0	0
-----------	-------------------	---	---

Miscellaneous

9490206 O	WARNING TRIANGLE REFLECTOR KIT: 3 TRIANGLES IN PLASTIC CASE	20	4
9490404 O	FIRE EXT: ONE 5# DRY CHEMICAL TYPE MTD OUTBOARD OF DRIVER SEAT	86	11

Paint

9700000 O	PAINT COLOR NUMBER N97020 A - N0006EA WHITE N97040 B - N1324EA RICH BLUE N97200 FRAME N0001EA BLACK N97150 FENDER N0006EA WHITE	0	0
9944202 O	IMRON CUSTOM 2COL CONV FLATOP CUST B	2,019	0
9960077 O	PAINT FENDERS: SEPARATE COLOR FROM CAB SPECIFY COLOR N9960 PAINT FENDERS N1324HP	548	0

Total Adjusted Price (W/O Freight & Warranty)	\$191,279
Freight Charge	\$1,450
Optional Extended Warranty	\$0
Total Weight	20165#

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	03/10/2006 9:33:54 AM	Complete	Model Number:	T800B	CONVENTIONAL
Effective Date:	Jan 1, 2006		Quote/DTPO/CO:		Q32572393
Prepared by:	RONALD E LOZIER		Version Number:		16.11

8800373	S	GRABHANDLE: 1 LONG LH	0	0
8800400	S	N GRABHANDLE:1 LH INSD DOOR FRAME ABOVE DASH	0	0
8800401	S	N GRABHANDLE:1 RH INSD DOOR FRAME ABOVE DASH	0	0
8832112	S	N DAYLITE DOOR: LH/RH INCL RH PEEPER WINDOW	0	0
8841604	O	AIR HORN: DUAL RECT 22in/25in LH/RH ROOF NA CONV W/CAB MT AIRSHLD*NA ROOF MTD COND*NA W/SUNROOF OPT ON NON-AEROCAB CURVED GLASS CABS*N/A ON CAB ROO	65	2
8845703	S	ELECTRIC HORN: SING	0	0
8845926	O	SNOW SHIELD: DUAL AIR HORNS *W/HYDRAULIC BRKS REQ 1000307*	37	2
8850235	O	CX MIRR: DUAL SS 9in MIRR BRKT OFFSET STUD MOUNTING	48	9
8850300	S	CX MIRR: SING 8-1/2inX4-7/16in*PASSENGER SIDE*DOOR MTD	0	0
8867200	O	N MIRROR: DUAL MOTO HTD*SW ON DOOR PAD* *LH FIXED; RH MOTORIZED*AERODYNAMIC SIZE: 7inX16in	383	0
8869005	S	MIRROR BRKT: DUAL 8-1/2"	0	0
8879200	S	N WINDOW LIFT:ELEC PWR RH SIDE/MAN LH SW LOCATED ON DOOR PAD TNTD HEAT ABSRBNG SFTY GLASS DOOR WNDWS	0	0
8879438	O	CAB DOOR & WINDSHIELD WINDOW COVER 38in AEROCAB ONLY	0	0
8890105	O	WINDSHIELD: 2-PC W/ CURVED GLASS*ROPED	133	2
8890135	O	SUNVISOR:EXTERIOR STAINLESS STEEL T3: NOT FOR USE W/9020164 WNDSHLD;TNTD HT ABSRBNG LMNATD SFTY GLASS	236	11
8890230	S	N ELEC WINDSHIELD WASHER/WIPER*2-SPEED & INTERMITTENT*	0	0
8890872	O	CAB/SLPR AIR SUSP: 38in/62in/72in/86in AEROCAB ONLY*	0	0
8891032	O	LTD S/S CAB PANELS LED LAMPS W/SEALED BEAMS/LOW PROFILE OVAL BEZEL*W900L USE USE 8891034*	765	18
Lights & Instruments				
9010805	S	HEADLAMPS: DUAL RECTANGULAR HALOGEN N/A T800 WIDE HOOD	0	0
9022135	O	MARKER: 5 RECTANGULAR N/A W/T600	0	0
9030010	S	TURN SIGNAL:CONV FENDER-MTD FENDER MTD DIRECTION SIGNALS	0	0
9060011	O	SPOTLIGHT: LH-MTD HALOGEN	160	4
9070138	S	COMB:STOP/TAI/TURN/BACKUP LIGHTS RH/LH TAIL LIGHTS COME ON WHEN FLOOD LIGHTS ARE ON	0	0
9080041	O	DUAL REVOLVING AMBER ROOF LIGHTS W/POL S/S BRACKETS	647	15
9089001	O	BEACON LOCATION: CENTERED OVER DOOR - (LH IF SINGLE)*NA F/USE W/SPOTLIGHT ON FLAT CLASS CABS OR NON-AEROCABS*	0	0
9090039	S	N INTERRUPTER SWITCH FOR MARKER LTS INCL IN TURN SIGNAL*F/ NON-T2000	0	0

Temp, and Engine Oil Pressure. RH panel includes std: Air Application, Fuel level, Primary Air Pressure, and Secondary Air Pressure.

8291306	S	WARN LT: PARKING BRAKE APPLIED DASH MT	0	0
8338002	O	N INTR:DIAMOND CAB/SPLENDOR 38in SLPR CAB: Wood grain dash panels: Stitched upholstered diamond-tufted doors w/carpeted kick panels and padded armrests ; Full diamond-tufted vinyl headliner; Button color to match primary lining color; Black rubber floormats. SLEEPER:Cab door and windshield privacy curtain; Full vinyl headliner; Rolled and pleated upholstered walls and door pads w/ accent lines; Black rubber floormat in sleeper and tool compartment. ARMREST PAD ON DOORS	142	0
8342801	O	MULTI-TONE INTERIOR	0	0
8343304	S	INTERIOR COLOR: SLATE GRAY W/TRIM COLOR DARK SLATE GRAY	0	0
8390633	S	FLOORMAT: CAB	0	0
8390748	O	BLACK CARPET REPL FLOORMAT: SLEEPER VINYL INSIDE SUNVISORS DR SIDE SUNVISOR INCL MIRROR W/ STRAP RD SIDE SUNVISOR INCL STRAP	17	0
8410491	O	DR SEAT: KW AIR-CUSHION PLUS HB MORDURA INCL DUAL ARMRESTS & SUSPENSION COVER RETRACTABLE 3-PT ATTACHMNT BELTS ON DR/DR SD	60	0
8480491	O	RD SEAT: KW AIR-CUSHION PLUS HB MORDURA INCL DUAL ARMRESTS & SUSPENSION COVER	328	18
8490110	S	SEAT COLOR: DARK SLATE GRAY	0	0
8498400	S	N TWO-TONE KENWORTH DRIVER SEAT	0	0
8498500	S	N TWO-TONE KENWORTH RIDER SEAT	0	0
8520038	O	LIFTABLE LOWER BUNK*STD ON 38in/T2000 *62in USE 8520011/72in USE 8520012	0	0
8520138	O	MATTRESS: 24X78 FOAM*STD 38inAEROCAB SLEEPERS	0	0
8530237	O	FLOORMAT: TOOL COMPARTMENT STD T2000 INTR	0	0
8601404	O	KENWORTH AM/FM/CD RADIO W/CLOCK* W/L.E.D. LIGHTING*W/WEATHER BAND	582	4
8699193	S	N SPKR: SEPARATE F/CB RADIO W/GRILL	0	0
8699926	O	N CENTER OF HDR CB ASSY: BKTS/BNIDING POSTS/DUAL ANT/DUAL ANT LEADS LOC ON MIRR BRKTS/SEP SPKR	157	0
8700090	S	N UNDERDASH CNTR CONSOLE*2 CUPHOLDERS/2 12V OUTLETS/STORAGE COMPARTMENT*NOT F/ USE WITH AUTOSHIFT/ULTRASHIFT USE 8700108	0	0
8700111	S	N CAB LT:LH/RH DOME LAMP MTD OVER DOORS DOME LAMP ON RR HEADLINER*LH/RH TASK LT MTD OVER DOORS	0	0
8700112	S	N UNDER DASH FLOOR LIGHTING W/RED LENS	0	0
8700168	S	N TURN SIGNAL SWITCH: COLUMN-MTD DIMMER INCL INTERMITTENT WIPER CONTROL	0	0
8700186	S	N ELECTRIC DOOR LOCKS*LH/RH* LH/RH TASK LT MTED OVER DOORS HEADER MTED SLIDE OUT STORAGE OPERATORS MANUAL	0	0
8700405	O	STAINLESS STEEL PERMIT PANELS ON CAB *N/A W/LIFT CTRLS OR GAUGES MTD UNDER CAB DOORS*	107	13
8725431	S	DOOR COURTESY LIGHTS	0	0
8800271	S	GRABHANDLE: 1 LONG RH	0	0

7889803	O	HYDR TANK LOC: RH BOC	0	0
7889810	O	2 HYDR TANK FTGS:FWD TOP/BOTTOM*NA W/	0	0
7930120	O	LOCATION RH BEHIND CAB 120 GAL. LOCATION RH BEHIND CAB 120 GAL.	0	0
7940120	O	LOCATION LH BEHIND CAB 120 GAL. LOCATION LH BEHIND CAB 120 GAL.	0	0

Cab & Equipment

8025300	O	CAB: CONVENTIONAL*AEROCAB*CURVED GLASS B3*AVAILABLE ONLY W/AEROCAB SLEEPER* ALUM & FIBERGLASS CAB WALL ALUM DOORS CONTINUOUS PIANO-TYPE DOOR HINGES FOAM INSULATION IN CAB	0	51
8059138	O	SLEEPER: 38in AEROCAB FLATTOP *SPLENDOR*NON-VIT	11,361	545
8090110	S	HOOD:UNITGLAS SLOPED 1-PIECE W/GRILLE & SHELL	0	0
8098206	O	HOOD HINGE REINFORCEMENT NA W/ 1122002	108	4
8108010	S	HEATER/AIR COND W/INTEGRAL DEFROSTERS & 5 MODE ROTARY CTRLS*CAB ONLY NO SLPR* HEATER INLET W/BUG SCREEN ON COWL	0	0
8201013	S	STRG WHL: 18in 4-SPK	0	0
8201200	O	N STRG COLUMN:ADJ TELESCOPNG TILT*CODE F/18in STRG WHEEL* STANDARD SWITCHES CAB DOME LIGHT SWITCH PANEL LIGHT DIMMER SWITCH PARK LAMPS SWITCH HAZARD LIGHT FLASH SWITCH HEADLAMP SWITCH CAB MARKER LAMPS SWITCH DASH MTED CRUISE CONTROL	565	0
8203094	S	IGNITION/DOORS KEYED ALIKE	0	0
8208495	O	N SW: 2 SPARES WIRED TO POWER	33	0
8221099	S	N GAU: AIR SUPPLY PRESSURE (2 GAU) W/INTEGRAL WARN LT 2 GAUGES PRIMARY & SECONDARY	0	0
8221134	S	N GAU: AIR APPL PRES	0	0
8221144	O	N GAU: AIR SUSP PRESSURE EXPANDED LOW SCALE READOUT	77	0
8222211	S	N GAU: ENGINE COOLANT TEMP W/INTEGRAL WARN LT	0	0
8222544	S	N GAU: ENG OIL PRES W/INTEGRAL WARN LT	0	0
8222656	O	N GAU: OIL TEMP ENG W/INTEGRAL WARN LT	63	0
8222701	S	N GAU: FUEL	0	0
8222720	O	N GAU: MANIFOLD PRESS	57	0
8224401	O	N GAU: AMMETER IN ADDITION TO VOLTMETER W/INTEGRAL WARN LT	85	0
8224420	S	N GAU: VOLTMETER W/INTEGRAL WARN LT	0	0
8225658	O	N GAU:AXLE OIL TEMP DUAL DR AXLE(2 GAU) W/INTEGRAL WARN LT	134	0
8226660	O	N GAU: OIL TEMP MAIN TRANSMISSION	72	0
8282003	S	N PRIMARY DASH INSTRUMENT PANEL Center Panel includes: 5 inch Speedo with trip meter, 5 inch Tach with engine hour meter,Turn Signal and High Beam indicators and Warn Lights, Outside Air Temp. LH panel includes std : Voltmeter, Engine Water	0	0

5854010	O	SING FR AXLE: POL OUTBD SURFACE OF WHLS (QTY 2) -1	67	0
5854012	O	DUAL RR AXLES: POL OUTBD SURFACE OF OUTER WHLS (QTY 4) -2	269	0
5854022	O	1 PSHR OR TAG:POL OUTBD SURFACE OF WHLS MTD SAME AS RR:STRBL OR NON-STRBL (QTY 2)-2	134	0
5900008	O	CODE-REAR RIM QTY 08 REAR WHL QTY 8	0	0

Frame & Equipment

6056600	O	FRAME RAILS:10-3/4 X 3/8in STL 337-416in SECTION MOD:17.80, RBM:2,132,000 LBS, WT: 3.46 LB/IN. PAIR	620	488
6302401	O	BUMPER:TAPERED CHROME STEEL CHANNEL BS:C5 49in;T8/T8SH 47in;W9L USE 6305402	298	33
6390103	S	FR MDFLPS	0	0
6390312	O	IRON FRONT DRIVE BRACKETS	111	115
6405048	S	BATT BOX MODULE: PAR AL UND AL DP CVR W/STEP; UP TO 2 AIR TANKS MAY BE MOUNTED TO BOTTOM OF BOX, BATTERIES WILL BE ORIENTED PERPENDICULAR TO THE FRAME RAIL IN A SINGLE ROW.	0	0
6409901	S	BATTERY BOX LOCATION: LEFT HAND SIDE	0	0
6410010	O	FRAME AC EQUIP:GRABHANDLE(S) LH MOUNTED	39	0
6414236	O	FRAME ACCESS DECK PLATE: 3' ALUMINUM	179	15
6418008	O	FRAME ACCESS STEPS:2 F/ TANK BOC LH FUEL OR HYDRAULIC	102	7
6475201	O	TOOLBOX MODULE: AL UND AL DP COVER W/STEP W/LOCK ; UP TO 2 AIR TANKS MAY BE MOUNTED TO BOTTOM OF BOX.	631	108
6479902	O	TOOLBOX LOCATION: RIGHT HAND SIDE	0	0
6490215	S	16MM FRAME FASTENERS: RR CAB SUPT TO EOF(EXCEPT TRAC TAPER CM & WHERE NOT PRACTICAL)	0	0
6543114	O	FW:AIR HL FW35-8002T2L 18.4in 7.62in Holland Air Slide Fifth Wheel Outboard mounting angles, 55K vertical rating, LH release Air slide control valve standard in dash.	2,275	531
6679914	O	ANY CHANGES TO REAR CAB/SLPR AREA MUST COMPLY WITH FMCSR 399	0	0
6679915	O	CUSTOMER INSTALL BULKHEAD/HEADACHE RACK	0	0
6680000	O	REAR OR FIXD SETTING AHD C/L BOGIE 000. REAR OR FIXD SETTING AHD C/L BOGIE 000.0 IN.	0	0
6721142	O	RR MDFLP ARMS:FLEETLINE FF30P STEEL SPRING LOADED PAINTED	37	13
6722000	S	RR MDFLP SHIELDS:WHITE PLASTIC KW LOGO ANTISAIL ALUM X-MEMBERS WITH 3-HOLE, ALUM GUSSETS FOR INTERMEDIATE FWR & REAR X-MEMBERS	0	0
6745270	O	TOP FLANGE RR FRAME BENT/WELD: W/ CM	137	18

Fuel Tanks & Equip

7214121	O	FUEL/HYDR:120 US GAL 24.5in AL BOC RPL SPLIT: FUEL 60 GAL, HYDR 60 GAL	468	64
7216120	O	FUEL TANK:120 US GAL 24.5in AL BOC ADD	961	152
7840029	O	POLISH ONLY: 2 ALUMINUM TANKS	538	0
7889062	O	POLISHED STRAPS: 2 TANKS ANY SIZE	84	0

3144172	O	DANA SPICER D46-170H 46K DUAL HVY DUTY	3,039	492
3200410	O	REAR AXLE RATIO-4.10	0	0
3334004	S	RR BRK:DANA SPICER ES S-CAM 16/5X7 DUAL 46K MAXIMUM; EXTENDED SERVICE	0	0
3392005	S	RR BRK DRUM: CAST S-CAM DUAL	0	0
3407050	S	RR HUB:AL-HUB-PILOT DUAL 11-1/4inBC REQUIRES 'R' SERIES OUTER ENDS LIGHT WEIGHT OPTION	0	0
3441952	S	DANA LMS HUB PKG *MAX AXLE CAP 46,000# *N/A IRON HUB DUAL AXLE	0	0
3465002	S	RR AUTO SLACK ADJUST: DUAL	0	0
3485206	S	SPRING BRK: 3030 DUAL	0	0
3495226	S	ABS:BENDIX 4S/4M FR WHL+2 GRP RR WHL*AVL ONLY W/AIR BRK E-BASIC	0	0
3500057	O	DRIVELINE:1 SPL170XL; INTERAXLE USE 3500060 FOR TRIDEM AXLES	79	-4
3740142	O	KW AG460*46K DUAL*54inAS* 10.5in RIDE HT	2,979	-157
3808023	O	NON-STRBL PSHR ASSY:WCAL ATLAS *STD TRK (72.5in) AXLE INCL 22.5	9,875	2,052
3820350	O	NON-STRBL PSHR: 16.5X7 BRK INCL W/WCAL ATLAS PREV READ PSHR/TAG 16/5X7 BRK INCL W/ WCAL ATLAS	0	0
3820700	O	NON-STRBL PSHR: CAST DRUM F/USE W/WCAL ATLAS PREV READ PSHR/TAG CAST DRUM F/USE W/ WCAL ATLAS ASSY	0	0
3821700	O	NS PSHR:IRON HUB PIL HUB W/WCAL ATLAS 11.25inBC*10H PREV PSHR/TAG: IRON HUB PILOT HUB F/USE WCAL ATLAS ASSY*11.25inBC*10-HOLE	0	31
3822703	O	SLACKS INCLUDED W/WCAL ATLAS PUSHER	0	0
3823700	O	OIL SEAL/HUBCAP INCLUDED W/WCAL ATLAS PUSHER PREV READPSHR/TAG:STEMCO OILSEAL/HUBCAP W/WCAL ATLAS ASSY	0	0
3824700	O	NS PSHR: TYPE 3030 SPR BRK USE W/WCAL ATLAS PREV READ PSHR/TAG:TYPE 3030 SPR BRK W/ WCAL ATLAS ASSY	0	0
3828300	O	PSHR/TAG:GAU/FLIP VLV/PRESS REG DASH MT	0	0
3841054	O	1ST PSHR LOC: 54in FROM C/L FWD RR/SING RR AXLE	0	0

Tires & Wheels

4077398	O	FR BRIDGESTONE M844F 385/65R22.5 18PR ALL POS ON/OFF HWY WIDEBASE F=CURB PROT F=CURB PROTECTOR (ONLY ON 22.5 TIRES)	879	117
4277724	O	RR BRIDGESTONE M711 11R22.5 14PR DR 41.9in DEEP TREAD HWY OPEN SHOULDER LUG/ BLOCK	80	88
4783767	O	NON-STRBL PSHR BR R287 295/75R22.5 14PR AP 4-4	0	0
4900008	O	CODE-REAR TIRE QTY 08 rr tire qty 8	0	0
5045024	O	FR WHL:ALCOA 82365 22.5X12.25 AL HUB PILOT MOUNT, ISO, SUPER SINGLE	863	-18
5245132	O	RR WHL:ALCOA 88364 22.5X8.25 AL HUB PIL MNT 'NEW GEN' N/A UNTIL OCT 04 USE W/DISC BRKS N/A UNTIL JUNE 2004	2,244	-220
5783532	O	NON-STRBL PSHR ALCOA 88364 22.5X8.25 'NEW GEN' HUB PIL MNT DISC BRK COMP 4-4 HUB PIL NEW GEN DISC BRK COMP	1,122	-112

NAME F/SIDE MOUNTED EXH, AEROCAB ONLY

1292748	O	TAILPIPE: DUAL 48in CHROME CURVED	23	11
1292928	O	EXHAUST ELBOW: DUAL LOWER CHROME	231	0
1329039	S	FUEL FILTER:FS1000 NOT ISB/C/X,SIGN 600	0	0
1349005	O	FILTER: OIL FULL FLOW CAT/DDC ONLY	0	0
1504005	O	IMMERSION ENG BLOCK HTR:110-120V/1500W STD CONV. PLUG LOCATION UNDER DOOR	89	2
1600105	S	KEY SWITCH	0	0
1700163	O	RETARDER:CAT COMPRESSION BRAKE C15	2,251	2
1811435	O	ALT: LEECE NEVILLE 135 AMP LONG BRUSH	-83	-2
1821210	S	BATT: 3 PACCAR GP31 THR (700) 2100 CCA	0	0
1832010	S	STARTER: DELCO 12V 42MT ELECTRICAL SYST W/CENTRALIZED POWER DIST INCORPORATING PLUG-IN STYLE RELAYS CIRCUIT PROTECTION FOR SERVICABILITY 12-VOLT LIGHT SYSTEM W/CIRCUIT PROTECTION CIRCUITS NUMBER & COLOR CODED	0	0

Transmission & Clutch

2058744	O	FULLER RTLO18918B 18-SPEED SUPER 18 W/PUMP&14inOIL TO WTR EATON SUPL COOLER	4,294	192
2250410	O	CLUTCH:FULLER 15-1/2in 6-SPRG CERAMIC TO 1860 LBFT EASY PEDAL	304	2
2292504	S	CLUTCH COVER: MAN ADJUSTING	0	0
2294000	S	CLUTCH BRAKE: TORQUE LIMITING	0	0
2294023	S	EXTENDED GREASE FTG F/CLUTCH BRG &CROSS SHAFT	0	0
2406453	O	DRIVELINE:2 SPL250XL; 1 CENTERBEARING HVY DUTY: REQ 3500057 INTERAXLE D/L XL = EXTENDED LUBE NYLON CTD SPLINES DMPND FOR SND ATTNUATN	984	119
2410003	S	SEVERE DUTY PILOT BEARING	0	0
2450100	S	SYNTH LUBE:FULLER, MERITOR OR TTC TRANS & AXLES. USE 2450104 F/AUTO TRANS	0	0
2460042	O	14in EATON/FULLER HI CAP OIL TO WTR CLR STD F/TRAN 1550-2250LBFT,18SPD AUTOSHFT	0	0

Front Axle & Equipment

2503463	O	DANA SPICER E-1462I 14.6K 3.5in	465	60
2621310	O	FR BRK:DANA SPC ES 16.5X5*MAX CAP 14.6K	271	42
2690002	O	/FR BRK.DRUM: CAST 16.5X5	17	37
2707050	O	HUB:ALUM*HUB-PILOT*MAX CAP 14.6K*16.5X5 11.25in BC*10-BOLT	2	0
2741950	S	DANA LMS HUB PKG*MAX AXLE CAP 14,600# & 29,200# TWINSTR*NA IRON HUB OR SPOKEWHL	0	0
2750001	S	FR HUBCAP: VENTED	0	0
2765001	S	FR AUTO SLACK ADJUST	0	0
2864014	O	FR SPR:TAPERLEAF 14.6K W/SHOCK ABSORBER ELASTOMER BUSHED FRONT SPRING PINS	208	47
2893881	O	PWR STRG: SING GEAR *TRW TAS85 16K *W9: NOT AVL W9B/W9L; OK W9S* HEAVY DUTY SHOCK ABSORBER BRACKETS INTERAXLE DIFERENTIAL LOCKOUT	349	20

Rear Axle & Equipment

Printed: 03/10/2006 9:33:54 AM
 Effective Date: Jan 1, 2006
 Prepared by: RONALD E LOZIER

Complete

Model Number: T800B CONVENTIONAL
 Quote/DTPO/CO: Q32572393
 Version Number: 16.11

KENWORTH

WHITEFORD KENWORTH, INC. L721
12650 ECKEL JUNCTION

PAHOA EXPRESS
38151 GROESBECK

PERRYSBURG, Ohio United States 43551
Phone: (419) 874-3511
Fax: (419) 874-4224
Email: rlozier@lgk.com

CLINTON, Michigan United States 48036
Phone: (586) 465-5599
Fax:
Contact Email: PAUL@PAHOAEXPRESS.COM
Prepared for: PAUL MCGILLIVRAY

Data	Code	Description	\$ List	Weight
Model				
0000800	O	T800B CONVENTIONAL	119,750	13,957
0070561	O	US TO 80K OR CANADA/ALASKA TO 80K GCW (INFO USED FOR COOLING REVIEW ONLY)	0	0

Engine & Equipment

0336176	O	C15 475 ACERT 2005 475@2100 1850@1200 DIAGNOSTIC PLUG FOR DATA LINK, STD W/ ELEC. E OIL COOLER ALUMINUM FLYWHEEL HOUSING N09040 P02 85....Vehicle Speed Limit N09080 P07 85....High Cruise Control Speed Li N09100 P08 Latch.Retarder Function N09120 P09 3.....Auto Retard in Cruise N09140 P13 1400..Idle RPM Limit N09160 P17 1400..PTO Top Engine RPM Limit N09200 P34 0.....Idle Shtdwn Time N09220 P35 Yes...Idle Shtdwn Override N09240 P38 Warn..Engine Monitoring	12,874	941
1000074	O	MUST BE NEW INTERIOR	0	0
1001315	O	AIR COMP: BENDIX 15.8 CFM BA921 CAT TEFLON DISCHARGE LINE	0	0
1051072	S	AIR CLEANER: DON 2500 ENG-MTD/COWL INLE MOLDED RUBBER SLEEVES AT ALL CONNECTIONS STAINLESS STEEL CLAMPS AT ALL CONNECTIONS	0	0
1105340	O	FAN HUB: HORTON DRIVEMASTER CATERPILLAR	0	0
1128400	S	RADIATOR: 1200 SQ IN AIR TO AIR 10 PSI PRESSURE RELIEF CAP REMOVABLE TOP & BOTTOM TANKS TOP TANK BAFFLED FOR DEAERATION AIR-TO-AIR HEAT EXCHANGER/AFTERCOOLER CONSTANT TORQUE RADIATOR HOSE CLAMPS ROCKSCREEN MTD BEHIND BUMPER AIR VENT PERMANENT-TYPE ANTIFREEZE	0	0
1160208	O	BUGSCREEN MTD BETWEEN HOOD AND GRILL	142	2
1160770	S	FAN BLADE OIL COOLER FULL FAN SHROUD	0	0
1253015	O	DUAL EXH:DUAL HOR CCM VERT PIPES SIDE OF AEROCAB 10-2002 & ACERT CATERPILLAR	907	170
1292329	O	EXHAUST SHIELD:FULL PERF DUAL SS W/KW	318	13



WHITEFORD KENWORTH, INC. L721
12650 ECKEL JUNCTION


PAHOA EXPRESS
38151 GROESBECK

PERRYSBURG, Ohio United States 43551
Phone: (419) 874-3511
Fax: (419) 874-4224
Email: rlozier@iglk.com

CLINTON, Michigan United States 48036
Phone: (586) 465-5599
Fax:
Contact Email: PAUL@PAHOAEXPRESS.COM
Prepared for: PAUL MCGILLIVRAY

Horizontal Dimensions

Model: T800B CONVENTIONAL
 Quote/DTPO/CO Number: Q32472157



Unpublished options may require review/approval.
 Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 03/10/2006 9:40:49 AM
 Effective Date: Jan 1, 2006
 Prepared by: RONALD E LOZIER

Complete

Model Number: T800B CONVENTIONAL
 Quote/DTPO/CO: Q32472157
 Version Number: 16.11

65364-FF54-1519

Page 1 of 1

TOTAL P.03



Service Dept.
12550 23 Mile Rd.
Shelby Twp., Michigan 48315

REMIT TO: Michigan CAT
Dept.# 77576
P.O. BOX 77000
Detroit, Michigan 48277-0576

To view and pay invoices online, go to:
<https://secure.billtrust.com/Macallister/rig/signin>

Account Number: 15990
CUSTOMER INVOICE

Service Dept.
12550 23 Mile Rd.
Shelby Twp., Michigan 48315
Phone: 586 997 5300 Fax 586 997 5307

PAHOA EXPRESS INC
38151 GROESBECK HWY
CLINTON TWP MI 48036

SHIP TO
Pahoa Express Inc
38151 GROESBECK HWY
CLINTON TWP MI 48036

INVOICE NUMBER	INVOICE DATE	ORDER NUMBER	DOCUMENT DATE	CUSTOMER PO NUMBER	PAGE
	05/22/2025	MAC-WO-1472625	09/12/2011	22322	4 OF 4
QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION	

The terms and conditions found at www.macallister.com/serviceterms ("Service Terms") are incorporated herein by this reference and apply to the provision of Services by MacAllister (as defined in the Service Terms). Please read carefully. This agreement includes an indemnification clause, a jury waiver, warranty disclaimers, and limitations of liability. By approving the Work Order orally, in writing, or otherwise, accepting or using the Equipment after the Services are performed, or making payment(s) to MacAllister for or related to the Services, Customer agrees to be bound by the Service Terms, even if this form has not been fully executed.

PAYMENT TERMS

Pay in full 30 days after invoice date. A monthly Finance Charge of 1.00% (12% APR) will be added on all past due amounts.

For payment questions about this invoice please contact

Denise Wethington
Fax 1-866-473-4921
Voice 248-349-4800 Ext. 1486
Email denise.wethington@michigancat.com

CREDIT AMOUNT	0.00
DONOT PAY	
PAY THIS AMOUNT	13,677.26

MacAllister
RIG 360
TRUCK CENTERS
 Service Dept.
 12550 23 Mile Rd.
 Shelby Twp., Michigan 48315

REMIT TO: Michigan CAT
 Dept. # 77576
 P.O. BOX 77000
 Detroit, Michigan 48277-0576
 To view and pay invoices online, go to:
<https://secure.billtrust.com/Macallister/ig/signin>

Account Number: 15990
CUSTOMER INVOICE

Service Dept.
 12550 23 Mile Rd.
 Shelby Twp., Michigan 48315
 Phone: 586 997 5300 Fax 586 997 5307

PAHOA EXPRESS INC
 38151 GROESBECK HWY
 CLINTON TWP MI 48036

SHIP TO
 Paho Express Inc
 38151 GROESBECK HWY
 CLINTON TWP MI 48036

INVOICE NUMBER	INVOICE DATE	ORDER NUMBER	DOCUMENT DATE	CUSTOMER PO NUMBER	PAGE
	05/22/2025	MAC-WO-1472625	09/12/2011	22322	3 OF 4
QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION	

1	9Y3368	INSERT LR	61.94	61.94	
		SEGMENT 03	TOTAL PARTS	61.94	
			TOTAL LABOR (FLAT-RATE)	190.00	
			SEGMENT TOTAL	251.94	

SEG. 04 / ITEMS NOT INCLUDED / ENGINE

PARTS

1	4C4611	CLEANER	35.47	35.47	
1	5H1504	WASHER	0.94	0.94	
1	6I4421	PLATE SPACER	395.57	395.57	
1	8T4984	CLAMP	12.74	12.74	
1	0311119	RADIATOR CAP	9.63	9.63	
6	1241855	BOLT 12PT	10.38	62.28	
1	3214323	HARNESS AS-	174.58	174.58	
1	3214324	HARNESS AS-	139.11	139.11	
		SEGMENT 04	TOTAL PARTS	830.32	
			SEGMENT TOTAL	830.32	

SUBTOTAL BEFORE TAXES **13,677.26**

Environmental charge 0.00

Michigan Non-taxable Interstate Commerce 0.00



Service Dept.
12550 23 Mile Rd.
Shelby Twp., Michigan 48315

REMIT TO: Michigan CAT
Dept. # 77576
P.O. BOX 77000
Detroit, Michigan 48277-0576

To view and pay invoices online, go to:
<https://secure.billtrust.com/Macallister/tg/signin>

Account Number: 15990
CUSTOMER INVOICE

Service Dept.
12550 23 Mile Rd.
Shelby Twp., Michigan 48315
Phone: 586 997 5300 Fax 586 997 5307

PAHOA EXPRESS INC
38151 GROESBECK HWY
CLINTON TWP MI 48036

SHIP TO
Pahoa Express Inc
38151 GROESBECK HWY
CLINTON TWP MI 48036

INVOICE NUMBER	INVOICE DATE	ORDER NUMBER	DOCUMENT DATE	CUSTOMER PO NUMBER	PAGE
	05/22/2025	MAC-WO-1472625	09/12/2011	22322	2 OF 4
QUANTITY	ITEM	DESCRIPTION	UNIT PRICE	EXTENSION	

SPACER PLATE, GASKETS, CYLINDER HEAD AND TORQUED. ADJUSTED ALL VALVES, JAKES, INJECTORS, AND ACTUATORS. INSTALLED VALVE COVERS. TRIED TO START ENGINE, FOUND BATTERIES DEAD; JUMP STARTED. CHANGED BOTH FUEL FILTERS AND ADDED NEW ENGINE OIL AND FILTER. STARTED ENGINE AND FLUSHED TWICE WITH CLEANER AND FLUSHED TWICE WITH WATER TO REMOVE RUST. REPLACED UPPER HOSE CLAMP ON REGULATOR HOUSING. FILLED WITH NEW COOLANT TO SPEC. RAN AND TESTED-OK.
RESULTANT DAMAGE :PRESSURE IN COOLING SYSTEM

Service tech(s): Jeffrey David Darling , Nicholas Michael Badour , Christopher D. Goodhue , Jerry W. Wingett

PARTS

1	10R9547	HEAD GP CYL
1.00		Core charge
1.00		Full core credit
1	10R9923	KIT ENG OVER
1.00		Core charge
6.00		Full core credit
15	1226870	L/M HOSE-IN
2	1241961	COUPLING
1	2201206	HOSE AS
12	2388648	COOLANT-ELC
6	2476130	RING-PISTON
1	2568753	FILTER AS SE
1	2769507	HOSE
40	1556198Q	10w30 DEO Quarts

SEGMENT 02 SEGMENT TOTAL (FLAT-RATE)

12,500.00

SEG. 03 / MACHINE/GRIND/MILL / CYLINDER BLOCK

COMPLAINT: CUT COUNTERBORE

CAUSE: BLOCK EROSION

REPAIR: #1 COUNTERBORE LOW. SET UP TOOLING AND CUT UPPER COUNTERBORE ON #1 CYLINDER. INSTALLED SHIM TO BRING UP TO CORRECT HEIGHT.

RESULTANT DAMAGE :COUNTER BORE LOW

Service tech(s): Jeffrey David Darling

PARTS



Service Dept.
12550 23 Mile Rd.
Shelby Twp., Michigan 48315

REMIT TO: Michigan CAT
Dept. # 77576
P.O. BOX 77000
Detroit, Michigan 48277-0576

To view and pay invoices online, go to:
<https://secure.billtrust.com/Macallister/ig/signin>

Account Number: 15990
CUSTOMER INVOICE

Service Dept.
12550 23 Mile Rd.
Shelby Twp., Michigan 48315
Phone: 586 997 5300 Fax 586 997 5307

PAHOA EXPRESS INC
38151 GROESBECK HWY
CLINTON TWP MI 48036

SHIP TO
Pahoa Express Inc
38151 GROESBECK HWY
CLINTON TWP MI 48036

INVOICE NUMBER		INVOICE DATE		ORDER NUMBER		DOCUMENT DATE		CUSTOMER PO NUMBER		PAGE		
		05/22/2025		MAC-WO-1472625		09/12/2011		22322		1 OF 4		
MAKE		MODEL		EQUIPMENT NUMBER		SERIAL NUMBER		METER READING		SHIP VIA		TAX
CATERPILLAR		C15 TRK		P-86		MXS90169		318518				MI
QUANTITY		ITEM		DESCRIPTION				UNIT PRICE		EXTENSION		

All repairs and parts listed were furnished in compliance with the Michigan Motor Vehicle Service and Repair Act. Repairs properly completed and checked by: Goodhue M#231490
Michigan repair facility registration number: F138153

SEG. 01 / DIAGNOSTIC TEST / ENGINE

COMPLAINT: OVERHEATS UNDER LOAD, PRESSURE IN COOLING SYSTEM

CAUSE: BLOWN HEAD GASKET

REPAIR: STEAM CLEANED ENGINE. RAN TO OPERATING TEMP. PERFORMED BOTTLE TEST; RESULT FAILED WITHIN SECONDS. ELIMINATED AIR COMPRESSOR AND RETESTED. RESULT SAME. CUSTOMER APPROVED TO REMOVE CYLINDER HEAD.

RESULTANT DAMAGE :PRESSURE IN COOLING SYSTEM

Service tech(s): Christopher D. Goodhue M#231490

SEGMENT 01	TOTAL LABOR (FLAT-RATE)	95.00
	SEGMENT TOTAL	95.00

SEG. 02 / RECONDITION / ENGINE

COMPLAINT: BLOWN HEAD GASKET

CAUSE: LOW LINER

REPAIR: DRAINED COOLANT. REMOVED CYLINDER HEAD, FOUND GASKET BLOWN ON #1 CYLINDER INTO BOLT HOLES, COOLANT IS VERY RUSTY AND HEAD IS ALSO CRACKED IN FLY CUTS. DRAINED ENGINE OIL. REMOVED OIL PAN, SPACER PLATE, OIL PUMP AND TUBES. REMOVED #1 AND #2 CYLINDER PACKS AND CHECKED THE BLOCK SURFACE. FOUND #1 IS LOW AND NEED TO CUT COUNTERBORE. CHECKED SPACER PLATE, FOUND ERRODED. QUOTED REPAIRS AND CUSTOMER APPROVED IN-FRAME OVERHAUL. ORDERED PARTS. REMOVED REMAINING CYLINDER PACKS FROM ENGINE. CLEANED ALL PARTS FOR TOP END OF ENGINE AND ORGANIZED ON TABLE. DISASSEMBLED CYLINDER HEAD SO PARTS COULD BE TRANSFERRED TO REMAN HEAD. CLEANED THE DECK OF THE BLOCK AND CHECKED REMAINING COUNTER BORES,OK. CLEANED REMAN HEAD, TRANSFERED ALL COMPONENTS. REMOVED AND REPLACED MAINS AND UPPER RINGS ON NEW PACKS. INSTALLED PACKS WITH NEW BEARINGS AND OIL PUMP. RESEALED TUBE ASSEMBLIES, INSTALLED PICK UP TUBES, SEPARATOR PLATE TO BLOCK, CLEANED OIL PAN, AND INSTALLED ON ENGINE. REWIRED LOWER VALVE COVER FOR THE INJECTORS AND INTAKE VALVE ACTUATORS. REMOVED AND REPLACED THE WIRING HARNESSSES. RESEALED REGULATOR HOUSING AND INSTALLED REGULATORS. RESEALED INJECTORS AND INSTALLED IN CYLINDER HEAD WITH HOLD DOWNS. INSTALLED NEW