

CraneSafe®

Wire Rope Certificate

Certificate No:
ATC R.1 208870-16.1

Accreditation no. 19898

Company Name: Metcalf Crane Services Pty Ltd
Crane Make & Model: Tadano Demag AC130-5

Crane Serial No.: 35381
Year of Manufacture: 2019

Length of Rope: 300.00m
Rope Construction: CASAR STARLIFT PLUS
Surface Finish: Coated
Direction of Rope Lay: Lang Left Hand Lay
Decision: Pass

Wire Rope Application: Main Hoist
Rope Termination (End 1): Swaged End Fitting
Rope Termination (End 2): Wedge Type Socket
Rope Diameter: 21.00mm



Position Inspected (approx. metres)		10	50	90	130	170	210	290
Number of Visible Wire Breaks (over a length of 6x the rope's dia) AS2759-2004 Clause 14.4		0	0	0	0	0	0	0
Degree of Damage and Deformation of Rope AS2759-2004 Clause 14.13		0	0	0	0	0	0	0
Abrasion of Outer Wires AS2759-2004 Clause 14.9	Degree of Deterioration	0	0	0	0	0	0	0
Corrosion AS2759-2004 Clause 14.8	Degree of Deterioration	0	0	0	0	0	0	0
Reduction of Rope Diameter AS2759-2004 Clause 14.9	Measurement (mm)	21.70	21.70	21.60	21.60	21.70	21.70	21.70
	Measurement 90° (mm)	21.50	21.60	21.70	21.70	21.70	21.70	21.70
Additional Comments								

Degree of Deterioration:
1 = slight, 2 = medium, 3 = high, 4 = very high, 5 = discard

At time of inspection, the rope measurements and construction was in accordance with the requirements of AS2759 - 2004 Section 13 and the operators manual supplied with the crane.

Date Inspected: 01/12/25
Date Issued: 08/12/2025

John Carroll
Assessor No: VIC1017

CraneSafe®



[illegible]

Hook Block Certificate

Certificate No:
ATC HB.1 208870-16.1

Accreditation no. 19898

Company Name: Metcalf Crane Services Pty Ltd
Crane Make & Model: Tadano Demag AC130-5

Crane Serial No.: 35381
Year of Manufacture: 2019

Item Inspected		
AS1418.5-2013 Annex K.1		
Hook Block	MANUFACTURERS ID no.	61783612
	FORM OF HOOK	Ramshorn
	NOMINAL LIFTING LOAD	8000kg
	MASS	630kg
AS1418.5-2013 Annex K.3		
Sheave	NUMBER OF SHEAVES	3
	ROPE DIAMETER	21mm
	KIND OF MATERIAL	Metal
	GROOVE WEAR	☒
	BRUISING	☒
	ROTATING / BEARING	☒
	CRACKS	☒
	CHIPS	☒
AS1418.5-2013 Annex K.2		
Lifting Hook	WEAR	☒
	CRACKS	☒
	DEFORMATION	☒
	SAFETY LATCH	☒
	SWIVEL	☒
	BEARING	☒
	HOOK BRUISING	☒
	Y - Y MEASUREMENT	175mm
AS1418.5-2013 Clause 4.2.13		



At time of Inspection, the hook block was in accordance with the requirements of AS1418 Part 5 2013 and the load charts supplied with the crane.

Date Inspected: 01/12/25
Date Issued: 08/12/2025

John Carroll
Assessor No: VIC1017

CraneSafe®

