Alberta Government

CV8856391

80087900008856391

CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate
Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	**Seating Capacity:**			
GVW:		**Brake Type:**	Air		
Owner Name:	EXL AGGREGATE AND RENTALS LTD				
Address:	4120 41ST				
City:	DRAYTON VALLEY	**Province:**	AB	**Postal Code:**	T7A0B4
Telephone Number:	(780) 898-0023				
Vehicle Identification Number:	1NPTX4TX8FD271343				
Make:	**Peterbilt**	**Model:**	**Conventional**		
Year:	**2015**	**Unit Number:**	**ST208**		
Odometer:	253833 KM	**Licence Plate Number:**	13P359	**Province:**	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	**Facility Number:**
Parts for Trucks, Inc.	**16544**
Inspection Technician Name:	**Technician Number:**
Nikola Milic	**B7472**

Inspection Technician Signature:	
Inspection Date:	**2026/10/09**

Version No:1

Alberta Government

HEAVY VEHICLE SALVAGE - TRUCK

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Vehicle Information

VIN	1	N	P	T	X	4	T	X	8	F	D	2	7	1	3	4	3

Unit Number	Year	Make	Model	Odometer
ST208	2015	Peterbilt	Conventional	253,833

Registered Owner's Name	Plate Number
EXL AGGREGATE AND RENTALS LTD	13P359

Address	Postal Code	Phone Number
4120 41ST	T7A0B4	(780) 898-0023

Drum Brakes: A-Full Inspection with Drum Removed **Disc Brakes:**

	LEFT		FRONT	RIGHT		
100 psi / 19 mm	421.13	mm	Drums/Rotors	421	mm	100 psi / 19 mm
	16	mm	Linings/Pads	16	mm	
	29	mm	Push Rod Travel	30	mm	
100 psi / 14 mm ; 100 psi / 12 mm	420.31	mm	Drums/Rotors	421.08	mm	100 psi / 12 mm ; 100 psi / 12 mm
	19	mm	Linings/Pads	21	mm	
	36	mm	Push Rod Travel	38	mm	
100 psi / 11 mm ; 100 psi / 11 mm	420.62	mm	Drums/Rotors	420.54	mm	100 psi / 10 mm ; 100 psi / 11 mm
	20	mm	Linings/Pads	21	mm	
	37	mm	Push Rod Travel	36	mm	
100 psi / 15 mm ; 100 psi / 14 mm	420.67	mm	Drums/Rotors	420.24	mm	100 psi / 15 mm ; 100 psi / 15 mm
	20	mm	Linings/Pads	21	mm	
	37	mm	Push Rod Travel	38	mm	
psi / mm ; psi / mm		mm	Drums/Rotors		mm	psi / mm ; psi / mm
		mm	Linings/Pads		mm	
		mm	Push Rod Travel		mm	
psi / mm ; psi / mm		mm	Drums/Rotors		mm	psi / mm ; psi / mm
		mm	Linings/Pads		mm	
		mm	Push Rod Travel		mm	

Park Brake Lining Left N/A mm Right N/A mm Trans N/A mm

Wheel Torque Checked ☑ Inner N/A ft lbs Outer 500 ft lbs

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓		
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓		

HEAVY VEHICLE SALVAGE - TRUCK

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.7. Engine/Shut Down	✓						

NOTES:
- EXHAUST BELLOW LEAKING

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.10. Towing Vehicle (Tractor) Protection System			✓	3A.14. Brake Chamber	✓		
3A.2. Air Supply System	✓			3A.15. Drum Brake System Components	✓		
3A.4. Air Tank	✓			3A.16. S-Cam Drum Brake System	✓		
3A.5. Air Tank Check Valves	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.6. Brake Pedal/Actuator	✓			3A.18. Disc Brake System Components			✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.8. Brake Valves & Controls	✓			3A.21. Stability Control System			✓
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.23. Brake Performance			✓
3A.11. Parking Brake & Emergency Application	✓						

HEAVY VEHICLE SALVAGE - TRUCK

NOTES:
- "A" INSPECYION
- AIR BUILD TIME 1:12 MIN.
- #4 LEFT BRAKE CHAMBER WORN
- FREE UP ALL CLEVICE PINS

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓		
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:
- STEERING SHAFT BOOT MISSING

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack			✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓		
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓
5.7. Windshield Wiper/Washer	✓						

NOTES:
- NO HAZZARD KIT

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:
- REVERS LIGHTS NOT WORKING
- BOTH UPPER BRAKE LIGHTS NOT WORKING
- RIGHT FENDER LIGHT OUT
- HIGH BEAMS NOT WORKING

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

NOTES:
- WIRES HANGING ATRIGHT FENDER

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window			✓
8.5. Cargo Body			✓	8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel	✓			8.20. Seat Belt/Occupant Restraint	✓		

HEAVY VEHICLE SALVAGE - TRUCK

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓

NOTES:
- HOOD SAFETY CABLES MISSING
- 35MM BEND IN FRAME
- LEFT QUARTER FENDER MISSING

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components			✓	10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:

Section 12 - Structural Integrity

Component	P	F	NA	Component	P	F	NA
12.1. Documentation	✓			12.5. Frame	✓		
12.2. Vehicle Identification Number	✓			12.6. Roof	✓		
12.3. Body - General	✓			12.7. Pillars	✓		
12.4. Structural Dimensions - ***Must be attached***	✓			12.8. Floor	✓		

NOTES:

HEAVY VEHICLE SALVAGE - TRUCK

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #5185980) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection(Mechanical)	Technician Number (Mechanical)	Facility Number (Mechanical)	Signature
2026/10/09	B7472	16544	

Date of Inspection(Structural)	Technician Number (Structural)	Facility Number (Structural)	Signature
2026/10/09	B2795	16544	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/10/09

Customer Signature