

P.O Box 5287
Victoria Point Queensland 4165
ABN: 75687910704



TAX INVOICE

Licence:

AIRCON LICENCE AU57719
APPROVED INSPECTION STATION
13303

Tel:0448929128

Email: admin@seqtruckrepairs.com.au

Website: www.seqtruckrepairs.com.au

Tax Invoice Number:6591

Date: 04/06/2025

Due Date:18/06/2025

Payment Term:COD

FOR:

service

Odometer:598,757 Kms

Model:KENWORTH K200

Reg No:ABMC

Next Service Date:10/09/2025

Next Service Odometer:649,757 Kms

VIN: 6F5000000NA473480

Body Type:PRIME MOVER

Year: 2022

Description	Qty.	Unit Price	Amount
American Truck B Service			
HV Truck B Service Carried out safety inspection - Replace engine oil & filter - Replace fuel filters - Clean cabin filters - Inspect driveline fluid levels - Grease all points - Top up fluids as required - Adjust all brakes - Adjust clutch - Carry out brake roller test	1.0		
PARTS			
RUBIA WORKS 4000	52.0	\$9.60	\$499.36
Fuel filter ISX	1.0	\$119.91	\$119.91
OIL FILTER	1.0	\$108.65	\$108.65
FUEL/WATER SEP 50MIC	1.0	\$60.28	\$60.28
Truck & Farm Grease 450g	1.0	\$14.20	\$14.20
REPAIR			

Labour	1.5	\$150.00	\$225.00
Removed lhs front upper torque rod			
Pressed out bushes			
Cleaned eyes			
Pressed in new bushee			
Fitted torque rod			
Filled engine oil			
Checked hub oils			
TORQUE ROD BUSH POLY	2.0	\$126.70	\$253.40
WORKSHOP CHARGES			
SERVICE CONSUMABLES	1.0	\$37.50	\$37.50
Environmental Compliance Fee	1.0	\$15.26	\$15.26

American Truck B Service:
Carry out service as per truck B service sheet

AMERICAN TRUCK B SERVICE

LIGHT INSPECTION

- ✓ Test headlights - Check high and low beam
- ✓ Test park lights - Check front park lights, rear park lights and side clearance lights
- ✓ Check indicators - Test left and right side indicators. Report on cracked lens or if LED make sure all LED's are working
- ✓ Check brake lights - Test brake lights, report on cracked lens or if LED make sure all LED's are working
- ✓ Check reverse lights - Test reverse lights, report on cracked lens or if LED make sure all LED's are working
- ✓ Check hazard lights - Test hazard lights with ignition off
- ✓ Check roof marker lamps - Test roof lights, report on cracked lens or if LED make sure all LED's are working

IN CAB INSPECTION

- !!! Check seat belts - Test seat belt pre tensioners work , test they retract back correctly and check belt webbing for frays
- ✓ Seatbelt fraying
- ✓ Check dash gauges - Inspect operation at idle and test illumination of each gauge
- ✓ Check dash lights - Inspect dash lights with ignition on and recheck at idle and report on any that don't clear
- ✓ Check pedal rubbers - Inspect throttle , brake and clutch pedal rubbers for wear or if missing
- ✓ Check drivers seat - Inspect seat cushion condition and all seat functions
- !!! Check horn - Test electric and air horn
- ✓ Electric horn doesn't work
- ✓ Check steering wheel - Inspect steering wheel grip for looseness, cracks in rubber or missing rubber grip
- ✓ Check the truck wheels, Release park brake, Apply brakes check for air leaks at brake boosters, check for air leaks around truck
- ✓ Top up washer bottle - Fill washer bottle with water and washer fluid

SIGNS AND SAFETY

- ✓ Wiper blades - Inspect wiper blade operation for smearing on windscreen, lift blades off screen and check blade condition, report on cracks in rubber or misalignment of blade to wiper arm carrier.
- ✓ Check all reflectors - Inspect for fading, missing or damaged
- ✓ Check rear marker plates - Inspect for fading, missing or damaged signs
- ✓ Check number plates - Inspected for faded, missing or damaged signs

CHASSIS LEVEL

- ✓ Tyre pressures - Check and fill tyre pressures to 110 psi on steer axle and 100 psi on rear
- ✓ Inspect all tyre tread depths , report on uneven wear and general condition
- ✓ Batteries - Inspect battery positive and negative clamps for tightness to battery post, check for build up on posts, clean down with hot water if needed, check walls of batteries aren't bulging, check battery water level. Load test batteries with load tester and record reports to job card
- !!! Inspect mudguards for damage, check mounting points are tight, check mudguard poles are straight, check loop kits aren't torn if fitted
- ✓ Front tyres as they are bigger rubbing on mudflap
- ✓ Inspect mudflaps are secure and height off floor is at correct level (230mm)
- ✓ Check all chassis bolts are tight and no cracks are in chassis or crossmembers

Subtotal	\$1,933.56
GST	\$193.36
Total	\$2,126.92
Paid	\$0.00
Balance Due	\$2,126.92

ENGINE INSPECTION

- ✓ Inspect/adjust fan belts - Inspect fan belt condition for cracks in belt sections, tears, and alignment of pulleys. Check belt deflection and adjust if required
- ✓ Inspect horton fan, check when horton is disengaged make sure there is no bearing play, check clutch ring has worn excessive groove in front hub. Recheck once engine is running for rattling noises or high pitch squeels when fan kicks in.
- ✓ Inspect coolant system for leaks, check level in radiator header tank and top up if required, check hoses for chaffs, check radiator hoses aren't sucked in or excessively soft.
- !!! Inspect engine for oil leaks and report
- Fill tube silicone piece is leaking
- ✓ Inspect engine mounts , for loose or missing bolts, cracked rubbers and general condition of wear
- !!! Inspect turbo for exhaust leaks, check boost system hoses for chaffs, check boost hose clamps are tight, check boost hose clamps aren't rubbing on bonnet or under cab.
- Rubber joiner off charge side if turbo seems to be leaking oil buildup around the edges
- ✓ Inspect exhaust manifold for leaks at gaskets, broken or missing bolts and cracks in joins
- ✓ Inspect fuel system for leaks and rubbed hoses

STEER IN G

- ✓ Jack up steer axle, inspect kingpins and wheel bearings for play if bearings have play remove hub covers and adjust preload to spec, grease kingpins while truck is raised off ground. If Kingpin movement is 0.25 mm or greater bushes will require replacement
- ✓ Inspect steering draglink for movement in ball joints 2.5-3mm is excessive
- ✓ Inspect steering tie rod ends for movement in ball joints 2.5-3mm is excessive
- ✓ Inspect tie rod bar for damage
- ✓ Inspect steering box pitman arm bolt is tight and no end play on arm
- ✓ Inspect steering box for oil leaks
- ✓ Inspect steering uni's for movement and grease nipples
- ✓ Inspect steering box mounting bolts are tight and no signs of rust around chassis

FRONT SUSPENSION

- ✓ Inspect spring suspension - for loose U-bolts, worn bushes and loose mounting bolts
- ✗ Inspect air bags - for cracks in bellows , missing mounting bolts, perished supply airlines

REAR SUSPENSION

- ✓ Inspect torque rod bushes - for cracks in rubbers , misalignment of rod to bush, bent rods, loose bolts and any excessive movement
- ✓ Inspect air bags - for cracks in bellows , missing mounting bolts, perished supply airlines
- ✓ Inspect spring suspension - for loose U-bolts, worn bushes and loose mounting bolts
- !!! Inspect v stay rods - for worn bushes, loose bolts and worn centre bush
- 1st drive passenger side bush tearing away needs replacing

DRIVELINE INSPECTION

- ✓ Inspect tailshaft and jack shaft uni's for movement
- ✓ Inspect center bearings for excessive movement
- !!! Inspect gearbox and diff yokes for movement
- All yokes have minor movement
- ✓ Inspect front diff for leaks including hub seal leaks and report on which side is leaking

!!! Inspect gearbox for oil leaks and report also inspect gearbox oil cooler lines for rubs or cracked lines and they are secure to brackets
Gearbox top hat leaking, needs new seal

SERVICE

- ✓ Replace engine oil and filters - Drain engine oil, remove and replace filters, fit sump plug and tighten to spec, clean down sump and oil filter area free of old engine oil
- ✓ Re check engine oil level after it has been running
- ✓ Replace fuel filters - Remove fuel filters, clean bowls where applicable, fit new filters and pre fill with diesel. Prime fuel system as per manufactures operation
- ✓ Clean or replace intake air filter - Inspect outer air filter if older than 12 months or heavily soiled with dust replace, if a torch light can be seen through filter clean with compressed air in the direction of air flow
Cleaned
- ✓ Inspect driveline fluid levels - Check diff oils , report on oil condition, install diff fill plugs and clean down diff housings where oil has spilt
- ✓ Gearbox oil - Inspect gearbox oil level, report on oil condition, fit gearbox plug and tighten to spec, then clean down old gearbox oil where spilt ✓ Clean diff and gearbox bungs
- ✓ Grease all points - Grease all grease nipples throughout vehicle including points on tipper bin if applicable

ADJUSTMENTS

- ✓ Adjust brakes - Chock trucks wheels. Adjust brakes as per manufactures specifications with air pressure at operating pressure and park brake released
- ✓ Inspect eaton clutch for half inch gap between throw out bearing and clutch stop, adjust if required and then check you have pedal free play of 1 & 1/2 inches , test clutch brake with a flat blade screw driver to confirm it is tight between the throw out bearing

BRAKE INSPECTION

- ✓ Steer axle brake lining or pad record thickness
65%
- ✓ 1st drive axle brake lining or pad record thickness
60%
- ✓ 2nd drive axle brake lining or pad record thickness
60%

FINAL CHECKS

- ✓ Fit service sticker
- ✓ Record odometer reading
- ✗ Record all parts used
- ✗ Test drive
- ✓ Clean all hand prints off cab

THANKS FOR YOUR BUSINESS!

We are now an approved inspection station, also offering Brake roller testing!

SEQ TRUCK & TRAILER REPAIRS PTY LTD
BSB 013265
ACC 162012661

PLEASE REMEMBER TO CHECK YOUR TRUCK SERVICE INTERVAL REGULARLY AND BOOK IN WHEN YOU ESTIMATE YOU ARE 3 WEEKS OUT TO AVOID DISAPPOINTMENT.


ALL CARD PAYMENTS WILL INCUR A 1.1% SURCHARGE

Terms of trade are available on request.

SEQ TRUCK REPAIRS

We are proud to announce we are now a certified inspection station, dedicated to ensuring the safety and reliability of your vehicles.

- ✔ AIS Approved
- ✔ Brake Roller Testing
- ✔ Truck Servicing



More information
0448929128



Our Address
**3/ 604 German Church Rd
Redland Bay 4165**