

UNIT TYPE 1

SPECIAL REQUIREMENTS
SPECIAL RESTRICTIONS 0098020 CANADIAN REGISTRY

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
0003891	BASE MODEL	P	147,253	15,165
0100000	MODEL 389 CONVENTIONAL THE CODES LISTED IN N01XX LINES WERE NOT VALID FOR THIS MODEL OR YOUR DESCRIPTION DID NOT PROVIDE ADEQUATE INFORMATION FOR A CODE TO BE DETERMINED YOU SHOULD CONTACT THE OPTION APPROVAL GROUP FOR A VALID CODE OF THE OPTION DESIRED. A SALES CHANGE NOTICE WILL BE REQUIRED TO HAVE THE OPTION ADDED TO THIS ORDER.	U	0	0
N0101	9507841			
0514000	FRAME AND EQUIPMENT 10-3/4" STEEL RAILS TO 354" 3/8" RAIL THICKNESS	P	639	441
0611790	ALUMINUM FRAME RAIL CROSSMEMBERS IPO STEEL	P	164	60-
0620480	FIFTH WHEEL BOLTED IPO HUCK FASTENED INC RAMPS/KINGPIN GUIDE WHEN REQUESTED	P	55	0
0622130	SWING CLEARANCE LESS THAN RECOMMENDED NOTIFY DEALER, CONTACT APPLICATIONS	U	0	0
0644000	EOF TRACTOR TAPERED WITH XMBR	P	0	0
0651800	PB REAR MUDFLAPS, PREMIUM HANGERS STAINLESS STEEL	P	449	0
0835860	HOLLAND FW35 FIFTH WHEEL TOP PLATE	P	1,979	240
0870060	REAR OR FIXD SETTING BHD C/L BOGIE 006.			
0890090	LH FIFTH WHEEL RELEASE	P	0	0
0890560	8.6"-9.25" FIFTH WHEEL HEIGHT	P	0	99
0890590	20", 24", OR 24.5" AIR SLIDE FOR FIFTH WHEEL	P	67	216
0890641	LIGHTWEIGHT AIR SLIDE	P	0	0
0940330	NO ACCESS PACKAGE OR DECK PLATE DESIRED	P	0	0
1011280	FRONT AXLE AND EQUIPMENT DANA SPICER E1202I 12,000 LB	P	0	0
1111190	TAPER LEAF SPRINGS, SHOCKS 12,000 LB	P	0	0
1233030	POWER STEERING TRW TAS65	P	0	0
1250180	POWER STEERING RESERVOIR, FRAME MOUNTED	P	0	0
1353500	PHP10 ALUMINUM LMS HUBS USE WITH FRONT AXLE	P	0	0
1365050	DANA SPICER OUTRUNNER OIL SEALS USE WITH 10-13.2K LMS HUBS	P	64	0
1380070	GREASABLE FRONT SPRING PINS	P	28	0
1380240	DANA SPICER WIDE TRACK IPO STD FRONT AXLE(S)	P	29	4

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
1380350	BENDIX AIR CAM FRT HP DRUM BRKS 16.5X5	P	1,811-	0
1390540	DUST SHIELDS, CAM AND AIR DISC BRAKES FRONT AXLE	P	27	4
1391380	10 MM FRONT SPRING SPACER BLOCKS	U	0	0
1391390	LONG STROKE BRAKES, FRONT AXLE	P	9	0
1391410	GUSSETED CAM BRACKETS, STEER AXLE	P	25	0
REAR AXLE AND EQUIPMENT				
1523320	DANA SPICER D40-170 40,000 LB	P	2,769	395
1616220	PHP10 ALUMINUM LMS HUBS	P	0	0
1632650	LONG STROKE PARKING BRAKES DRIVE AXLE(S)	P	0	0
1660000	DUST SHIELDS FOR CAM BRAKES DRIVE AXLE(S)	P	85	0
1672630	DIFF LOCK BOTH AXLES	P	1,883	60
1673090	SEPARATE DASH CTRL CONT TRAC FULL LOCK TANDEM, TRI-DRIVE AXLES	P	143	2
1680420	LIGHT WEIGHT BRAKE DRUMS IPO STANDARD DRIVE AXLE(S)	P	495	79-
1680470	LUBE PUMP, DRIVE AXLE(S)	P	553	35
1682430	ANTI-LOCK BRAKING SYSTEM (ABS) 4S4M	P	0	0
1684200	SYNTHETIC AXLE LUBRICANT ALL AXLES	P	0	0
1687010	BENDIX AIR CAM REAR DRUM BRAKES 16.5X7	P	0	0
1704100	RATIO 4.10 REAR AXLE	P	0	0
1821970	PB LOW AIR LEAF 40,000 LBS LIGHT WEIGHT	P	909	60-
1922260	DASH MTD DUMP VALVE, INDICATOR LIGHT USE WITH AIR SUSPENSION	P	42	2
1922390	HD TRACKING RODS, AIR LEAF LOW AIR LEAF/LOW LOW AIR LEAF	P	16	11
ENGINE AND ENGINE EQUIPMENT				
2072865	PACCAR MX 485@1900 1650@1100 (2010 EMISSIONS)	P	539	0
2092014	TYPICAL CRUISE SPEED 65 MPH (PACCAR MX)	P	0	0
2092033	PACCAR MX ENGINE OPTIMIZED FOR BALANCE BEST ANALYSIS FOR VEHICLES WHERE SERVICE INCLUDES FREQUENT START AND STOP CYCLES	P	0	0
2092061	IDLE SHUTDOWN TIMER - ENABLED (PACCAR MX)	P	0	0
2092072	AUTO-RETARD ENABLED W/O SERVICE BRAKE ASSIST (PACCAR MX)	P	0	0
2092081	ENGINE MONITORING PROTECTION - WARN (PACCAR MX)	P	0	0
N2030	P285 5.....IDLE SHUTDOWN TIME (P285)			
N2031	P205 19....MINIMUM SPEED TO TURN CRUISE			
N2032	P206 16....MIN SPEED TO AUTOMATICALLY T			
N2033	P207 19....MINIMUM CRUISE CONTROL SPEED			
N2034	P210 1.....VALUE TO REDUCE SPEED W/ RES			
N2035	P211 1.....VALUE TO INCREASE SPEED W/ S			
N2036	P230 OFF...ALLOW MULTI-TORQUE ONLY WHEN			
N2037	P244 ON....ENABLE/DISABLE (P244)			

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
N2038	P252 75...MAX VEHICLE SPEED IN TOP GEA			
N2039	P245 100...DECREASE ENGINE SPEED W/ RES			
N2040	P246 100...RATE TO DECREASE ENGINE SPEE			
N2041	P247 100...INCREASE ENGINE SPEED W/ SET			
N2042	P214 70...MAXIMUM CRUISE CONTROL SPEED			
N2043	P248 100...RATE TO INCREASE ENGINE SPEE			
N2044	P249 1900..MAXIMUM FAST IDLE CONTROL EN			
N2045	P250 500...RATE OF ENG SPD INCREASE/DEC			
N2046	P254 OFF...CLUTCH PEDAL OPERATED - DEPR			
N2047	P255 ON...SERVICE BRAKE OPERATED - DEP			
N2048	P256 0....PTO DISENGAGEMENT SERVICE BR			
N2049	P257 ON...PARKING BRAKE SET (P257)			
N2050	P283 0....SHUTDOWN DISABLED W/ TEMP BF			
N2051	P282 0....SHUTDOWN DISABLED W/ TEMP AB			
N2052	P259 1....PTO VEHICLE SPEED LIMIT (P25			
N2053	P260 0....PTO ENGINE CONTRCL TORQUE RE			
N2054	P261 1250..RATE OF DECREASE IN ENGINE S			
N2055	P262 1250..RATE OF INCREASE IN ENGINE S			
N2056	P263 50....REDUCE ENGINE SPEED W/ RESUM			
N2057	P264 50....INCREASE ENGINE SPEED W/ SET			
N2058	P265 250...RATE OF DECREASE IN ENGINE S			
N2059	P266 150...RATE OF INCREASE IN ENGINE S			
N2060	P267 1900..MAXIMUM ENGINE SPEED DURING			
N2061	P269 0....SET POINT W/ SET/ACCEL SWITC			
N2062	P280 60....COOLANT TEMPERATURE IDLE SHU			
N2063	P281 35....ENGINE LOAD FOR IDLE SHUTDOW			
N2064	P284 0....TIME INTERVAL FOR IDLE SHUTD			
N2065	P286 15....IDLE SHUTDOWN TIME W/O PARK			
N2066	P288 OFF...ENABLE ENGINE IDLE SHUTDOWN			
N2067	P293 OFF...ENGINE LOAD USED AS PTO TIME			
N2068	P294 OFF...TRANSMISSION IN NEUTRAL (P29			
2140200	CARB ENGINE IDLING COMPLIANCE	P	0	0
2511300	160 AMP ALTERNATOR, BRUSHED	P	34-	18
2521090	IMMERSION TYPE PRE-HEATER 110-120V	P	139	2
2521110	OIL PAN HEATER 120V/300W	P	107	2
2522050	PACCAR STARTER 12V	P	0	0
2538050	4 PACCAR PREMIUM 12V DUAL PURPOSE	P	247	62
	BATTERIES, 2800 CCA			
2539410	BATTERY JUMPER TERMINAL	P	117	4
	MTD UNDER HOOD LH FRAME RAIL			
2621030	CN/OFF FAN CLUTCH	P	0	0
2738430	WABCO 28 CFM AIR COMPRESSOR	P	0	0
2811160	COMPRESSION BRAKE, MK	P	0	0
2925870	HIGH EFFICIENCY FUEL/WATER SEP-UNHTD	P	217	11
3010170	IGNITION IDLE TIMER	P	28	0
3114270	HIGH EFFICIENCY COOLING SYSTEM	P	0	0
3211040	(2) 15" PREMIUM SS AIR CLEANRS COWL MTD	P	1,765	68
	STAINLESS STEEL CAPS			
3365090	EXHAUST DUAL SIDE OF CAB	P	819	130
	DPF/SCR RH UNDER CAB			
3381790	CHROME FINISH OVER ELBOWS	P	260	13
	FOR DUAL EXHAUST			

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
3381830	MUFFLER GUARD / FAIRING STAINLESS STEEL	P	61	7
3387370	60" HT, 5" DIA STANDPIPE(S) CHROME WITH CLEAR COAT	P	187	13
3387880	7" CHROME PLATED STL STANDPIPE(S IPO 5"	P	163	0
TRANSMISSION AND CLUTCH				
4022200	FULLER RTLO18918B 18 SPEED WATER-TO-OIL COOLER, INTERNAL PUMP	P	3,136	183
4210190	1810 HD DRIVELINE, 1 MIDSHIP BEARING 4.5" X .180 WALL TUBING	P	930	331
4250790	ALUM BELL HOUSING IPO IRON FULLER TRANS-1400/1500/1600/1800/2000	P	63	53-
4256250	HD INPUT BEARING FOR PTO OPERATION	P	214	0
4380270	REMOTE LUBE HOSES FOR CLUTCH LINKAGE, RELEASE BRG AND CROSS SHAFTS-MTD TO LH	P	232	7
AIR AND TRAILER EQUIPMENT				
4510750	BENDIX AD-IS AIR DRYER W/HTR	P	0	0
4540420	NYLON CHASSIS HOSE	P	0	0
4543330	POLISH ALUM AIR TANKS OUTSIDE FRM RAILS	P	236	44-
4543340	PAINTED ALUMINUM AIR TANKS	P	477	44-
4612800	TRAILER HAND VALVE	P	0	0
4613520	HOSE TENDER HOOK (70" SLEEPER)	P	46	4
4614810	A&E CONNECTIONS BOC/BCS W/ HOSE TENNA	P	0	0
4614850	12'A&E LINES STRAIGHT W/TWO 7-WAY PLUGS	P	97	9
TIRES AND WHEELS				
5069170	FF: MN 14PLY 11R24.5 XZA-3+	P	547	0
5158650	RR: MN 14PLY 11R24.5 XDN-2	P	2,476	168
5190008	CODE-REAR TIRE QTY 08.			
5222230	FF: PBILT 986650 PLT 24.5X8.25 ALM WHL	P	466	42-
5322230	RR: PBILT 986650 PLT 24.5X8.25 ALM WHL	P	1,864	168-
5390008	CODE-REAR RIM QTY 08.			
5407640	FF: POLISH WHEELS W/O CHROME WHL NUTS FOR USE WITH SINGLE OR TANDEM STEER	P	67	0
5407660	RR: POLISH WHEELS W/O CHROME WHL NUTS TANDEM DRIVE	P	269	0
5410140	FF: DURA-BRIGHT XBR TECHNOLOGY FINISH	P	259	0
5410160	RR: DURA-BRIGHT XBR TECHNOLOGY FINISH TANDEM DRIVE	P	659	0
FUEL TANKS				
5552400	26" ALUM 150 GAL FUEL TANK RH BOC	P	221	42
5556190	26" ALUM 100 GAL FUEL TANK LH BOC	P	133	9
5603150	LOCATION RH BEHIND CAB 150 GAL.			
5604100	LOCATION LH BEHIND CAB 100 GAL.			
5650140	FUEL TANK FILL REAR	P	0	0
5650710	LOCATE BOC FUEL TANK(S) FORWARD AS FAR AS POSSIBLE	P	0	0
5650820	POLISH (2) ALUMINUM FUEL TANKS	P	510	0
5652570	(2) SHUTOFF VALVES ON FUEL SUPPLY LINES DUAL DRAW / RETURN	P	30	0

PETERBILT
VMXXR036-1

CHASSIS FINAL BILL
FOR VIN 1XPXDP9X9DD190437

PAGE 006
AS OF 04/03/12

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
5652800	ADDITIONAL SENDING UNIT IN SECONDARY FUEL TANK, GAUGE SELECTOR SWITCH	P	35	0
5652830	POLISH ALL FUEL / HYDR / DEF TANK STRAP	P	62	0
5652890	DEF TANK MOUNTED LH BOC	P	0	0
5653000	POLISHED SS COVER FOR DEF TANK	P	270	0
5655025	DEF TANK MEDIUM EXTERNAL MTD DCU, MX ENGINE ONLY	P	68	0
BATTERY BOX AND BUMPER				
6010030	ALUMINUM BATT BOX, NON-SLIP STEP LH U/C	P	0	0
6030150	RUBBER BATTERY PAD IN BOTTOM (1) BATTERY BOX	P	20	4
6034620	HD BATT BOX STEP REINFORCEMENT	P	63	2
6040550	DPF CAB ENTRY ALUMINUM NON-SLIP STEP RH U/C	P	0	0
6122910	STEEL TEXAS STYLE BUMPER CHROMED W/2 TOW PINS	P	232	55-
CAB AND EQUIPMENT				
6510130	ALUMINUM CAB, 131" BBC ALUM HOOD SFFA W/POLISHED CROWN & SPRING TILT ASSIST	P	0	0
6540600	REMOTE KEYLESS ENTRY SYSTEM W/PLATINUM INTERIOR	P	178	0
6540660	SMARTSOUND CAB INSULATION PKG	P	390	15
6701880	70" ULTRACAB SLPR W/PLATINUM INTERIOR	P	19,300	1,230
6810080	REFRIGERATOR (63 OR 70" ULTRACAB)	P	829	31
6814270	THERMAL INSULATION PACKAGE 63/70" HIGH ROOF	P	224	4
6911710	PETERBILT PREMIUM ULTRARIDE DRIVER SEAT	P	294	4
6921710	PETERBILT PREMIUM ULTRARIDE PASS SEAT	P	414	4
6930060	DRIVER SEAT HEATED	P	98	4
AVAIL W/EVOLUTION AND ULTRARIDE SEATS				
6930580	DRIVERS ARMRESTS - LH & RH	P	63	4
6930590	PASSENGER ARMREST - LH ONLY	P	34	2
6930800	BLACK SEAT COLOR IPC STD COLOR	P	0	0
6939400	AIR RIDE DRIVER	P	0	0
6939420	HIGH BACK DRIVER	P	0	0
6939450	LEATHER DRIVER	P	363	0
6939500	AIR RIDE PASSENGER	P	189	31-
6939520	HIGH BACK PASSENGER	P	0	0
6939550	LEATHER PASSENGER	P	328	0
7001620	STEERING WHEEL WITH PETERBILT LOGO	P	0	0
7039210	PLATINUM INTERIOR - SAHARAN TAN	P	3,451	33
7230350	TWO-PIECE FLAT WINDSHIELD	P	0	0
7322010	COMBO FRESH AIR HEATER/AIR CONDITIONER	P	0	0
7322130	CUP HOLDER (FLOOR MOUNTED)	P	55	4
7330160	ARCTIC WRAP ON SLEEPER HEATER	P	5	0
WATER SUPPLY LINES				
7330700	PB COMFORT CONTROL - CAB	P	63	7
7330770	AIR CONDITIONING EXCISE TAX-CANADA	P	195	0
7410040	OUTSIDE SUNVISOR STNLS STEEL	P	124	4

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
7560100	SSTL MIRRORS EACH SIDE HTD & MTRZD (N/A W/6501020)	P	527	2
7560850	(2) CONVEX 8" SS MIRROR CENTER MTD UNDER MIRROR BRKT	P	0	0
7565030	BRKTS 109" WIDE REAR VIEW MIRROR	P	35	0
7620650	(2) AIR HORNS 37.5" CHROME - ROUND INCLUDES POLISHED HORN SHIELDS	P	143	11
7725430	PREMIUM SMARTNAV SPEAKER SYSTEM	P	642	4
7740100	COBRA 40 CHNL CB RADIO W/INTEGRAL SPKR	P	263	11
7748680	CB ANTENNA BRKTS AND WIRE RH/LH MIRROR N/A W/RAMI	P	49	0
7749110	MOUNT CB SPEAKER LH REAR CORNER CAB HEADLINER	P	32	2
7749500	SIRIUS SATELLITE RADIO SERVICE PROVIDER	P	0	0
7850210	PLUG-IN AUTO RESET CIRCUIT BRKR IPO FUSES IN JUNCTION BOX	P	39	0
7850910	COMBO BUGSCREEN WINTERFRONT W/AIR-TO-AIR ENGINES	P	132	7
7851480	PB ELEC WINDSHIELD WIPERS W/INTERMITTENT FEATURE	P	0	0
7856100	FRENCH NAMEPLATES, LABELS & MANUALS CANADIAN REGISTRY	P	40	0
7870180	SLPR EXTENDER ULTRACAB	P	503	26
7900090	TRIANGLE REFLECTOR KIT SHIP LOOSE	P	18	13
7900270	5 LB 3A:40BC FIRE EXTINGUISHER CAB MTD	P	58	9
8011100	TRANS TEMP GAUGE MAIN	P	67	0
8011220	AXLE TEMP GAUGES TANDEM DRIVE	P	191	2
8011390	OIL TEMP GAUGE ENGINE	P	50	0
8012240	GUARD(S) FOR REAR AXLE HEAT GAUGE	P	106	2
8021010	AIR APPLICATION GAUGE	P	90	0
8021340	(1) AIR SUSPENSION LOAD GAUGE PLUMBED TO FIREWALL BULKHEAD	P	103	0
8021380	AIR RESTRICTION INDICATOR-FILTERMINDER MTD ON AIR CLEANER OR INTAKE PIPING	P	0	0
8032420	BUZZER ON AIR SUSP DUMP VLV	P	9	0
8041170	SPEEDOMETER TO BE KPH IPO MPH REQ'D FOR CANADA, MEXICO & LATIN AMERICA VEHICLES	P	95	0
8071280	SUSPENSION PRESSURE GAUGE	P	72	2
8071870	MAIN INSTRUMENTATION PANEL W/ GRAPHICS DISPLAY	P	0	0
9072910	UP TO 6 ADDITIONAL ROCKER SWITCHES IN D PANEL	P	115	0
8111140	PROJECTOR MODULE POD HEADLIGHTS W/INTEGRAL TURN SIGNALS	P	0	0
8121170	MARKER LIGHTS (5) BUS LED BULLET	P	6	0
8131130	SWITCH & WIRING FOR F/O FOG/ROADLIGHT W/O BUMPER CUTOUTS	P	19	0
8133110	SWITCH & WIRING F/O AUXILIARY LIGHT UNDER CAB/SLEEPER (15A MAX)	P	60	0
8133120	SWITCH & WIRING F/O AUX LIGHT ON DUAL AIR CLEANERS	P	95	0

UNIT TYPE 1

CODE	DESCRIPTION	PUB CD	PRICE	WEIGHT
8133500	SWITCH ON DASH FOR LIGHT IN SLEEPER (IN ADDITION TO STD SWITCH)	P	36	0
8133960	DAYTIME RUNNING LIGHTS REQUIRED ON ALL CANADIAN VEHICLES	P	76	0
8141000	TRUCKLITE (2) FLANGE MTD LED STOP/TURN/ TAIL/INCANDESCENT BACKUP	P	147	20
8154030	(2) BRKTS, SW, WIRE MTD OUTBD LOC J F/O LOAD LIGHTS	P	72	2
PAINT				
8530780	(1) COLOR DUPONT TWO STAGE CAB/HOOD/SLEEPER	P	562	0
N8502	1 - L0225EB WHITE			
N8520	FRAME N0001EA BLACK			
N8530	WHEEL ALUM			
MISCELLANEOUS				
9409014	70" SLEEPER / PLATINUM INTERIOR (7P)	P	0	0
9490088	APPLICATIONS CONTACT: JILL BEZNER (940) 566-7483	U	0	0
9499990	*TRUCK TO BE INVOICED IN U.S. DOLLARS*	J	0	0
N9996	SALESPERSON ID: BLAINEHVAL			
N9997	DEALER CONTACT			
N9998	NAME: BLAINE M HVAL PH:3063373902			
N9999	JLB 03/01/12 OC003			

** TOTAL ESTIMATED WEIGHT 18,586
TOTAL LIST PRICE 205,218

BELOW CHARGES NOT INCLUDED IN TOTAL LIST PRICE
ADJUSTED LIST PRICE 205,218

PROMOTION PROGRAM CODE 0000279 @ 0.00 % 0
MP12-07 2012 CANADIAN VOCATIONAL PROGRAM - ASAP BUILD

SURCHARGE/OPTIONS NO DISC
9408902 - ENGINE SURCHARGE -2010 MX/ISX15/ISX12 9,250
TOTAL SURCHARGE/OPTIONS NOT SUBJECT TO DISC 9,250

OPTIONAL EXT WTY & PRV MNT
9401005 - PACCAR MX COMPREHENSIVE COVERAGE 485HP 3,150
3 YEARS/400,000 MILES (640,000 KM)
9401062 - PACCAR MX AFTERTREATMENT COVERAGE 485HP 650
3 YEARS/400,000 MILES (640,000 KM)
9409962 - 2010 EPA EMISSIONS DIESEL ENGINE 0
TOTAL OPTIONAL EXT WTY & PRV MNT 3,800

MARKETING PROGRAMS AND PROMOTIONS 280

** WEIGHT SHOWN HERE IS AN ENGINEERING ESTIMATE AND DOES NOT INCLUDE
UNPUBLISHED OPTIONS. ACTUAL "SHIPPING" WEIGHT MAY VARY.



Vehicle Standards and Inspection

Power Unit Record of Inspection

The Record of Inspection must be given to the customer regardless of whether the vehicle passes or fails.

Station #: 70874	Station Name: Git-R-Done Mechanics
Technician #: 82825	Technician Name: Rick Friday
Signing Officer #: 80929	Signing Officer Name: Debbie Friday

Customer Details:

Name: [REDACTED] Address: [REDACTED]

Vehicle Details:

VIN: 1XPXDP9X9DD190437 Odometer Reading: 572133 km

Year: 2013 Vehicle Make/Model: PETERBILT HEAVY VEHICLE

Inspection Details:

Pass	Rejected	Corrected	Req Attn	DRIVERS COMPARTMENT	Comments
x				Vehicle Identification (5)	
x				Sun Visor Interior (8)	
x				Horn Operation (5)	
x				Mirrors (8)	
x				Windshield Wipers/Washers (8)	
x				Windshield Defroster/Heater (8)	
x				Windshield/Other Glass (8)	
x				Gear Position Indicator & Neutral Switch (1)	
x				Instrument Lamps (6)	
x				Accessibility Features/Equip (5)	
x				Auxiliary Heaters (5)	
x				Auxiliary Drive Controls (5)	
x				Emergency Exits (8)	
x				Floor/Step Well Covering (8)	
x				Service/Exit Doors (8)	
x				Indicator Lamps (5)	
x				Instruments/Gauges (5)	
x				Switches (7)	
x				Brake Pedal/Actuator (3)	
x				Clutch/Clutch Pedal (1)	

x				Fire Extinguisher/Hazard Kit (5)	
x				Seats/Seat Belts/SRS (8)	
x				Steering Column/Components (4)	
x				Auxiliary Controls/Equip (5)	
x				Speedometer/Odometer (5)	
x				Steering Lash/Travel (5)	
x				Accelerator Pedal/Actuator (1)	
x				Engine Shut Down Control (1)	
x				Engine Start Feature (1)	
x				Body Interior/Fixtures (8)	

Pass	Rejected	Corrected	Req Attn	BODY EXTERIOR	Comments
x				Lamps (6)	
x				Headlamp Aim (6)	
x				Reflex Reflectors (6)	
x				Retro Reflective Markings (6)	
x				Body/Bumpers (8)	
x				Trailer Hitch (10)	
x				Cab Grab Handles/Steps (8)	
x				Attached Equipment (8)	
x				Cargo Bodies/Vessels (8)	
x				Sun Visor Exterior (8)	
x				Mud Flaps/Fenders (8)	
x				Trailer Power Cord (7)	
x				Chain/Headache Rack (5)	
x				Auxiliary Compartments (8)	
x				Hybrid Vehicle Drive Systems (1)	
x				Unitized Body Elements (8)	

Pass	Rejected	Corrected	Req Attn	ENGINE COMPARTMENT	Comments
x				Cab/Hood Safety Catches (8)	
x				Power Steering System (4)	
x				Fuel System (1)	
x				Battery/Wiring Condition (7)	
x				Air Suspended Cab (8)	
x				Cab Mounts (8)	
x				Drive Belts (1)	

Pass	Rejected	Corrected	Req Attn	CHASSIS	Comments
x				Hyd Brake System/Components (3.1)	

x				Air Brake System/Components (3.2)	
x				Wheel Bearings (9)	
x				King Pins/Ball Joints (4)	
x				Steering Linkage (4)	
x				Tires/Wheels (9)	
x				Self-Steering Axle (4)	
x				Engine/Transmission Mounts (1)	
x				Frame/Crossmembers/Mounts (8)	
x				Suspension/Axles (2)	
x				Drive Shaft/Universal Joints (1)	
x				Exhaust/Emission System (1)	

Brake/Tire Measurements

Axle 1-Pass

Wheel1-On : Tire Tread Depth: 19/32 in

Brake(1): S-CAM Brake

• Min Brake Lining/Pad: 3/4 in • Cam Rotation: 40 degrees • Brake Stroke: 1 in

Wheel2-On : Tire Tread Depth: 19/32 in

Brake(1): S-CAM Brake

• Min Brake Lining/Pad: 3/4 in • Cam Rotation: 40 degrees • Brake Stroke: 1 in

Axle 2-Pass

Wheel1 : Tire Tread Depth: 15/32 in

Brake(1): No Brake

N/A

Wheel2-On : Tire Tread Depth: 14/32 in

Brake(1): S-CAM Brake

• Min Brake Lining/Pad: 5/8 in • Cam Rotation: 68 degrees • Brake Stroke: 1 1/8 in

Wheel3-On : Tire Tread Depth: 12/32 in

Brake(1): S-CAM Brake

• Min Brake Lining/Pad: 27/32 in • Cam Rotation: 23 degrees • Brake Stroke: 1 1/8 in

Wheel4 : Tire Tread Depth: 11/32 in

Brake(1): No Brake

N/A

Axle 3-Pass

Wheel1 : Tire Tread Depth: 17/32 in

Brake(1): No Brake

N/A

Wheel2-On : Tire Tread Depth: 17/32 in

Brake(1): S-CAM Brake

• Min Brake Lining/Pad: 11/16 in • Cam Rotation: 54 degrees • Brake Stroke: 1 1/8 in

Wheel3-On : Tire Tread Depth: 10/32 in

Brake(1): S-CAM Brake

• Min Brake Lining/Pad: 11/16 in • Cam Rotation: 54 degrees • Brake Stroke: 1 1/8 in

Wheel4 : Tire Tread Depth: 10/32 in

Brake(1): No Brake

N/A

PASS - vehicle passes inspection

Decal # A23429

Inspection Completed Date: 10Oct2023