



Vehicle Standards and Inspection

Power Unit Inspection Certificate

This Certificate is issued under the authority of the Province of Saskatchewan

Decal # A375580

Station #: 70041

Technician #: 81055

Signing Officer #: 91698

Station Name: Karst Holdings Inc

Technician Name: Don Rivard

Signing Officer Name: Scott Fender

Inspection Completed Date: 05Oct2026

Inspection Expiry Date: 30Apr2027

Vehicle Details:

VIN: 2HSCHAPR27C501031

Year: 2007

Plate: 942 HJS

Unit:

Odometer Reading: 342445 km

Vehicle Make/Model: INTERNATIONAL/HEAVY VEHICLE

Jurisdiction: Saskatchewan

Message(s): VIN has been validated.

This certificate does not warranty or guarantee the condition of this vehicle's components and systems for any period of time.



Vehicle Standards and Inspection

Power Unit Record of Inspection

The Record of Inspection must be given to the customer regardless of whether the vehicle passes or fails.

Station #: 70041

Technician #: 81055

Signing Officer #: 91698

Station Name: Karst Holdings Inc

Technician Name: Don Rivard

Signing Officer Name: Scott Fender

Vehicle Details:

VIN: 2HSCHAPR27C501031

Year: 2007

Odometer Reading: 342445 km

Vehicle Make/Model: INTERNATIONAL HEAVY VEHICLE

Inspection Details:

Pass	Rejected	Corrected	Req Attn	DRIVERS COMPARTMENT	Comments
x				Vehicle Identification (5)	
x				Sun Visor Interior (8)	
x				Horn Operation (5)	
x				Mirrors (8)	
		x		Windshield Wipers/Washers (8)	REPLACE WIPER BLADES
x				Windshield Defroster/Heater (8)	
		x		Windshield/Other Glass (8)	REPLACE WINDSHIELD
x				Gear Position Indicator & Neutral Switch (1)	
x				Instrument Lamps (6)	
x				Accessibility Features/Equip (5)	
x				Auxiliary Heaters (5)	
x				Auxiliary Drive Controls (5)	
x				Emergency Exits (8)	
x				Floor/Step Well Covering (8)	
x				Service/Exit Doors (8)	
x				Indicator Lamps (5)	
x				Instruments/Gauges (5)	
x				Switches (7)	
x				Brake Pedal/Actuator (3)	
x				Clutch/Clutch Pedal (1)	

			Hyd Brake System/Components (3.1)	
	x		Air Brake System/Components (3.2)	REPLACE STEER AXLE BRAKE POTS
			Wheel Bearings (9)	
			King Pins/Ball Joints (4)	
			Steering Linkage (4)	
			Tires/Wheels (9)	
			Self-Steering Axle (4)	
			Engine/Transmission Mounts (1)	
			Frame/Crossmembers/Mounts (8)	
			Suspension/Axles (2)	
			Drive Shaft/Universal Joints (1)	
		x	Exhaust/Emission System (1)	REPLACE TURBOCHARGER BOOST INTAKE HOSE, REPLACE MISSING EXHAUST MANIFOLD BOLTS

Brake/Tire Measurements

Axle 1-Pass

Wheel1-On : Tire Tread Depth: 15/32 in

Brake(1): S-CAM Brake
• Min Brake Lining/Pad: .745 in • Cam Rotation: 42.0 degrees • Brake Stroke: 1 1/2 in

Wheel2-On : Tire Tread Depth: 16/32 in

Brake(1): S-CAM Brake
• Min Brake Lining/Pad: .740 in • Cam Rotation: 45.0 degrees • Brake Stroke: 1 1/2 in

Axle 2-Pass

Wheel1 : Tire Tread Depth: 13/32 in

Brake(1): No Brake

N/A

Wheel2-On : Tire Tread Depth: 13/32 in

Brake(1): S-CAM Brake
• Min Brake Lining/Pad: .745 in • Cam Rotation: 42.0 degrees • Brake Stroke: 1 1/2 in

Wheel3-On : Tire Tread Depth: 15/32 in

Brake(1): S-CAM Brake
• Min Brake Lining/Pad: .740 in • Cam Rotation: 44.0 degrees • Brake Stroke: 1 1/2 in

Wheel4 : Tire Tread Depth: 15/32 in

Brake(1): No Brake

N/A

Axle 3-Pass

Wheel1 : Tire Tread Depth: 13/32 in

Brake(1): No Brake

N/A

Wheel2-On : Tire Tread Depth: 12/32 in

Brake(1): S-CAM Brake
• Min Brake Lining/Pad: .680 in • Cam Rotation: 55.0 degrees • Brake Stroke: 1 1/2 in

Wheel3-On : Tire Tread Depth: 12/32 in

Brake(1): S-CAM Brake
• Min Brake Lining/Pad: .565 in • Cam Rotation: 80.0 degrees • Brake Stroke: 1 1/2 in

Wheel4 : Tire Tread Depth: 15/32 in

Brake(1): No Brake

N/A