

VMQQR000

SALES ORDER PRINT
FOR CHASSIS 47909517

10/24/23 09:39:48 PAGE: 1

ATTN:

LAST C/O # 8 OF

ORDER CONTROL NUMBER: 47909517	PLANT CODE: 6	STATUS: INVS
DTPO CONTROL NUMBER: 72123126	ORDER TYPE: 0	CHS STATUS: **
BEGINNING CHASSIS: 479094	ENDING CHASSIS: 479095	QTY: 2

DEALER NO: C235 DEALER NAME: BRANDT TRACTOR PETERBILT
DLR PO/PRESENT ID:
SHIPPING DESTINATION: C235
DEALER IDENTIFIER :

CUSTOMER NO: DYZ7 CUSTOMER NAME: AYLMEY TRUCK CENTRE
CUSTOMER PO:
PREVIOUS CHASSIS NO: 450132 OLD QUOTE OR INQUIRY NO:

UNIT TYPE: 1

CUSTOMER/STOCK CODE: C

VIN NUMBER: 1NPXDP9X9JD479095

ENGINE SERIAL NO: Y151181

ACTUAL WEIGHT: 17,906.00 LBS

ORDER RECEIVED DATE: 04/25/17	ORDER ENTRY DATE: 04/25/17
PREBILL DATE: 06/01/17	CANCELLATION DATE:
TENTATIVE SCHEDULE DATE: 11/20/17	FIRM SCHEDULE DATE: 11/20/17
OVERRIDE SCHEDULE DATE:	
CAB SCHEDULE DATE: 11/16/17	FRAME SCHEDULE DATE: 11/20/17
REQUEST DELIVERY DATE: 12/11/17	ACTUAL DELIVERY DATE: 11/28/17
PRICE EFFECTIVE DATE: 01/01/17	FINAL BILL DATE: 11/28/17
WARRANTY EFFECTIVE:	WARRANTY RECEIVED:

VEHICLE REQUIREMENTS

DIMENSIONS AND WEIGHTS FOR THE ENTIRE ORDER ARE STATED IN CUSTOMARY UNITS.

**** APPLICATION DATA:

COMMODITY HAULED: 0091090 HOUSEHOLD GOODS

INTENDED SERVICE: 0093170 GENERAL FREIGHT

**** BODY DATA:

TYPE:

LENGTH: 0.00 IN HEIGHT: 0.00 IN MAX WGT: 0.00 LBS

**** TRAILER DATA:

TYPE: 0096010 VAN

LENGTH: 53.00 FT HEIGHT: 13.50 FT
KING PIN: 26.00 IN C/L OF AXLE GROUP: ↑
VMQQR000 FOR CHASSIS 47909517 PAGE: 2

**** OPERATING AREA RESTRICTIONS:

LENGTH: 65.00 FT WIDTH: 102.00 IN
HEIGHT: 13.50 FT
OPERATING AREA (EXPORT):

**** DEALER ASSIGNED:

FRONT AXLE LOAD: 12,000.00 LBS REAR AXLE LOAD: 40,000.00 LBS
GROSS COMBINATION: 79,500.00 LBS

MAXIMUM GRADE (PERCENT): 6 PERCENT HIGHWAY USE: 100 PERCENT CLASS B: 0
PERCENT CLASS C: 0
PERCENT CLASS D: 0

WHEELBASE: 260.00 IN CAB TO AXLE: 159.40 IN
CAB TO END OF FRAME: 215.40 IN FRONT AXLE TO BOC: 100.60 IN

**** SPECIAL REQUIREMENTS:

0098020 CANADIAN REGISTRY

EPA CODE:

ENGINEERING ASSIGNED RATINGS

GAWR FRONT: 12,000.00 LBS
GAWR FIRST INTER 20,000.00 LBS SECOND INTER 20,000.00 LBS
GAWR REAR: 0.00 LBS
GVWR: 52,000.00 LBS

CODE DESCRIPTION PUB CD 1683

BASE MODEL

0003891 MODEL 389 CONVENTIONAL

P

0200700 NOT APPLICABLE P
 SECONDARY MANUFACTURER

FRAME AND EQUIPMENT

0514000 10-3/4" STEEL RAILS TO 354" P
 3/8" RAIL THICKNESS
 N0511 0514000 PLEASE CALL ON XMEMBR
 N0512 0514000 PLACEMENT
 0620500 FRAME COMPONENTS BOLTED IPO HUCK FASTEN P
 0622130 SWING CLEARANCE LESS THAN RECOMMENDED U
 NOTIFY DEALER, CONTACT APPLICATIONS
 0644000 EOF TRACTOR TAPERED WITH CROSSMEMBER P
 INCL KINGPIN CUTOUT
 0651800 PB REAR MUDFLAPS, PREMIUM HANGERS P
 STAINLESS STEEL↑



VMQQR000

FOR CHASSIS 47909517

PAGE: 3

CODE DESCRIPTION PUB CD 1683
 ---- -

0835850 HOLLAND FW31 FIFTH WHL, NO LUBE TOP PLT U
 NLA
 0870000 REAR OR FIXD SETTING BHD C/L BOGIE 000.0 IN.
 0890090 LH FIFTH WHEEL RELEASE P
 0890550 7.6"-8" FIFTH WHEEL HEIGHT P
 0890641 HOLLAND LIGHTWEIGHT AIR SLIDE P
 NOT AVAIL W/ SUSPENSIONS >40K
 0891240 24" AIR SLIDE P
 0940330 NO ACCESS PACKAGE OR DECK PLATE DESIRED P

FRONT AXLE AND EQUIPMENT

1011840 DANA SPICER E1322IL 13,200 LB,3.5" DROP P
 1111190 TAPER LEAF SPRINGS, SHOCKS 12,000 LBS. P
 1233030 POWER STEERING TRW TAS65 P
 1250180 POWER STEERING RESERVOIR, FRAME MOUNTED P
 1353550 PHP10 ALUMINUM PRESET+ HUBS - AIR DISC P
 USE WITH FRONT AXLE
 1380070 GREASABLE FRONT SPRING PINS P
 1380230 DANA SPICER 5" DROP IPO 3.5" P
 1380240 DANA SPICER WIDE TRACK IPO STD P
 FRONT AXLE(S)
 1380290 AIR DISC FRONT BRAKES P
 1390020 TRUCKMASTER FRONT SHOCKS P
 1391380 10 MM FRONT SPRING SPACER BLOCKS P

1391480 PAD DUST SHIELDS FOR AIR DISC BRAKES; P
FRONT AXLE

REAR AXLE AND EQUIPMENT

1523300 DANA SPICER DSP41 40,000 LBS. P
1616290 PHP10 ALUMINUM PRESET+ HUBS P
1632650 LONG STROKE PARKING BRAKES U
NLA
1660040 PAD DUST SHIELDS FOR AIR DISC BRAKES; P
DRIVE AXLE
1680390 BENDIX ESP ELECTRONIC STABILITY PROGRAM P
WITH ATC, TRACTOR SERVICE
1682420 ISO 3731 CONNECTOR TRAILER ABS POWER; P
MTD ADJACENT TO J560 TRAILER CONNECTOR
1682710 ANTI-LOCK BRAKING SYSTEM (ABS) 6S6M P
1684200 SYNTHETIC AXLE LUBRICANT ALL AXLES P
1687040 AIR DISC REAR BRAKES, TANDEM DRIVE AXLE P
1703550 RATIO 3.55 REAR AXLE P
1821990 PB LOW LOW AIR LEAF 40,000 LBS., 52" AS P
1921040 (4) HD TRUCKMASTER SHOCKS P
TANDEM SUSPENSION
1922260 DASH MTD DUMP SWITCH WITH INDICATOR P
LIGHT FOR SUSPENSION
1922390 HD TRACKING RODS, AIR LEAF P
LOW AIR LEAF/LOW LOW AIR LEAF



VMQQR000

FOR CHASSIS 47909517

PAGE: 4

CODE DESCRIPTION PUB CD 1683

ENGINE AND ENGINE EQUIPMENT

2072824 PACCAR MX-13 510@1600 GV@2200 1850@1000 U
NLA REPLACE W/ 2072831 AFTER 7/6/21
2091300 ENABLE PREFERRED EIST SETTINGS P
2091305 ENGINE IDLE SHUTDOWN TIMER ENABLED P
2091315 ENABLE EIST AMBIENT TEMP OVERRULE P
2091384 EFF EIST 500000 EXPIRATION MILES (CAN) U
NLA
2091510 ENABLE RESERVE SPEED DRIVE CYCLE LIMIT U
2091760 EFFECTIVE VSL SETTING 65.0 MPH P
OR GREATER (CAN)
2092014 TYPICAL OPERATING SPEED 65 MPH P
2092027 MX RETARDER STATE CRUISE CONTROL ON P
(MANUAL MODE ENGINE PARAMETER)

2092033	POWERTRAIN OPTIMIZED FOR BALANCE	P
2092046	PTO MOBILE-CAB STATION ACCELERATOR	P
2092075	ENABLE MX RETARDER AUTO RETARD (ENGINE PARAMETER)	P
2092081	ENGINE MONITORING PROTECTION - WARN (PACCAR MX)	P
N2069	N162 64....MAXIMUM ACCELERATOR PEDAL VE	
N2070	N006 65....MAX CRUISE SPEED (N006)	
N2071	N052 650...IDLE TARGET (N052)	
N2074	N015 NO....ENABLE MX RETARDER IN NEUTRA	
N2075	N019 0.....DELAY IN ENGINE BRAKE ACTIVA	
N2076	N014 2.....AUTO RETARD VEHICLE SPEED OF	
N2077	N013 4.....DOWNHILL SPEED LIMITER VEHIC	
N2078	N001 16....MINIMUM SPEED TO TURN CRUISE	
N2079	N003 19....MINIMUM CRUISE CONTROL SPEED	
N2080	N002 19....MIN SPEED TO AUTOMATICALLY T	
N2083	N039 OFF...ALLOW MULTI-TORQUE ONLY WHEN	
N2084	N187 5.....TIMER SETTING NON-PTO MODE W	
N2085	N188 5.....TIMER SETTING NON-PTO MODE W	
N2086	N185 40....LOW AMBIENT TEMPERATURE OVER	
N2087	N184 80....HIGH AMBIENT TEMPERATURE OVE	
N2090	N186 5.....TIMER SETTING WHEN IN PTO MO	
N2091	N190 NO....RESET EIST TIMER BASED ON EN	
N2093	N071 ON....FIC ENABLE/DISABLE (N071)	
N2094	N072 1900..MAXIMUM FAST IDLE CONTROL EN	
N2099	N078 OFF...PTO MODE DISABLED W/ CLUTCH	
2140220	CARB AND EPA ENGINE IDLING NOT REQUIRED	P
2141990	OMIT CHEVRON ENGINE OIL STICKER (DELO)	P
N2100	N101 ON....PTO MODE DISABLED W/ SERVICE	
N2101	N079 OFF...PTO MODE ENABLE ONLY W/ PARK	
N2102	N080 1.....PTO VEHICLE SPEED LIMIT (N08	
N2103	N089 OFF...PTO MODE ENABLE ONLY W/ TRAN	
N2110	N087 780...RPM SET POINT (N087)	
N2111	N086 650...MAXIMUM ENGINE SPEED DURING	
N2116	N110 NONE..ENABLE SET POINT W/ SET/ACCE	
N2117	N191 NO....OVERRULE EIST TIMER BASED ON	



VMQQR000

FOR CHASSIS 47909517

PAGE: 5

CODE	DESCRIPTION	PUB CD
----	-----	-----
N2119	N193 500...EXPIRATION DISTANCE (N193)	1683
N2123	N197 YES...ENABLE ACCELERATOR PEDAL RES	
N2124	N198 YES...ENABLE SERVICE BRAKE RESET (
N2125	N199 YES...ENABLE CLUTCH PEDAL RESET (N	

N2126	N200 YES...ALLOW EIST TIMER OVERRULES I	
N2128	N163 0.....MAXIMUM CYCLE DISTANCE (N163	
N2130	N169 0.....EXPIRATION DISTANCE (N169)	
N2131	N170 155...STANDARD MAXIMUM SPEED LIMIT	
N2132	N106 650...MINIMUM ENGINE SPEED DURING	
N2164	N179 YES...ENABLE PARK BRAKE RESET (N17	
N2165	N173 0.....RESERVE SPEED OFFSET (N173)	
N2167	N164 474...RESERVE SPEED FUNCTION RESET	
N2190	N073 0.....CAB ACCEL PEDAL TYPE IN PTO	
N2191	N182 30....COOLANT TEMPERATURE OVERRULE	
N2192	N219 0.....OFFSET MODE (N219)	
N2193	N224 2.....MAXIMUM VEHICLE SPEED BONUS	
N2194	N227 -2....MAXIMUM VEHICLE SPEED PENALT	
N2195	N246 4.....MINIMUM VEHICLE SPEED FOR DS	
N2196	N247 1.....LOWEST GEAR THAT DSA WILL BE	
N2197	N248 18....HIGHEST GEAR THAT DSA WILL B	
N2198	N076 2000..MAX ACCELERATOR CONTROLLED E	
N2199	N307 OFF...CAB ACCELERATOR ACTIVE IN RE	
2513060	PACCAR 160 AMP ALTERNATOR, BRUSHED	P
2521090	IMMERSION TYPE BLOCK HEATER 110-120V SEE SALES TOOL DESC FOR PLUG LOCATION	P
2522050	PACCAR 12V STARTER	U
2538050	4 PACCAR PREMIUM 12V DUAL PURPOSE BATTERIES, 2920 CCA	P
2539410	BATTERY JUMPER TERMINAL	P
	MTD UNDER HOOD LH FRAME RAIL	
2539640	LVD (LOW VOLTAGE DISCONNECT)	U
	CAB & SLEEPER	
2539740	KISSLING BATTERY DISCONNECT SW 300AMP DUAL TAB; MTD ON BATTERY BOX	P
2621090	DM ADVANTAGE ON/OFF FAN CLUTCH	P
2738410	WABCO 25.9 CFM AIR COMPRESSOR - (MX)	P
2811160	COMPRESSION BRAKE, MX	P
2921110	PACCAR FUEL/WATER SEPARATOR STANDARD SERVICE INTERVAL	P
2921210	NO FLUID HEAT OPTION FOR FUEL FILTER	P
2921310	NO ELECTRIC HEAT OPTION FOR FUEL FILTER	P
3114270	HIGH EFFICIENCY COOLING SYSTEM	P
3211040	(2) 15" PREMIUM SS AIR CLEANRS COWL MTD STAINLESS STEEL CAPS	P
3281280	AIR CLEANER LOCKS	P
	FOR DUAL COWL MOUNTED AIR CLEANERS	
3365320	EXHAUST DUAL SIDE OF CAB	P
	DPF/SCR RH UNDER CAB	
3381790	CHROME FINISH OVER ELBOWS	P
	FOR DUAL EXHAUST	
3381830	MUFFLER GUARD / FAIRING STAINLESS STEEL HALF ROUND	P

CODE ----	DESCRIPTION -----	PUB CD	1683 ----
3387370	60" HT, 5" DIA STANDPIPE(S) CHROME WITH CLEAR COAT	P	
3387880	7" CHROME PLATED STL STANDPIPE(S IPO 5"	P	

TRANSMISSION AND CLUTCH

4022200	EATON RTLO18918B 18-SPEED OIL-TO-WATER COOLER, INTERNAL PUMP	P	
4210960	SPL250 HD-XL DRIVELINE, 1 MIDSHIP BRG	U	
4216330	SPL170 XL DRIVELINE INTERAXLE FOR TANDEM REAR AXLES	P	
4233190	(1) DASH MTD DBL ACTING AIR PTO VALVE	U	
4250800	MANUAL SHIFTER, CHROME	P	
4380270	REMOTE LUBE HOSES FOR CLUTCH LINKAGE RELEASE BRG & CROSS SHAFTS, MTD TO LH	P	

AIR AND TRAILER EQUIPMENT

4510330	BENDIX AD-IS EP AIR DRYER, HEATER ***NLA***AFTER 10/19 REPLACE W/ 4510210	U	
4520420	PULL CORDS ALL AIR TANKS	P	
4540420	NYLON CHASSIS HOSE	P	
4543330	ALUMINUM POLISHED AIR TANKS OUTSIDE FRAME RAILS	P	
4543340	ALUMINUM PAINTED AIR TANKS	P	
4610070	SELF RETURNING BRAKE HAND VALVE COLUMN MOUNTED	U	
4611630	CHROMING OF HOSE TENNA	P	
4614810	AE CONNECTIONS BOC/BOS, HOSE TENNA	P	

TIRES AND WHEELS

5056830	FF: MN 14PLY 11R22.5 XLINE ENERGY Z	P	
5169430	RR: BR 14PLY 11R22.5 M710 ECOPIA **NLA** REPLACE W/5161070 AFT 01/20/20	U	
5190008	CODE-REAR TIRE QTY 08.		
5220270	FF: ALCOA ULTRA7 22.5 X 8.25 CLEAN BUFF **NLA**REPLACE W/5220720 AFT 04/06/20	U	
5320270	RR: ALCOA ULTRA7 22.5 X 8.25 CLEAN BUFF **NLA**REPLACE W/5320720 AFT 04/06/20	U	
5390008	CODE-REAR RIM QTY 08.		
5407640	FF: MIRROR POLISH WHEELS, OUTER SURFACE SGL OR TDM STEER, W/O CHROME WHEEL NUTS	P	

5407660	RR: MIRROR POLISH WHEELS, OUTER SURFACE TANDEM DRIVE, W/O CHROME WHEEL NUTS	P
5410140	FF: DURA-BRIGHT FINISH OUTER SURFACE OF OUTER WHEEL	P
5410160	RR: DURA-BRIGHT FINISH TANDEM DRV; OUTER SURFACE OF OUTER WHEEL	P

↑
VMQQR000

FOR CHASSIS 47909517

PAGE: 7

CODE	DESCRIPTION	PUB CD	1683
----	-----	-----	-----

FUEL TANKS

5552400	26" ALUM 150 GAL FUEL TANK RH BOC	P
5556220	26" ALUM 110 GAL FUEL TANK LH BOC	P
5603150	LOCATION RH BEHIND CAB 150 GAL.	
5604110	LOCATION LH BEHIND CAB 110 GAL.	
5650070	ARCTIC WRAP ON FUEL LINES & SLEEPER WATER SUPPLY LINES	P
5650140	FUEL TANK FILL REAR	P
5652570	(2) SHUTOFF VALVES ON FUEL SUPPLY LINES DUAL DRAW / RETURN	P
5652830	POLISH ALL FUEL / HYDRAULIC TANK STRAPS	P
5652890	DEF TANK MOUNTED LH BOC	P
5652990	DEF TO FUEL RATIO 2:1 OR GREATER	P
5653000	POLISHED SS COVER FOR DEF TANK	P
5653020	SYMMETRICAL BOC FUEL TANK LOCATION ***NLA*** REPL W/ 5653220	U
5655039	DEF TANK LARGE, HD 30GAL 2.1M MD 15GAL	P

BATTERY BOX AND BUMPER

6010030	ALUMINUM BATTERY BOX LH U/C NON-SLIP STEP	P
6030150	RUBBER BATTERY PAD IN BOTTOM (1) BATTERY BOX	P
6030540	POLISH BATTERY/TOOL BOX(S) AFTERTREATMENT CAB ENTRY, COMPLETE	P
6034620	HD BATTERY BOX STEP REINFORCEMENT	P
6040550	AFTERTREATMENT RH U/C ALUM NON-SLIP CAB ENTRY STEP	P
6122910	STEEL TEXAS STYLE BUMPER CHROMED 2 TOW POINTS	P
6132330	OMIT PROVISIONS FOR LICENSE PLATES	P

CAB AND EQUIPMENT

6510130	ALUMINUM CAB, 131" BBC ALUM HOOD SFFA W/POLISHED CROWN & SPRING TILT ASSIST	P
6540660	SMARTSOUND CAB INSULATION PKG	P
6540740	PETERBILT KEYLESS ENTRY	P
6701880	78" ULTRACAB SLPR W/PLATINUM INTERIOR	P
6810080	REFRIGERATOR (72 OR 78" ULTRACAB)	P
6810630	SECOND BUNK-ULTRACAB OR HIGH ROOF SLEEPERS	P
6812570	BUSINESS CENTER FOR USE W/ 78" ULTRACABS, 72" ULTRACABS	P
6814270	THERMAL INSULATION PACKAGE 72/78/80" HIGH ROOF	P
6911710	NATIONAL PREMIUM DRIVER SEAT	P
6921710	NATIONAL PREMIUM PASSENGER SEAT	P
6930590	PASSENGER ARMREST - LH ONLY	P
6930800	BLACK SEAT COLOR IPO STD COLOR	P



VMQQR000

FOR CHASSIS 47909517

PAGE: 8

CODE	DESCRIPTION	PUB CD	1683
----	-----	-----	-----
6939360	RH FOLD-AWAY, LH STD ARM REST - DRVR	P	
6939400	AIR RIDE DRIVER	P	
6939420	HIGH BACK DRIVER	P	
6939450	LEATHER DRIVER	P	
6939500	AIR RIDE PASSENGER	P	
6939520	HIGH BACK PASSENGER	P	
6939550	LEATHER PASSENGER	P	
7001610	LEATHER STEERING WHEEL	U	
7039220	PLATINUM INTERIOR - ARCTIC GRAY **NLA** REPLACE W/7039260 AFT 7/26/21	U	
7040310	BLACK FLOOR CARPET IPO INTERIOR COLOR	P	
7230350	TWO-PIECE FLAT WINDSHIELD #REQUIRES MANAGEMENT APPROVAL ON M.D.#	P	
7310260	D2 FUEL FIRED SLEEPER HEATER W/DIGITAL CONTROLLER	P	
7322010	COMBO FRESH AIR HEATER/AIR CONDITIONER	P	
7330700	PB COMFORT CONTROL - CAB	P	
7330710	PB COMFORT CONTROL - SLEEPER	P	
7330770	AIR CONDITIONING EXCISE TAX-CANADA	P	
7410040	OUTSIDE SUNVISOR - STAINLESS STEEL N/A W/ 2.1M HR SLEEPER	P	
7560100	MIRRORS SSTL EACH SIDE HTD & MTRZD	P	

	(N/A W/6501100)	
7560850	(2)CONVEX 8" SS MIRROR, CNTR MTD UNDER MIRROR BRKT; INCLUDES DUAL DOOR STOPS	P
7630240	AIR HORN VALVE, PULL CORD, & PLUMBING TO FIRE WALL BULKHEAD	P
7725730	PREMIUM SPEAKER PACKAGE FOR CAB (6) SPEAKERS (INCLUDES TWEETERS)	P
7725790	PREMIUM SPEAKER PACKAGE FOR SLEEPER (2) SPEAKERS W/AMP AND SUBWOOFER	P
7740100	COBRA 40 CHANNEL CB RADIO WITH INTEGRAL SPEAKER	P
7748520	CB ANTENNA MOUNTING, VERTICAL CENTER BOC/BOS	P
7749490	SIRIUS-XM SATELLITE RADIO SRV PROVIDER **NLA**	U
7788055	SmartLINQ REMOTE DIAGNOSTICS	P
7788140	RADIO ANTENNA MTD ON LH MIRROR BRKT N/A W/RAMI SYSTEM	P
7850210	PLUG-IN AUTO RESET CIRCUIT BRKR IPO FUSES IN JUNCTION BOX	P
7851040	REMOVABLE BUGSCREEN BEHIND GRILLE	P
7851480	PB ELEC WINDSHIELD WIPERS W/INTERMITTENT FEATURE	P
7856100	FRENCH NAMEPLATES, SHIPPED LOOSE CANADIAN REGISTRY	P
7870180	SLEEPER EXTENDERS, ULTRACAB	P
7900070	FIRE EXTINGUISHER, MTD IN SLEEPER BAGGAGE COMPARTMENT,UL LISTED/RATED ABC	P
7900090	TRIANGLE REFLECTOR KIT SHIP LOOSE	P

↑
VMQQR000

FOR CHASSIS 47909517

PAGE: 9

CODE	DESCRIPTION	PUB CD	1683
----	-----	-----	-----
8011100	MAIN TRANSMISSION TEMPERATURE GAUGE 52MM ROUND, BACKLIT	P	
8011140	ENGINE OIL TEMPERATURE LOCATED IN SMARTNAV DISPLAY	U	
8011150	MAIN TRANSMISSION OIL TEMPERATURE LOCATED IN SMARTNAV DISPLAY	U	
8011220	AXLE TEMPERATURE GAUGES, TANDEM DRIVE	U	
8011390	ENGINE OIL TEMPERATURE GAUGE	U	
8021010	AIR APPLICATION GAUGE	U	
8021380	AIR RESTRICTION INDICATOR MTD ON AIR CLEANER, INTAKE PIPING, OR FIREWALL	P	

8022150	FUEL FILTER RESTRICTION GAUGE	U
8041170	SPEEDOMETER KPH IPO MPH	P
8070120	MANIFOLD PRESSURE, BOOST LOCATED IN SMARTNAV DISPLAY	U
8070170	DPF STATUS LOCATED IN SMARTNAV DISPLAY	U
8070180	FUEL ECONOMY LOCATED IN SMARTNAV DISPLAY	U
8070190	PERCENT TORQUE LOCATED IN SMARTNAV DISPLAY	U
8071020	MANIFOLD PRESSURE GAUGE	U
8071280	SUSPENSION PRESSURE GAUGE	U
8071870	MAIN INSTRUMENTATION PANEL GRAPHICS DISPLAY	U
8072910	UP TO 6 ADDITIONAL ROCKER SWITCHES IN D PANEL	P
8075000	CUSTOM NAMEPLATE USE NARRATIVE,MAX 2 LINES,25 CHAR/LINE	P
N8069	NAMEPLATE TO READ:	
N8071	** CROSSROADS EXPRESS **	
8111140	HEADLIGHTS PROJECTOR MODULE POD INTEGRAL TURN SIGNALS	P
8120920	OMIT MARKER LIGHTS SWITCH & WIRING INSTALLED, F/O MARKER	P
8133060	DASH SWITCH BATTERY POWER TO J560 WITH KEY ON; WITH LIGHT INDICATOR	P
8133110	SWITCH & WIRING F/O AUXILIARY LIGHT UNDER CAB/SLEEPER (15A MAX)	P
8133120	SWITCH & WIRING F/O AUXILIARY LIGHT ON DUAL AIR CLEANERS	P
8133500	SWITCH ON DASH FOR LIGHT IN SLEEPER IN ADDITION TO STANDARD SWITCH	P
8133960	DAYTIME RUNNING LIGHTS REQUIRED ON ALL CANADIAN VEHICLES	P
8141000	LED STOP/TURN/TAIL, BACKUP FLANGE MOUNTED	P
8151140	(2) LOAD LIGHTS, FLUSH MTD LOW OUTBOARD LOCATION B	P
8151150	(2) LOAD LIGHTS, FLUSH MOUNTED MID LOCATION C, SLEEPER ONLY	P



VMQQR000

FOR CHASSIS 47909517

PAGE: 10

CODE

DESCRIPTION

PUB CD 1683

PAINT

8530550	FENDERS SEPARATE COLOR THAN HOOD			P
8530590	CAB ROOF SEPARATE COLOR THAN CAB			P
8530780	(1) COLOR AXALTA TWO STAGE CAB/HOOD/SLEEPER			P
8531320	AXALTA TWO STAGE EFFECT-METALLIC/PEARL CAB/HOOD & SLEEPER ONLY			P
N8502	A -	L0225EY	WHITE	
N8504	B -	L5797EY	RADIANT RED	
N8520	FRAME	N0001EA	BLACK	
N8530	FENDER	L5797EY	RADIANT RED	
N8540	HOOD TOP	L0225EY	WHITE	
N8550	CAB ROOF	L5797EY	RADIANT RED	
N8560	SLEEPER ROOF	L0225EY	WHITE	
N8572	SK FAIRINGS	L0225EY	WHITE	

