

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓

NOTES:
WINDSHIELD
REPAIRS COMPLETE

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						


NOTES:

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components			✓	10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED (Certificate #8080176)** the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2025/04/24	Technician Number C7054	Facility Number 20069	Signature 
---	-----------------------------------	---------------------------------	--

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2025/04/24

Customer Signature

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

NOTES:

AIR LEAK IN DASH WHEN BRAKES NOT RELEASED, 3RD AXLE LH AND RH BRAKES FULL OF GREASE S CAM SEALS FAILED, 2ND AXLE SHOES AND DRUMS ADNORMAL WEAR, 1ST AXLE RH SHOES AND DRUMS ABNORML WEAR. REPAIRS COMPLETE

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓		
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓		
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓
5.7. Windshield Wiper/Washer	✓						

NOTES:

NO HAZARD KIT
REPAIRS COMPLETE

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:

NO REVERSE LIGHTS. DOT TAPE PEELING.
REPAIRS COMPLETE

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)			✓
7.2. Battery	✓						

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓		
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Unitized Body Elements			✓	8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓			
1.2. Exhaust System	✓			1.10. Engine or Accessory Drive Belt	✓			
1.3. Emission Control Systems and Devices	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓	
1.4. Drive Shaft	✓			1.12. Gasoline or Diesel Fuel System	✓			
1.5. Clutch and Clutch Pedal	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓	
1.6. Engine/Transmission Mount	✓			1.9. Gear Position Indicator			✓	
1.7. Engine/Shut Down	✓							

NOTES:
STEADY BEARING BETWEEN FRONT AXLE EXCESSIVE PLAY.
REPAIRS COMPLETE

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension			✓	
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

NOTES:

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓	
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓	
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓	
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓	
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓	
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓	
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓	
3H.12. Drum Brake System Components			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓			
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓			
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓	
3A.7. Treadle Valve and Trailer Hand Valve			✓	3A.18. Disc Brake System Components			✓	
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)			✓	
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓	
3A.10. Towing Vehicle (Tractor) Protection System			✓	3A.23. Brake Performance	✓			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered							
Truck										kg							
Vehicle Information																	
VIN	1	N	K	C	G	G	G	G	9	0	R	9	6	1	0	5	0
Unit Number		Year		Make				Model		Odometer							
5108		2013		Kenworth				C500		156,869							
Registered Owner's Name													Plate Number				
ENVIROBORE DIRECTIONAL DRILLING LTD.													70990P				
Address									Postal Code			Phone Number					
BOX 3008									TOHOW3			(780) 380-4151					

Drum Brakes: **A-Full Inspection with Drum Removed**

Disc Brakes:

		<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>			
105 psi		419.93 mm	mm	Drums/Rotors	419.86 mm	mm	105 psi		
25 mm		20 mm	mm	Linings/Pads	21 mm	mm	25 mm		
		25 mm	mm	Push Rod Travel	25 mm	mm			
N/A psi	105 psi	419.81 mm	mm	Drums/Rotors	419.75 mm	mm	105 psi	N/A psi	
N/A mm	25 mm	21 mm	mm	Linings/Pads	21 mm	mm	24 mm	N/A mm	
		25 mm	mm	Push Rod Travel	25 mm	mm			
105 psi	105 psi	411.05 mm	mm	Drums/Rotors	411.00 mm	mm	105 psi	105 psi	
16 mm	23 mm	18 mm	mm	Linings/Pads	18 mm	mm	19 mm	16 mm	
		32 mm	mm	Push Rod Travel	32 mm	mm			
105 psi	105 psi	411.14 mm	mm	Drums/Rotors	411.40 mm	mm	105 psi	105 psi	
18 mm	18 mm	14 mm	mm	Linings/Pads	17 mm	mm	23 mm	17 mm	
		32 mm	mm	Push Rod Travel	32 mm	mm			
psi	psi	mm	mm	Drums/Rotors	mm	mm	psi	psi	
mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	
		mm	mm	Push Rod Travel	mm	mm			
psi	psi	mm	mm	Drums/Rotors	mm	mm	psi	psi	
mm	mm	mm	mm	Linings/Pads	mm	mm	mm	mm	
		mm	mm	Push Rod Travel	mm	mm			

Park Brake Lining Left n/a mm Right n/a mm Trans n/a mm

Wheel Torque Checked Inner N/A ft lbs Outer 500 ft lbs



CERTIFICATE NUMBER

**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

A08-1

**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	ENVIROBORE DIRECTIONAL DRILLING LTD.		
Address:	BOX 144		
City:	FORT ST. JOHN	Province:	BC
		Postal Code:	V1J0K9
Telephone Number:	(780) 380-4151		
Vehicle Identification Number:	1NKCGGGG90R961050		
Make:	Kenworth	Model:	C500
Year:	2013	Unit Number:	5108
Odometer:	156869 KM	Licence Plate Number:	70990P
		Province:	BC

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Barr None Mechanical Ltd.	20069
Inspection Technician Name:	Technician Number:
Andrew Barr	C7054
Inspection Technician Signature:	
Inspection Date:	2025/04/24