



#### **CERTIFICATE NUMBER**

# Commercial Vehicle Inspection Certificate Traffic Safety Act

### PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Typ	oe:	Trailer		Seating	у Сара	acity:			-5-3	
GVW: kg				Brake	Туре:		Air			
Owner Nam	6S TRINITY TRA	NSPORT	LTD							
Address:	537	200 E ST N								
City:	RAY	/MOND	Prov	/ince:	АВ			Posta	I Code:	T0K2S0
Telephone	Num	<b>ber:</b> (587) 37	0-3031							
Vehicle Ide	ntific	ation Number:	21	M513158	77111	2419				
Make:	l v	/lanac				Model	: 52-72'Tı	ri TB s	t	
Year:	2	007				Unit N	umber:		ATTSD1	12
Odometer:		KM	Licence	Plate Nu	ımber:	6K	F392		Province	e: AB

### IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

#### **PART 2 - CERTIFICATION**

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
A V Brake Ltd.	10727
Inspection Technician Name:	Technician Number:
Dustin Adams	D3309
Inspection Technician Signature:	Dist al
Inspection Date: 2025/08/28	

Expires Aug 31, 2026)



## COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

i y pe o	of Veh	icle				12.5					Gro	ss Veh	icle W	eight re	gistere	d	
Trailer														kg			
/ehicle	e Info	rmatic	n													4.0	
/IN	2	M	5	1	3	1	5	8	7	7	1	1	1	2	4	1	6
	Numb			Year 2007			Mal- Mana			5	Mod 52-72'Tr				Odo	meter	
1 - 17					Reg	gistered	Owner'	's Name							Plate	Number	r
					6S TF	RINITY	TRANSP	ORT LT	D						6KF	392	
					Address							Postal	Code		Ph	one Nun	nher
die					200 E S			High				T0K2				7) 370-3	
D	Orum B	rakes:	B-Wi	neel-on F	ull Inspe	ction			Disc B	rakes:							
						LEFT		FR	ONT		RIGH	Ī					
	97 psi	10	05 psi		- 41	421.95	mm	Drums	s/Rotors		421.	84 mm	1	10	3 psi	104 p	13
-	11 mm	-	6 mm			16	mm	Lining	gs/Pads			18 mm	1 <u> </u>	-	- 1		
	<u> </u>	人 <u> </u>		_	+	50	mm	Push R	Rod Travel	ESIL	sorts a	44 mm	י	10	0 mm	10 m	nm
1	03 ps	10	03 psi			421.38	mm	Drums	/Rotors		421.	05 mm	1	100			
-	13 mr		13 mm			16	mm	Lining	gs/Pads			16 mm	1		psi	113 p	
		\		-		50	mm Push Rod Travel					51 mm	ו	14	4 mm	14 m	ım
						421.87	mm	Drums	s/Rotors		421.	04 mm					
-	99 ps	-	03 psi			21	mm	Lining	gs/Pads			15 mm	,		psi	103 p	
	15 mr	<u></u>	15 mm			47	mm	Push R	od Travel			41 mm	1	15	mm	15 m	ım
		· · ·					mm	Drums	s/Rotors	Sa-sa		mm					
-	_ ps	_	_ psi				mm	Lining	gs/Pads			mm			psi	ps	51
	mr	"人_					mm	Push R	od Travel			mm		_	mm	m	m
							mm	Drums	s/Rotors			mm			~		
-	ps	_	_ psi				mm	Lining	gs/Pads			mm	- 100	150	psi	ps	
_	mr	<u>"\</u> _		_			mm	Push R	od Travel			mm		_	mm	m	m)
		· /	psi				mm	Drums	/Rotors			mm			nei		
-	ps mr		— mm				mm		gs/Pads	-		mm	in the second		psi	ps	
1		<u> </u>					mm	Push R	od Travel		No other live	mm	e lali	_	mm	mr	

### COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Se	ectic	on 1	- P	Power Train		ð	
Component	Р	F	NA	Component	Р	F	NA
1.2. Exhaust System			1	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*		3	1

#### NOTES:

	1	APP	END	DIX "A"			
Component	P	F	NA	Component	Р	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			1	A.3. Liquefied Natural Gas (LNG) Fuel System			1
A.2. Compressed Natural Gas (CNG) Fuel System			1	(由4)5 多为的特化 - 1940年 (1)5日			

#### NOTES:

	Sec	ctic	on :	2 - S	uspension			
Component		PΪ	F	NA	Component	Р	F	NA
2.1. Suspension & Frame Attachments	,	1			2.5. Air Suspension	1		
2.2. Axle Attaching & Tracking Components	,	1			2.6. Self-Steer & Controlled-Steer Axle			1
2.3. Axle & Axle Assembly		1		161	2.7. Shock Absorber/Strut Assembly	1		
2.4. Spring & Spring Attachment	,	1						

#### NOTES:

- 2.7 All upper shocks loose/1L lower loose/1R shock has level 3 leak
- 2.2 3 Axle Pivot washers cupping (Not a Fail)
- 2.2 1R Hanger has hole @ weld

Section 3H - Hydraulic Brakes											
Component	P	F	NA	Component	Р	F	NA				
3H.1. Hydraulic System Components			1	3H.10. Electric Brake System			1				
3H.6. Air-Over-Hydraulic Brake System			1	3H.12. Drum Brake System Components	/						
3H.7. Surge Brake Controller			1	3H.13. Disc Brake System Components			1				
3H.8. Vacuum System		134	1	3H.19. Brake Performance	100		1				
3H.9. Air-Boosted Trailer Brake System			1								

#### NOTES:

	Secti	on	3A -	Air Brakes			
Component	P	F	NA	Component	P	F	NA
3A.3. Air System Leakage	1			3A.16. S-Cam Drum Brake System	1		
3A.4. Air Tank	1			3A.17. Brake Shoe Travel (Wedge Brakes)			1
3A.8. Brake Valves & Controls	1			3A.18. Disc Brake System Components			1
3A.12. Parking Brake & Emergency Application			1	3A.20. Anti-Lock Brake System (ABS)	1		
3A.13. Air System Components	1			3A.22. Stability Control System (ESC) or (RSS)			1
3A.14. Brake Chamber	1	VIII	113	3A.23. Brake Performance			1
3A.15. Drum Brake System Components	1						

#### NOTES:

3A.15 1R Brake Chamber Has Broken spring

3A.15 2R Brake Shoes overhang drum 4mm(not a fail)

#A.15 3R cage bolt missing

	Se	ctio	n 4 -	Steering			
Component	P	F	NA	Component	Р	F	NA
4.1. Steering Control & Linkage			1	4.5. Self Steer & Controlled-Steer Axle			1
4.4. Kingpin			1				

### COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

N	0	Т	E	S	•

Section 5 - Instruments and Auxiliary Equipment												
Component	P	F	NA	Comp	oonent	P F N						
5.1. Fire Extinguisher			1									

#### NOTES:

	Section	n 6	- Lamps			
Component	PF	NA	Component	Р	F	NA
6.1. Required Lamps	1		6.3. Retro-Reflective Marking	1		
6.2. Reflex Reflector	1		•			

#### NOTES:

6.1 D.S/P.S rear extension light seized/DS rear ID light out/DS rear signal light out/DS brake light cracked lense/Ps rear signal has water in lense/PS side+rear signal lights has water in lense/

Section 7 - Electrical System							
Component	Р	F	NA	Component	Р	FN	A
7.1. Wiring			1	7.3. Trailer Cord (output to towed vehicle)		7	7
7.2. Battery			1				

#### NOTES:

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body		1	1	8.11. Refrigeration/Heater Unit Fuel System			1
8.6. Frame Rails & Mounts	1			8.21. Fender/Mud Flap	1		
8.7. Unitized Body Elements				8.22. Landing Gear on Trailer			1
8.8. Cab or Cargo Door				8.23. Sliding Axle Assembly (Sliding Bogie)			1
8.9. Cargo Tank or Vessel				8.24. Aerodynamic Device & Attachment			1
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle				8.25. Rear Impact Guard (RIG)	1		

#### NOTES:

8.6 Middle deck board cross member rotted out

8.21 DS rear mudflap missing

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	Р	F	NA
9.1. Tire Tread Depth	_		1	9.7. Wheel/Rim	/		1
9.2. Tire Tread Condition	1			9.8. Multi-Piece Wheel/Rim			1
9.3. Tire Sidewall & Manufacturer Markings	1			9.9. Spoke Wheel/Demountable Rim System			1
9.4. Tire Inflation Pressure	1			9.10. Disc Wheel System			1
9.5. Wheel Hub	1			9.11. Wheel Fasteners (Nuts, Bolts,& Studs)	1		1
9.6. Wheel Bearing	1			Transfer of the Control of the Contr			1

#### NOTES:

Section 10 - Couplers and Hitches							
Component	Р	F	NA	Component	Р	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	1			10.6. Automated Coupling Device	200,000	1	1
10.2. Secondary Attachment (Safety Chain or Cable)			1	10.7. Fifth Wheel Coupler			1
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			1	10.8. Oscillating Fifth Wheel Coupler			1

### COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

			IAW
ntable on Trailer		,	1
	ntable on Trailer	ntable on Trailer	ntable on Trailer

#### Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8418052) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2025/08/28	D3309	10727	Quetin-adem
Customer Acknowledgment			

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day) 2025/08/28

Customersignature