



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:		Trailer			Sea	ating	у Сар	acity	/:					
GVW: kg				Bra	ake 1	Гуре:		Air 🖟	Air - 1					
Owner Name: 6S Trinity Transport Ltd							- K.	è						
Address:	Address: PO Box 1863													
City:	Ray	ymond Pro			Province	rince: AB				Posta	al Code:	TOK	280	
Telephone Number: (403) 333-9036														
Vehicle Identification Number: 25						C046	5M10	5044	49					
Make: Renn						-		Мо	del: Tridem					
Year: 2021						Unit Number: 36								
Odometer: KM I				Lice	ence Plate Number:				6BL072	L072 Province:				

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:	
BBK Trailer Services Ltd.	19531	
Inspection Technician Name	:	Technician Number:
Rhys Hynes	D1605	
Inspection Technician Signa	ture:	Pares Hignes
Inspection Date:	2024/11/06	3

Expires Nov 6,2025



The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

	JI VEII	icie.	流域制计		are see	(1×1)(2)	er of will				Gro	ss ven	icle We		gistere	0.7	
Trailer	20100	an alegania					teres ex st	a francisco de					I KATANSA	kg	de service	TO VIEW ALL BOX	Secret.
Venici	2	rmatio S	F	N	C	0	4	6	5	M	1	0	5	0	4	4	9
			•					<u> </u>		171						<u> </u>	L
Unit Number Year Make 36 2021 Renn									Mod Trid				Odometer				
					Reg	gistered	Owner	's Name							Plate	Number	r
					68	Trinity	Transp	ort Ltd							6BI	L072	
					Address							Postal			1	one Nur	
				PC	Box 18	863						T0K2	2S0		(403	3) 333-9	9036
[Drum B	rakes:	A-Fu	il inspec	tion with	Drum Re	emoved		Disc E	rakes:							
						LECT			RONT		RIGH			7			
		V				<u>LEFT</u> 420.54	mm		s/Rotors		420.		n			400	_
- 1	100 psi	10	— · I	-		18	mm		gs/Pads			19 mn	n		0 psi Y		osi)
_	8.0 mm	人	4 mm			34	mm	Push F	Rod Trave	l		28 mn	n	7.	8 mm	8.8 n	nm
	100 ps	10	0 psi			420.31	mm	Drum	s/Rotors		420.		n	10	0 psi	100 p	iai
1 -	2.5 mr		.3 mm			18	mm		gs/Pads			18 mn		┥	8 mm	9.8 n	1
		人 =		L_		30	mm	Push F	Rod Trave			33 mn				_==_)
		<u></u>		Г		420.68	mm	Drum	s/Rotors		420.	80 mn	n	40	•	100 p	
-	100 ps	_	00 psi) 			18	mm	Linin	gs/Pads			18 mn	n	$\frac{10}{7}$	0 psi 7 7 mm	7.1 n	
	10.1 mi	"\ <u>-</u>	9.3 mm	L_		52	mm	Push R	Rod Travel			30 mn	n	\ <u></u>	<u>-</u>		
_		<u> </u>		Г			mm	Drum	s/Rotors			mn	3				
-	ps	·	_ psi				mm	Linin	ngs/Pads	-		т	ı	-	psi Y		si)
(mı	<u></u>	mm	L			mm	Push R	Rod Trave			mn	1				imy
_		\ <u></u>		Г			mm	Drum	s/Rotors			mn	n]	_			
-	ps	V 1 1				mn	n	┨	_ psi		si)						
(m	m\		_			mm	Push R	Rod Travel			mn	n	-			nm
_		<u> </u>		Г			mm	Drum	s/Rotors			mn	1	-			si
-	ps		psi				mm	Linin	gs/Pads	_		mn	n	-	- ^{psi} mm		ım
(-	m	<u></u>	mm				mm	Push F	Rod Trave	<u> </u>		mn	n		<u>-</u> \		<u> </u>

Section 1 - Power Train

	Section	anerolisi			-	-	
Component	Р	F	NA	Component	Р	F	N/
1.2. Exhaust System			1	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			1
NOTES:				3 [4] 0 0 14 3 18			
	,	APP	END	IX "A"			
Component	Р	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System A.2. Compressed Natural Gas (CNG) Fuel System			1	A.3. Liquefied Natural Gas (LNG) Fuel System			1
NOTES:							
	Secti	ion :	2 - S	uspension			
Component	P	F	NA	Component	P	F	N/
2.1. Suspension & Frame Attachments	1			2.5. Air Suspension	1		L
2.2. Axle Attaching & Tracking Components	1			2.6. Self-Steer & Controlled-Steer Axle			1
2.3. Axle & Axle Assembly	1		1.8	2.7. Shock Absorber/Strut Assembly	1		
2.4. Spring & Spring Attachment			1				L
	Section	зн -	- Нус	fraulic Brakes			
Component	P	F	NA	Component	P	F	100
3H.1. Hydraulic System Components			1	3H.10. Electric Brake System	-		1
3H.6. Air-Over-Hydraulic Brake System			1	3H.12. Drum Brake System Components	-	-	1
OTHORITIES CONTRACTOR OF THE C				2U 42 Dies Proke System Components			1
3H.7. Surge Brake Controller		-	1	3H.13. Disc Brake System Components	-	-	1
3H.7. Surge Brake Controller 3H.8. Vacuum System		mic	1	3H.19. Brake Performance			1
3H.7. Surge Brake Controller		in in	1	1	201		1
3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System	Secti	ion :	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	3H.19. Brake Performance			1
3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES:		0.0000		3H.19. Brake Performance Air Brakes	P	F	N/
3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Component	Secti	0.0000	J J J NA	3H.19. Brake Performance Air Brakes Component	P	F	N/
3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Component 3A.3. Air System Leakage	P	0.0000		3H.19. Brake Performance Air Brakes Component 3A.16. S-Cam Drum Brake System	P	F	N/
3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Component 3A.3. Air System Leakage 3A.4. Air Tank	P /	0.0000		3H.19. Brake Performance Air Brakes Component 3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes)	P	F	1
3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Component 3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls	P	0.0000		3H.19. Brake Performance Air Brakes Component 3A.16. S-Cam Drum Brake System	P	F	1
3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Component 3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application	P / /	0.0000		Air Brakes Component 3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components	P	F	1
3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Component 3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls	P	0.0000		Air Brakes Component 3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS)	P /	F	1
3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Component 3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components	P / / / / / / / / / / / / / / / / / / /	0.0000		Air Brakes Component 3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS)	P	F	11
3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Component 3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber	P / / / / / / / / / / / / / / / / / / /	F		Air Brakes Component 3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS) 3A.23. Brake Performance	P	F	1
3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Component 3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber 3A.15. Drum Brake System Components NOTES: Emergency glad hand separated	P	F	NA	Air Brakes Component 3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS) 3A.23. Brake Performance	P		111111111111111111111111111111111111111
3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Component 3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber 3A.15. Drum Brake System Components NOTES: Emergency glad hand separated repaired	P	F	NA	Air Brakes Component 3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS) 3A.23. Brake Performance	P		111111111111111111111111111111111111111
3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Component 3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber 3A.15. Drum Brake System Components NOTES: Emergency glad hand separated	P / / / / / / / / / / / / / / / / / / /	F	NA NA NA	Air Brakes Component 3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS) 3A.23. Brake Performance	\frac{1}{4}		NA V

Section 5 -	Instru	mei	nts a	nd Auxiliary Equipment			
Component	P	F	NA	Component	Р	F	NA
5.1. Fire Extinguisher			1				
NOTES:		iek e u	onio Test	Color (1999) — 1992 — 1990 — 1993 — 1994 — 1	THE BOY SENS	Y	
	Se	ectio	on 6	- Lamps			
Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps 6.2. Reflex Reflector	1			6.3. Retro-Reflective Marking	✓		
NOTES: RR side marker light out License plate light out Reparied	7 11 1			AND STATE OF THE THE BOOK OF STATE OF THE ST	ederaged inch offer print or m were a flor of a bel		fil m
S	ection	7 -	Elec	trical System			
Component	P	F	NA	Component	P	F	NA
7.1. Wiring	1			7.3. Trailer Cord (output to towed vehicle)			1
7.2. Battery			1				
NOTES:	S	ecti	ion 8	- Body			
Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	1			8.11. Refrigeration/Heater Unit Fuel System			1
8.6. Frame Rails & Mounts	1			8.21. Fender/Mud Flap	1		
8.7. Unitized Body Elements	1			8.22. Landing Gear on Trailer	1		-
8.8. Cab or Cargo Door	-		1	8.23. Sliding Axle Assembly (Sliding Bogie)	~		-
8.9. Cargo Tank or Vessel	+	-	1	8.24. Aerodynamic Device & Attachment			1
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	1			8.25. Rear Impact Guard (RIG)	1		
NOTES:							
	ection	9 -	Tire	s and Wheels			
Si					P	F	NA
	ection P		Tire		P	F	NA
Somponent	Р			Component		F	1
Component 9.1. Tire Tread Depth	P			9.7. Wheel/Rim 9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System	✓	F	1
Component 9.1. Tire Tread Depth 9.2. Tire Tread Condition 9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure	P / / /			9.7. Wheel/Rim 9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System	✓ ✓	F	1
Component 9.1. Tire Tread Depth 9.2. Tire Tread Condition 9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure 9.5. Wheel Hub	P /			9.7. Wheel/Rim 9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System	✓	F	
Component 9.1. Tire Tread Depth 9.2. Tire Tread Condition 9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure	P / / /			9.7. Wheel/Rim 9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System	✓ ✓	F	1
Component 9.1. Tire Tread Depth 9.2. Tire Tread Condition 9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure 9.5. Wheel Hub 9.6. Wheel Bearing NOTES:	P	F	NA	9.7. Wheel/Rim 9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System 9.11. Wheel Fasteners (Nuts, Bolts,& Studs)	✓ ✓	F	1
Component 9.1. Tire Tread Depth 9.2. Tire Tread Condition 9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure 9.5. Wheel Hub 9.6. Wheel Bearing NOTES:	P	- C	NA	9.7. Wheel/Rim 9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System 9.11. Wheel Fasteners (Nuts, Bolts,& Studs)	\frac{1}{\sqrt{1}}		7
Component 9.1. Tire Tread Depth 9.2. Tire Tread Condition 9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure 9.5. Wheel Hub 9.6. Wheel Bearing NOTES: Sect	P / / / / / / / / / / / / / / / / / / /	- C	NA	9.7. Wheel/Rim 9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System 9.11. Wheel Fasteners (Nuts, Bolts,& Studs) ers and Hitches Component	✓ ✓	F	NA V
Component 9.1. Tire Tread Depth 9.2. Tire Tread Condition 9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure 9.5. Wheel Hub 9.6. Wheel Bearing NOTES:	P	- C	NA	9.7. Wheel/Rim 9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System 9.11. Wheel Fasteners (Nuts, Bolts,& Studs)	\frac{1}{\sqrt{1}}		V V
Component 9.1. Tire Tread Depth 9.2. Tire Tread Condition 9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure 9.5. Wheel Hub 9.6. Wheel Bearing NOTES: Sect Component 10.1. Hitch Assembly, Structure & Attaching Components	P / / / / / / / / / / / / / / / / / / /	- C	NA	9.7. Wheel/Rim 9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System 9.11. Wheel Fasteners (Nuts, Bolts,& Studs) ers and Hitches Component 10.6. Automated Coupling Device	\frac{1}{\sqrt{1}}		NA V

NOTES:	manung Karawaya Kanaga		
Certification			
The Vehicle for which this Record of accordance with the Vehicle Inspec	of Inspection is issued has PASSED tion Regulation, Alberta Regulation 2	(Certificate #8228274) the inspect 211/2006 and the applicable Inspecti	ction and I certify it has been inspected in on Manual.
Date of Inspection 2024/11/06	Technician Number D1605	Facility Number 19531	Signature Ruf Hynes
Customer Acknowledgment			0 0
I understand if a vehicle inspection	n identifies defects and repairs are re I) may be presented to any Vehicle In failed items noted on this ROI are rec	spection Facility within 10 days of	Date (Year/Month/Day) 2024/11/06
vehicle is not returned for re-inspi must be conducted.	ection within 10 days of the initial dat	e of inspection, a new inspection	Steve W Skores