



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	24000 kg	Brake Type:	Air
Owner Name:	2436586 ALBERTA LTD		
Address:	275143 TWP ROAD 250		
City:	ROCKY VIEW	Province:	AB
		Postal Code:	T1Z0X6
Telephone Number:	(403) 312-1990		
Vehicle Identification Number:	1HTWGSUT2GH079112		
Make:	International	Model:	7000 Series
Year:	2016	Unit Number:	
Odometer:	155633 KM	Licence Plate Number:	37P195
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	767095 Alberta Ltd	Facility Number:	16091
Inspection Technician Name:	Martin Purwins	Technician Number:	A9387
Inspection Technician Signature:			
Inspection Date:	2025/07/30		

Expires July 30 / 2026

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Truck										Gross Vehicle Weight registered 24000 kg									
Vehicle Information																			
VIN	1	H	T	W	G	S	U	T	2	G	H	0	7	9	1	1	2		
Unit Number				Year 2016				Make International				Model 7000 Series				Odometer 155,633			
Registered Owner's Name 2436586 ALBERTA LTD														Plate Number 37P195					
Address 275143 TWP ROAD 250										Postal Code T1Z0X6				Phone Number (403) 312-1990					

Drum Brakes: A-Full Inspection with Drum Removed

Disc Brakes:

		<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>								
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">18/32 in</div>		16.53 in	7/8 in	1 in	Drums/Rotors	16.52 in	7/8 in	1 in	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">18/32 in</div>					
		Linings/Pads		Push Rod Travel										
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">7/32 in</div>		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">6/32 in</div>		16.53 in	7/8 in	1 in	Drums/Rotors	16.54 in	7/8 in	1 in	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">9/32 in</div>		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">7/32 in</div>	
		Linings/Pads		Push Rod Travel										
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">6/32 in</div>		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">7/32 in</div>		16.53 in	7/8 in	1 in	Drums/Rotors	16.53 in	7/8 in	1 in	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">5/32 in</div>		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">6/32 in</div>	
		Linings/Pads		Push Rod Travel										
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">in</div>		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">in</div>		in	in	in	Drums/Rotors	in	in	in	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">in</div>		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">in</div>	
		Linings/Pads		Push Rod Travel										
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">in</div>		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">in</div>		in	in	in	Drums/Rotors	in	in	in	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">in</div>		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">in</div>	
		Linings/Pads		Push Rod Travel										
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">in</div>		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">in</div>		in	in	in	Drums/Rotors	in	in	in	<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">in</div>		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; display: inline-block;">in</div>	
		Linings/Pads		Push Rod Travel										

Park Brake Lining Left 7/8 in Right 7/8 in Trans 0 in
 Wheel Torque Checked ☒ Inner 550 ft lbs Outer 550 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓		
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓		
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.7. Engine/Shut Down	✓						

NOTES:

REPAIR OIL LEAKS/COOLANT LEAKS

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓		
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓		
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓		
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓		
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
Vehicle						
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment	✓	

NOTES:

Section 9 - Tires and Wheels						
Component	P	F	NA	Component	P	F NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓	
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim		✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System		✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓	
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓	
9.6. Wheel Bearing	✓					

NOTES:

NEW STRG TIRES MONITOR DRIVE TIRES

Section 10 - Couplers and Hitches						
Component	P	F	NA	Component	P	F NA
10.1. Hitch Assembly, Structure & Attaching Components			✓	10.5. Roll-Coupling Hitch		✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device		✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler		✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler		✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8559164) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2025/07/30	Technician Number A9387	Facility Number 16091	Signature 
----------------------------------	----------------------------	--------------------------	--

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2025/07/30

Customer Signature