

E05-1



Commercial Vehicle Inspection Certificate
Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	22500 kg	Brake Type:	Air
Owner Name:	CAN-DOO EXCAVATING SERVICES LTD		
Address:	757 17TH ST SW		
City:	MEDICINE HAT	Province:	AB
		Postal Code:	T1A7R6
Telephone Number:	(403) 504-6938		
Vehicle Identification Number:	2HSFHERR2RC088354		
Make:	International	Model:	9000 Series
Year:	1994	Unit Number:	31
Odometer:	963089 KM	Licence Plate Number:	FCA539
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	1462782 Alberta Ltd	Facility Number:	16204
Inspection Technician Name:	James Jackson	Technician Number:	C5390
Inspection Technician Signature:			
Inspection Date:	2025/06/03		

2026/06/03

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Truck		Gross Vehicle Weight registered 22500 kg															
Vehicle Information																	
VIN	2	H	S	F	H	E	R	R	2	R	C	0	8	8	3	5	4
Unit Number 31		Year 1994		Make International			Model 9000 Series			Odometer 963,089							
Registered Owner's Name CAN-DOO EXCAVATING SERVICES LTD												Plate Number FCA539					
Address 757 17TH ST SW							Postal Code T1A7R6			Phone Number (403) 504-6938							

Drum Brakes: A-Full Inspection with Drum Removed

Disc Brakes:

		<u>LEFT</u>	<u>FRONT</u>	<u>RIGHT</u>		
100 psi	8.97 mm	383.13 mm	Drums/Rotors	383.1 mm	100 psi	9.54 mm
		10.03 mm	Linings/Pads	14.17 mm		
		40 mm	Push Rod Travel	40 mm		
100 psi	12 mm	420.25 mm	Drums/Rotors	420.15 mm	100 psi	14.63 mm
100 psi	11 mm	16.2 mm	Linings/Pads	18.6 mm	100 psi	14.69 mm
		45 mm	Push Rod Travel	45 mm		
100 psi	12 mm	420.78 mm	Drums/Rotors	420.97 mm	100 psi	9.11 mm
100 psi	12 mm	15.18 mm	Linings/Pads	15.13 mm	100 psi	8.9 mm
		45 mm	Push Rod Travel	45 mm		
psi	mm	mm	Drums/Rotors	mm	psi	mm
		mm	Linings/Pads	mm		
		mm	Push Rod Travel	mm		
psi	mm	mm	Drums/Rotors	mm	psi	mm
		mm	Linings/Pads	mm		
		mm	Push Rod Travel	mm		
psi	mm	mm	Drums/Rotors	mm	psi	mm
		mm	Linings/Pads	mm		
		mm	Push Rod Travel	mm		

Park Brake Lining Left 16.2 mm Right 18.6 mm Trans NA mm
 Wheel Torque Checked Inner 500 ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature			✓	
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices			✓	1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓	
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓	
1.7. Engine/Shut Down	✓							

NOTES:

1.4 2ND AXLE OUTPUT U JOINT WORN OUT - REPLACED
1.6 FRONT ENGINE MOUNT WORN OUT - REPLACED

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓			
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

NOTES:

2.2 2ND AXLE DRAG LINK BUSHINGS TORN - REPLACED
2.4 1ST AXLE SPRING PIN/BUSHINGS WORN OUT - REPLACED
2.7 1ST AXLE R/H SHOCK LOOSE - REPLACED

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓	
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓	
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓	
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓	
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓	
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓	
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓	
3H.12. Drum Brake System Components			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓			
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓			
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓	
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓	
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)			✓	
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance			✓
3A.11. Parking Brake & Emergency Application	✓						

NOTES:
 3A.2 AIR DRYER CARTIDGE PLUGGED - REPLACED
 3A.15 3RD AXLE R/H BRAKLE HARDWARE WORN OUT - REPLACED
 3A.15 1ST AXLE L/H BACKING PLATE INSECURE - REPAIRED
 3A.16 2ND AXLE S-CAM BUSHINGS WORN OUT - REPLACED

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓		
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack			✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓		
5.7. Odometer	✓			5.12. Auxiliary Drive Controls	✓		
5.8. Windshield Wiper/Washer	✓						

NOTES:
 5.7 WASHER FLUID LEAKING AT R/H WIPER ARM - REPAIRED

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:
 6.1 L/H MIRROR MARKER INOP - REPAIRED
 6.1 R/H FRONT SIGNAL LIGHT BROKEN - REPAIRED
 6.1 REAR CENTER MARKER INOP - REPLACED

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)			✓
7.2. Battery	✓						

NOTES:
 7.2 BATTERY TERMINALS ARE CORRODED - CLEANED

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab			✓	8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window			✓
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.7. Unitized Body Elements			✓	8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓

NOTES:

8.21 2ND R/H MUDFLAP CRACKED WELDS - REPAIRED
8.10 PTO LINES RUBBING ON X-MEMBER - RE-ROUTED

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:


9.2 3RD AXLE R/H INNER TIRE HAS A NAIL IN IT - REMOVED, TOPPED UP TIRE AND MONITORED
9.4 ALL TIRE PRESSURES LOW - TOPPED UP

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components			✓	10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:

Certification
The Vehicle for which this Record of Inspection is issued has **PASSED (Certificate #8536101)** the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2025/06/03	Technician Number C5390	Facility Number 16204	Signature 
---	-----------------------------------	---------------------------------	--

Customer Acknowledgment	
<p>I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.</p>	<p style="text-align: center;">Date (Year/Month/Day) 2025/06/03</p> <p style="text-align: center;">Customer Signature </p>



Disclaimer

The information contained in this folder has been provided by the consignor and had not been certified by Ritchie Bros. Auctioneers

Ritchie Bros. Auctioneers in no way certifies the completeness or accuracy of this information

Please inspect the equipment. It is "sold as is" no warranties made or implied

Brennan LeBlanc
Divisional Operations Manager
Western Canada Agriculture