

F05-4



CV8637004



80087400008637004

CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate  
Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	WHISSEL EQUIPMENT LTD.		
Address:	200-2500, 107 AVE S.E.		
City:	CALGARY	Province:	AB
		Postal Code:	T2Z3R7
Telephone Number:	(403) 236-2200		
Vehicle Identification Number:	2NPRLN9X08M767219		
Make:	Peterbilt	Model:	Conventional
Year:	2008	Unit Number:	52-771
Odometer:	106409 KM	Licence Plate Number:	T2Z3R7
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
A V Brake Ltd.	10727
Inspection Technician Name:	Technician Number:
Dustin Adams	D3309
Inspection Technician Signature:	<i>Dustin Adams</i>
Inspection Date:	2026/03/19

2024/03/19

**COMMERCIAL VEHICLE RECORD OF INSPECTION  
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

<b>Type of Vehicle</b> Truck										<b>Gross Vehicle Weight registered</b> kg									
<b>Vehicle Information</b>										VIN 2 N P R L N 9 X 0 8 M 7 6 7 2 1 9									
<b>Unit Number</b> 52-771			<b>Year</b> 2008			<b>Make</b> Peterbilt			<b>Model</b> Conventional			<b>Odometer</b> 106,409							
<b>Registered Owner's Name</b> WHISSEL EQUIPMENT LTD.										<b>Plate Number</b> T2Z3R7									
<b>Address</b> 200-2500, 107 AVE S.E.							<b>Postal Code</b> T2Z3R7			<b>Phone Number</b> (403) 236-2200									

**Drum Brakes:** A-Full Inspection with Drum Removed      **Disc Brakes:**

		<u>LEFT</u>	<u>FRONT</u>	<u>RIGHT</u>		
90 psi	11 mm	420.37 mm	Drums/Rotors	420.57 mm	101 psi	11 mm
18 mm	40 mm	18 mm	Linings/Pads	19 mm	24 mm	32 mm
420.17 mm	18 mm	420.17 mm	Drums/Rotors	420.62 mm	112 psi	107 psi
24 mm	46 mm	18 mm	Linings/Pads	15 mm	24 mm	24 mm
419.61 mm	20 mm	419.61 mm	Drums/Rotors	420.88 mm	112 psi	107 psi
24 mm	52 mm	20 mm	Linings/Pads	16 mm	24 mm	24 mm
52 mm		52 mm	Push Rod Travel	52 mm	24 mm	24 mm
mm	mm	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
mm	mm	mm	Push Rod Travel	mm	mm	mm
mm	mm	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
mm	mm	mm	Push Rod Travel	mm	mm	mm

Park Brake Lining Left NA mm Right NA mm Trans NA mm  
 Wheel Torque Checked  Inner NA ft lbs Outer 500 ft lbs

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train							
Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓		
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓		
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal				1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓		✓	1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.7. Engine/Shut Down	✓						

**NOTES:**

APPENDIX "A"							
Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

**NOTES:**

Section 2 - Suspension							
Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

**NOTES:**

Section 3H - Hydraulic Brakes							
Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

**NOTES:**

Section 3A - Air Brakes							
Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓		
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓		
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓		
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance			✓

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes							
Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

**NOTES:**  
 3A.14, 2 AXLE CAGE BOLTS MISSING (REPLACED @ AV BRAKE)  
 3A.15, 1,PS1DS,2PS, BRAKE DRUMS HAVE MINOR HEAT CRACKING THROUGHOUT (NOT A FAIL)/2PS SHOES CRACKED/SEPERATING (REPLACED @ AV BRAKE)/X2 CAGE BOLTS MISSING (REPLACED @ AV BRAKE)

Section 4 - Steering							
Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓
4.3. Steering Operation (Active Steer Axle)	✓						

**NOTES:**  
 4.2 POWERING STEERING COOLER RETURN HOSE SWEATING(NOT A FAIL)

Section 5 - Instruments and Auxillary Equipment							
Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack			✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓		
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓		
5.7. Windshield Wiper/Washer	✓						

**NOTES:**

Section 6 - Lamps							
Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

**NOTES:**  
 6.1 DS SIGNAL LIGHT 25% OUT/ DS MIDDLE ID LIGHT 25% OUT/ (REPLACED @ AV BRAKE)  
 6.2 DS+PS SIDE REFLECTOR MISSING(REPLACED @ AV BRAKE)

Section 7 - Electrical System							
Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)			✓
7.2. Battery	✓						

**NOTES:**

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓		
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Unitized Body Elements			✓	8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.9. Cargo Tank or Vessel				8.20. Seat Belt/Occupant Restraint			
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓

**NOTES:**

8.18 PS BLIND SPOT MIRROR GLASS MISSING (REPLACED @ AV BRAKE)  
 8.19, 1/4" SYNFLEX @DRIVERS SEAT LEAKING AIR(REPLACED @ AV BRAKE)

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

**NOTES:**


9.3 PS TIRE HAS 3MM DEEP CUT IN SIDEWALL(4MM A FAIL)(NOT A FAIL)  
 9.4 STEER TIRES AIRED UP TO 100PSI/DRIVES TO 105PSI  
 9.6, 1DS WHEEL BEARING HAS EXCESSIVE PRE-LOAD(REPLACED @ AV BRAKE)

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.7. Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓


**NOTES:**

**Certification**

The Vehicle for which this Record of Inspection is issued has **PASSED (Certificate #8637004)** the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2026/03/19	D3309	10727	

**Customer Acknowledgment**

<p>I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.</p>	<p style="text-align: center;">Date (Year/Month/Day)</p> <p style="text-align: center;">2026/03/19</p> <p style="text-align: center;">Customer Signature</p> <p style="text-align: center;"></p>
--	---



## Disclaimer

The information contained in this folder has been provided by the consignor and had not been certified by Ritchie Bros. Auctioneers

Ritchie Bros. Auctioneers in no way certifies the completeness or accuracy of this information

Please inspect the equipment. It is "sold as is" no warranties made or implied

---

Brennan LeBlanc  
Divisional Operations Manager  
Western Canada Agriculture