



**CERTIFICATE NUMBER**

**Commercial Vehicle Inspection Certificate  
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE  
IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	39500 kg	Brake Type:	Air
Owner Name:	Low-Key Transport Ltd.		
Address:	93037 Range Rd. 210		
City:	Lethbridge	Province:	AB
		Postal Code:	T1J5R1
Telephone Number:	(403) 892-0298		
Vehicle Identification Number:	1XPHD49X4DD202318		
Make:	Peterbilt	Model:	Conventional
Year:	2013	Unit Number:	13
Odometer:	1875007 KM	Licence Plate Number:	A36000
		Province:	AB

**IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE**

**PART 2 - CERTIFICATION**

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Lethbridge Diesel Ltd.	10283
Inspection Technician Name:	Technician Number:
Lindsay Curran	B0380
Inspection Technician Signature:	
Inspection Date:	2025/11/21

2026/11/21

**COMMERCIAL VEHICLE RECORD OF INSPECTION  
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

<b>Type of Vehicle</b>										<b>Gross Vehicle Weight registered</b>											
Truck										39500 kg											
<b>Vehicle Information</b>																					
VIN	1	X	P	H	D	4	9	X	4	D	D	2	0	2	3	1	8				
<b>Unit Number</b> 13				<b>Year</b> 2013				<b>Make</b> Peterbilt				<b>Model</b> Conventional				<b>Odometer</b> 1,875,007					
<b>Registered Owner's Name</b> Low-Key Transport Ltd.																<b>Plate Number</b> A36000					
<b>Address</b> 93037 Range Rd. 210												<b>Postal Code</b> T1J5R1				<b>Phone Number</b> (403) 892-0298					

**Drum Brakes:** B-Wheel-on Full Inspection

**Disc Brakes:**

		<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>			
100 psi	12 mm	42.46 mm	Drums/Rotors	42.45 mm		42.45 mm		100 psi	12 mm
		22 mm	Linings/Pads	22 mm		22 mm			
		n/a mm	Push Rod Travel	n/a mm		n/a mm			
100 psi	9 mm	419.23 mm	Drums/Rotors	419.23 mm		419.23 mm		100 psi	9 mm
		16 mm	Linings/Pads	22 mm		22 mm		100 psi	3 mm
		40 mm	Push Rod Travel	40 mm		40 mm			
100 psi	7 mm	419.23 mm	Drums/Rotors	419.23 mm		419.23 mm		100 psi	6 mm
		16 mm	Linings/Pads	17 mm		17 mm		100 psi	5 mm
		40 mm	Push Rod Travel	40 mm		40 mm			
psi	mm	mm	Drums/Rotors	mm		mm		psi	mm
		mm	Linings/Pads	mm		mm			
		mm	Push Rod Travel	mm		mm			
psi	mm	mm	Drums/Rotors	mm		mm		psi	mm
		mm	Linings/Pads	mm		mm			
		mm	Push Rod Travel	mm		mm			
psi	mm	mm	Drums/Rotors	mm		mm		psi	mm
		mm	Linings/Pads	mm		mm			
		mm	Push Rod Travel	mm		mm			
Park Brake Lining Left <u>n/a</u> mm Right <u>n/a</u> mm Trans <u>n/a</u> mm Wheel Torque Checked <input checked="" type="checkbox"/> Inner <u>n/a</u> ft lbs Outer <u>450</u> ft lbs									

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

## Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓		
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓		
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal			✓	1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.7. Engine/Shut Down	✓						

NOTES:

## APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

## Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:

## Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

NOTES:

## Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓		
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓		
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓		
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components	✓		
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System	✓		
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓		

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

## Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

NOTES:

## Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

## Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack			✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices			✓
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓
5.7. Windshield Wiper/Washer	✓						

NOTES:

## Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:

## Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

NOTES:

## Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window			✓
8.5. Cargo Body			✓	8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓		

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

## Section 8 - Body

Component	P	F	NA	Component	P	F	NA
Vehicle							
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓

NOTES:

## Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

## Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓		
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:

### Certification

The Vehicle for which this Record of Inspection is issued has **PASSED (Certificate #8608521)** the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection <b>2025/11/21</b>	Technician Number <b>B0380</b>	Facility Number <b>10283</b>	Signature 
---	-----------------------------------	---------------------------------	--

### Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

**2025/11/21**

Customer Signature



## SAFETY FITNESS CERTIFICATE

**CERTIFICATE NUMBER**

002382729

**NSC NUMBER**

AB012-0089

**MVID**

0317-47645

**OPERATING STATUS**

Provincial

**CERTIFICATE HOLDER**

Low-Key Transport Ltd.

93037 Range Road 210

Lethbridge, Alberta Canada T1J 5R1

**Last Revised Date****EFFECTIVE**

May 01, 2025

**EXPIRY (THIS CERTIFICATE EXPIRES AS INDICATED BELOW UNLESS OTHERWISE SUSPENDED OR CANCELLED)**

April 30, 2028

---

This Certificate is issued pursuant to the Traffic Safety Act. The holder of this Certificate may operate vehicles anywhere in Alberta that are registered for a gross weight of 11,794 kilograms or greater, or designed with a seating capacity of 11 or more persons including the driver. This Certificate is not valid when the carrier operates or intends to operate outside of Alberta.

---

The original or a copy of this Certificate must be carried in vehicles operating under the authority of this certificate and produced on demand of a Peace Officer.

This Certificate will be cancelled where the holder has not operated a vehicle authorized by this certificate for a 12 month period.

This Certificate may be suspended or cancelled for failing to comply with transportation legislation.







## **Disclaimer**

The information contained in this folder has been provided by the consignor and had not been certified by Ritchie Bros. Auctioneers

Ritchie Bros. Auctioneers in no way certifies the completeness or accuracy of this information

Please inspect the equipment. It is “sold as is” no warranties made or implied

---

Brennan LeBlanc  
Divisional Operations Manager  
Western Canada Agriculture