



CERTIFICATE NUMBER

**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	46500 kg	Brake Type:	Air
Owner Name:	624889 BC LTD		
Address:	#200 135 10 Ave S		
City:	Cranbrook	Province:	BC
Postal Code:	V1C2N1		
Telephone Number:	(403) 345-3558		
Vehicle Identification Number:	1FUJHHDR8LLKU5337		
Make:	Freightliner	Model:	Cascadia
Year:	2020	Unit Number:	42
Odometer:	1122102 KM	Licence Plate Number:	89767P
		Province:	BC

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Evans HD Ltd.	19136
Inspection Technician Name:	Technician Number:
Craig Schultz	B9418
Inspection Technician Signature:	
Inspection Date:	2026/07/30

2027/07/30

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered												
Truck										46500 kg												
Vehicle Information																						
VIN	1	F	U	J	H	H	D	R	8	L	L	K	U	5	3	3	7					
Unit Number 42				Year 2020				Make Freightliner				Model Cascadia				Odometer 1,122,102						
Registered Owner's Name 624889 BC LTD																Plate Number 89767P						
Address #200 135 10 Ave S												Postal Code V1C2N1				Phone Number (403) 345-3558						

Drum Brakes: C-Limited Inspection

Disc Brakes:

		<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>			
100 psi 12/32 in		16.500 in	in	Drums/Rotors	16.500 in	in	100 psi 8/32 in		
		13/16 in	in	Linings/Pads	13/16 in	in			
		1.75 in	in	Push Rod Travel	1.75 in	in			
N/A psi N/A in	110 psi 22/32 in	N/A in	in	Drums/Rotors	N/A in	in	110 psi 22/32 in	N/A psi N/A in	
		5/8 in	in	Linings/Pads	5/8 in	in			
		1.5 in	in	Push Rod Travel	1.5 in	in			
N/A psi N/A in	110 psi 21/32 in	N/A in	in	Drums/Rotors	N/A in	in	110 psi 20/32 in	N/A psi N/A in	
		5/8 in	in	Linings/Pads	5/8 in	in			
		1.5 in	in	Push Rod Travel	1.5 in	in			
__ psi __ in	__ psi __ in	__ in	in	Drums/Rotors	__ in	in	__ psi __ in	__ psi __ in	
		__ in	in	Linings/Pads	__ in	in			
		__ in	in	Push Rod Travel	__ in	in			
__ psi __ in	__ psi __ in	__ in	in	Drums/Rotors	__ in	in	__ psi __ in	__ psi __ in	
		__ in	in	Linings/Pads	__ in	in			
		__ in	in	Push Rod Travel	__ in	in			
__ psi __ in	__ psi __ in	__ in	in	Drums/Rotors	__ in	in	__ psi __ in	__ psi __ in	
		__ in	in	Linings/Pads	__ in	in			
		__ in	in	Push Rod Travel	__ in	in			

Park Brake Lining Left N/A in Right N/A in Trans N/A in

Wheel Torque Checked ☒ Inner N/A ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train						
Component	P	F	NA	Component	P	F NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature		✓
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓	
1.3. Emission Control Systems and Devices			✓	1.10. Engine or Accessory Drive Belt	✓	
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System		✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓	
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*		✓
1.7. Engine/Shut Down	✓					

NOTES:

APPENDIX "A"						
Component	P	F	NA	Component	P	F NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System		✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓			

NOTES:

Section 2 - Suspension						
Component	P	F	NA	Component	P	F NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓	
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓	
2.4. Spring & Spring Attachment	✓					

NOTES:

Section 3H - Hydraulic Brakes						
Component	P	F	NA	Component	P	F NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components		✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake		✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake		✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake		✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)		✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System		✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance		✓
3H.12. Drum Brake System Components			✓			

NOTES:

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓	
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓	
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓	
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓	
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)		✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components		✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓	
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System		✓
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

NOTES:

Steer axle shoes at min thickness, D/S steer axle shoe lining separating from the backing.

Replace steer axle shoes and drums, set all brakes.

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater	✓		
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓		
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices			✓
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓
5.7. Windshield Wiper/Washer	✓						

NOTES:

Fire extinguisher missing pin and gauge hard to read

Replaced fire extinguisher.

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking			✓				

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window			✓
8.5. Cargo Body			✓	8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Untilted Body Elements	✓			8.18. Rear-View Mirror	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
8.8. Cab or Cargo Door	✓			8.19. Seat	✓	
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓	
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓	
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment	✓	

NOTES:

Section 9 - Tires and Wheels						
Component	P	F	NA	Component	P	F NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓	
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim		✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System		✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System		✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓	
9.6. Wheel Bearing	✓					

NOTES:


Set steers to 100 and drives to 110 psi as needed

Section 10 - Couplers and Hitches						
Component	P	F	NA	Component	P	F NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch		✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device		✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓	
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler		✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8781439) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2026/07/29	Technician Number B9418	Facility Number 19136	Signature 
---	-----------------------------------	---------------------------------	--

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/07/30

Customer Signature




Disclaimer

The information contained in this folder has been provided by the consignor and had not been certified by Ritchie Bros. Auctioneers

Ritchie Bros. Auctioneers in no way certifies the completeness or accuracy of this information

Please inspect the equipment. It is “sold as is” no warranties made or implied

Brennan LeBlanc
Divisional Operations Manager
Western Canada Agriculture