



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate
Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	46500 kg	Brake Type:	Air
Owner Name:	624889 BC O/A EVANS TRUCKING LTD		
Address:	#200 135 10 Ave S		
City:	Cranbrook	Province:	BC
		Postal Code:	V1C2N1
Telephone Number:	(403) 345-3558		
Vehicle Identification Number:	3AKJHHDR8KSKN1643		
Make:	Freightliner	Model:	Cascadia
Year:	2019	Unit Number:	25
Odometer:	1365144 KM	Licence Plate Number:	82220P
		Province:	BC

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Evans HD Ltd.	19136
Inspection Technician Name:	Technician Number:
Craig Schultz	B9418
Inspection Technician Signature:	
Inspection Date:	2026/06/11

2027/06/30

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered												
Truck										46500 kg												
Vehicle Information																						
VIN	3	A	K	J	H	H	D	R	8	K	S	K	N	1	6	4	3					
Unit Number 25				Year 2019				Make Freightliner				Model Cascadia				Odometer 1,365,144						
Registered Owner's Name 624889 BC O/A EVANS TRUCKING LTD																Plate Number 82220P						
Address #200 135 10 Ave S												Postal Code V1C2N1				Phone Number (403) 345-3558						

Drum Brakes: A-Full Inspection with Drum Removed

Disc Brakes:

		LEFT		FRONT		RIGHT			
100 psi 10/32 in		16.500 in	in	Drums/Rotors	16.551 in	in	100 psi 7/32 in		
		13/16 in	in	Linings/Pads	11/16 in	in			
		1.5 in	in	Push Rod Travel	1.5 in	in			
N/A psi N/A in		110 psi 11/32 in			16.500 in	in	Drums/Rotors	16.500 in	in
			13/16 in	in	Linings/Pads	13/16 in	in	110 psi 10/32 in	N/A psi N/A in
			1.5 in	in	Push Rod Travel	1.5 in	in		
N/A psi N/A in		110 psi 13/32 in			16.500 in	in	Drums/Rotors	16.500 in	in
			13/16 in	in	Linings/Pads	13/16 in	in	110 psi 12/32 in	N/A psi N/A in
			1.5 in	in	Push Rod Travel	1.5 in	in		
psi in				in	Drums/Rotors	in	psi in		
				in	Linings/Pads	in			
				in	Push Rod Travel	in			
psi in				in	Drums/Rotors	in	psi in		
				in	Linings/Pads	in			
				in	Push Rod Travel	in			
psi in				in	Drums/Rotors	in	psi in		
				in	Linings/Pads	in			
				in	Push Rod Travel	in			

Park Brake Lining Left N/A in Right N/A in Trans N/A in

Wheel Torque Checked ☒ Inner N/A ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature			✓
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓		
1.3. Emission Control Systems and Devices			✓	1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.7. Engine/Shut Down	✓						

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:

2.4 steer axle spring pin bushings worn out, replaced spring pin bushings.

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.2. Brake Pedal/Actuator			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓	3H.5. Air Assist (Boost) System			✓
3H.13. Disc Brake System Components			✓	3H.6. Air-Over-Hydraulic Brake System			✓
3H.14. Mechanical Parking Brake			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓		
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓		
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓		
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

NOTES:

3A.15 D/S steer shoe worn out all drive shoes and drums worn out, replaced D/S steer shoe and drums, replaced all drive shoes and drums.

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater	✓		
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓		
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices			✓
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓
5.7. Windshield Wiper/Washer	✓						

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
Reflex Reflector	✓			6.5. Headlamp Aim	✓		
Retro-Reflective Marking			✓				

ES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
	✓						

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
Engine Enclosure	✓			8.12. Bumper	✓		
ended Cab	✓			8.13. Windshield	✓		
Passenger-Vehicle Body	✓			8.14. Side Windows	✓		
y			✓	8.15. Rear Window			✓
s & Mounts	✓			8.16. Interior Sun Visor	✓		
dy Elements	✓			8.17. Exterior Windshield Sun Visor	✓		
o Door	✓			8.18. Rear-View Mirror	✓		
or Vessel			✓	8.19. Seat	✓		
e or Equipment Attached or Mounted to the	✓			8.20. Seat Belt/Occupant Restraint	✓		
				8.21. Fender/Mud Flap	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
Vehicle							
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment	✓		

NOTES:

8.13 windshield cracked, replaced windshield.

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

9.4 set steer tires to 100psi, set drive tires to 110psi.

9.5 P/S #1 and 2 drive axle wheel seals leaking, replaced wheel seals.

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓		
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8672588) the inspection and I certify it has been accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2026/06/10	Technician Number B9418	Facility Number 19136	Signature 
---	-----------------------------------	---------------------------------	--

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Ye

Cu

#0

NOTE

- 8.1. Hood
- 8.2. Tilt Cab
- 8.3. Air-Susp
- 8.4. Cab and
- 8.5. Cargo Bo
- 8.6. Frame, Rai
- 8.7. Unitized Bo
- 8.8. Cab or Cargo
- 8.9. Cargo Tank c
- 8.10. Body, Device

VSSROI2018

P=PASS F=FAIL NA=Not Applicable



Disclaimer

The information contained in this folder has been provided by the consignor and had not been certified by Ritchie Bros. Auctioneers

Ritchie Bros. Auctioneers in no way certifies the completeness or accuracy of this information

Please inspect the equipment. It is "sold as is" no warranties made or implied

Brennan LeBlanc
Divisional Operations Manager
Western Canada Agriculture