



Commercial Vehicle Inspection Certificate
Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	WEST COAST REDUCTIONS LTD		
Address:	BOX2110		
City:	LETHBRIDGE	Province:	AB
		Postal Code:	T1J4K6
Telephone Number:	(403) 328-1336		
Vehicle Identification Number:	LJRH1323XF1002911		
Make:	CIMBC	Model:	SCVCD0L039
Year:	2015	Unit Number:	1694
Odometer:	0 KM	Licence Plate Number:	5EE673
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Fleet Brake Parts & Service Limited	15276
Inspection Technician Name:	Technician Number:
Trenton McLeod	C7859
Inspection Technician Signature:	
Inspection Date:	2024/10/30

2025/10/30

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered									
Trailer										kg 86 ps									
Vehicle Information																			
VIN	L	J	R	H	1	3	2	3	X	F	1	0	0	2	9	1	1		
Unit Number 1694				Year 2015		Make CIMBC				Model SCVCD0L039				Odometer psi 0 80 rs					
Registered Owner's Name WEST COAST REDUCTIONS LTD															Plate Number 5EE673				
Address BOX2110										Postal Code T1J4K6					Phone Number (403) 328-1336				

Drum Brakes: B-Wheel-on Full Inspection										Disc Brakes:																																																																																																																											
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2">LEFT</th> <th colspan="2">FRONT</th> <th colspan="2">RIGHT</th> </tr> </thead> <tbody> <tr> <td>80 psi</td><td>80 psi</td> <td>16.541 in</td><td>Drums/Rotors</td> <td>16.544 in</td> <td>80 psi</td> </tr> <tr> <td>16/32 in</td><td>16/32 in</td> <td>11/16 in</td><td>Linings/Pads</td> <td>11/16 in</td> <td>16/32 in</td> </tr> <tr> <td></td><td></td> <td>1 1/2 in</td><td>Push Rod Travel</td> <td>1 1/2 in</td> <td></td> </tr> <tr> <td>80 psi</td><td>80 psi</td> <td>16.546 in</td><td>Drums/Rotors</td> <td>16.543 in</td> <td>80 psi</td> </tr> <tr> <td>16/32 in</td><td>18/32 in</td> <td>11/16 in</td><td>Linings/Pads</td> <td>11/16 in</td> <td>16/32 in</td> </tr> <tr> <td></td><td></td> <td>1 1/2 in</td><td>Push Rod Travel</td> <td>1 1/2 in</td> <td></td> </tr> <tr> <td>psi</td><td>psi</td> <td></td><td>Drums/Rotors</td> <td></td><td>psi</td> </tr> <tr> <td>in</td><td>in</td> <td></td><td>Linings/Pads</td> <td></td><td>in</td> </tr> <tr> <td></td><td></td> <td></td><td>Push Rod Travel</td> <td></td><td></td> </tr> <tr> <td>psi</td><td>psi</td> <td></td><td>Drums/Rotors</td> <td></td><td>psi</td> </tr> <tr> <td>in</td><td>in</td> <td></td><td>Linings/Pads</td> <td></td><td>in</td> </tr> <tr> <td></td><td></td> <td></td><td>Push Rod Travel</td> <td></td><td></td> </tr> <tr> <td>psi</td><td>psi</td> <td></td><td>Drums/Rotors</td> <td></td><td>psi</td> </tr> <tr> <td>in</td><td>in</td> <td></td><td>Linings/Pads</td> <td></td><td>in</td> </tr> <tr> <td></td><td></td> <td></td><td>Push Rod Travel</td> <td></td><td></td> </tr> <tr> <td>psi</td><td>psi</td> <td></td><td>Drums/Rotors</td> <td></td><td>psi</td> </tr> <tr> <td>in</td><td>in</td> <td></td><td>Linings/Pads</td> <td></td><td>in</td> </tr> <tr> <td></td><td></td> <td></td><td>Push Rod Travel</td> <td></td><td></td> </tr> </tbody> </table>																				LEFT		FRONT		RIGHT		80 psi	80 psi	16.541 in	Drums/Rotors	16.544 in	80 psi	16/32 in	16/32 in	11/16 in	Linings/Pads	11/16 in	16/32 in			1 1/2 in	Push Rod Travel	1 1/2 in		80 psi	80 psi	16.546 in	Drums/Rotors	16.543 in	80 psi	16/32 in	18/32 in	11/16 in	Linings/Pads	11/16 in	16/32 in			1 1/2 in	Push Rod Travel	1 1/2 in		psi	psi		Drums/Rotors		psi	in	in		Linings/Pads		in				Push Rod Travel			psi	psi		Drums/Rotors		psi	in	in		Linings/Pads		in				Push Rod Travel			psi	psi		Drums/Rotors		psi	in	in		Linings/Pads		in				Push Rod Travel			psi	psi		Drums/Rotors		psi	in	in		Linings/Pads		in				Push Rod Travel		
LEFT		FRONT		RIGHT																																																																																																																																	
80 psi	80 psi	16.541 in	Drums/Rotors	16.544 in	80 psi																																																																																																																																
16/32 in	16/32 in	11/16 in	Linings/Pads	11/16 in	16/32 in																																																																																																																																
		1 1/2 in	Push Rod Travel	1 1/2 in																																																																																																																																	
80 psi	80 psi	16.546 in	Drums/Rotors	16.543 in	80 psi																																																																																																																																
16/32 in	18/32 in	11/16 in	Linings/Pads	11/16 in	16/32 in																																																																																																																																
		1 1/2 in	Push Rod Travel	1 1/2 in																																																																																																																																	
psi	psi		Drums/Rotors		psi																																																																																																																																
in	in		Linings/Pads		in																																																																																																																																
			Push Rod Travel																																																																																																																																		
psi	psi		Drums/Rotors		psi																																																																																																																																
in	in		Linings/Pads		in																																																																																																																																
			Push Rod Travel																																																																																																																																		
psi	psi		Drums/Rotors		psi																																																																																																																																
in	in		Linings/Pads		in																																																																																																																																
			Push Rod Travel																																																																																																																																		
psi	psi		Drums/Rotors		psi																																																																																																																																
in	in		Linings/Pads		in																																																																																																																																
			Push Rod Travel																																																																																																																																		
Park Brake Lining Left NA in Right NA in Trans NA in Wheel Torque Checked ☒ Inner NA ft lbs Outer 500 ft lbs																																																																																																																																					

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train						
Component	P	F	NA	Component	P	F NA
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*		✓

NOTES:

APPENDIX "A"						
Component	P	F	NA	Component	P	F NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System		✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓			

NOTES:

Section 2 - Suspension						
Component	P	F	NA	Component	P	F NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension		✓
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle		✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly		✓
2.4. Spring & Spring Attachment	✓					

NOTES:

Section 3H - Hydraulic Brakes						
Component	P	F	NA	Component	P	F NA
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System		✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components		✓
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components		✓
3H.8. Vacuum System			✓	3H.19. Brake Performance		✓
3H.9. Air-Boosted Trailer Brake System			✓			

NOTES:

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System		✓
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)		✓
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components		✓
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)		✓
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)		✓
3A.14. Brake Chamber	✓			3A.23. Brake Performance		✓
3A.15. Drum Brake System Components	✓					

NOTES:

Section 4 - Steering						
Component	P	F	NA	Component	P	F NA
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle		✓
4.4. Kingpin			✓			

NOTES:

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher			✓				

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery			✓				

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Unitized Body Elements			✓	8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door			✓	8.23. Sliding Axle Assembly (Sliding Bogie)			✓
8.9. Cargo Tank or Vessel			✓	8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle			✓	8.25. Rear Impact Guard (RIG)			✓

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)	✓			10.7. Fifth Wheel Coupler	✓		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.8. Oscillating Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				

24/10/2024
Signature

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8273267) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2024/10/29	C7859	15276	

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2024/10/30

Customer Signature





Disclaimer

The information contained in this folder has been provided by the consignor and had not been certified by Ritchie Bros. Auctioneers

Ritchie Bros. Auctioneers in no way certifies the completeness or accuracy of this information

Please inspect the equipment. It is “sold as is” no warranties made or implied

Brennan LeBlanc
Divisional Operations Manager
Western Canada Agriculture