

MDI-38



CV8500188



80087900008500188

CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

| | | | |
|--------------------------------|-------------------|-----------------------|---------|
| Vehicle Type: | Truck | Seating Capacity: | |
| GVW: | 62000 kg | Brake Type: | Air |
| Owner Name: | MD TABER | | |
| Address: | 4900b 50 st | | |
| City: | Taber | Province: | AB |
| | | Postal Code: | T1G1T2 |
| Telephone Number: | (403) 223-3142 | | |
| Vehicle Identification Number: | 3HSNUAPT3HN672323 | | |
| Make: | International | Model: | DF677 |
| Year: | 2017 | Unit Number: | 2-53 |
| Odometer: | 437982 KM | Licence Plate Number: | BTW0632 |
| | | Province: | AB |

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

| | |
|----------------------------------|-----------------------|
| Inspection Facility Name: | Facility Number: |
| Taber Municipal District of | 11128 |
| Inspection Technician Name: | Technician Number: |
| Sheldon Haynes | A3681 |
| Inspection Technician Signature: | <i>Sheldon Haynes</i> |
| Inspection Date: | 2025/12/11 |

2026/12/11



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

| | | | | | | | | | | | | | | | | | | | |
|--|---|---|---|---------------------|---|---|---|------------------------------|---|--|---|-----------------------|---|---|---------------------------------------|----------------------------|---|--|--|
| Type of Vehicle Truck | | | | | | | | | | Gross Vehicle Weight registered 62000 kg | | | | | | | | | |
| Vehicle Information | | | | | | | | | | | | | | | | | | | |
| VIN | 3 | H | S | N | U | A | P | T | 3 | H | N | 6 | 7 | 2 | 3 | 2 | 3 | | |
| Unit Number 2-53 | | | | Year 2017 | | | | Make International | | | | Model DF677 | | | | Odometer 437,982 | | | |
| Registered Owner's Name MD TABER | | | | | | | | | | | | | | | Plate Number BTW0632 | | | | |
| Address 4900b 50 st | | | | | | | | | | Postal Code T1G1T2 | | | | | Phone Number (403) 223-3142 | | | | |

Drum Brakes: **B-Wheel-on Full Inspection**

Disc Brakes:

| | | <u>LEFT</u> | | <u>FRONT</u> | | <u>RIGHT</u> | | | |
|---------------------|--------------------|-------------|----|-----------------|-----------|--------------|---------------------|--------------------|--|
| 110 psi 13.39 mm | | 43.72 mm | mm | Drums/Rotors | 44.00 mm | mm | 110 psi 12.13 mm | | |
| | | 15.29 mm | mm | Linings/Pads | 14.64 mm | mm | | | |
| | | na mm | mm | Push Rod Travel | na mm | mm | | | |
| 100 psi 6.38 mm | 100 psi 3.9 mm | 417.97 mm | mm | Drums/Rotors | 417.46 mm | mm | 100 psi 3.65 mm | 100 psi 3.50 mm | |
| | | 18.49 mm | mm | Linings/Pads | 15.51 mm | mm | | | |
| | | 34 mm | mm | Push Rod Travel | 33 mm | mm | | | |
| 100 psi 8.70 mm | 100 psi 6.65 mm | 418.77 mm | mm | Drums/Rotors | 419.05 mm | mm | 100 psi 3.81 mm | 100 psi 8.18 mm | |
| | | 17.95 mm | mm | Linings/Pads | 16.46 mm | mm | | | |
| | | 33 mm | mm | Push Rod Travel | 32 mm | mm | | | |
| psi mm | psi mm | mm | mm | Drums/Rotors | mm | mm | psi mm | psi mm | |
| | | mm | mm | Linings/Pads | mm | mm | | | |
| | | mm | mm | Push Rod Travel | mm | mm | | | |
| psi mm | psi mm | mm | mm | Drums/Rotors | mm | mm | psi mm | psi mm | |
| | | mm | mm | Linings/Pads | mm | mm | | | |
| | | mm | mm | Push Rod Travel | mm | mm | | | |

Park Brake Lining Left na mm Right na mm Trans na mm
 Wheel Torque Checked Inner na ft lbs Outer 450 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

| Component | P | F | NA | Component | P | F | NA |
|---|---|---|----|---|---|---|----|
| 1.1. Accelerator Pedal/Throttle Actuator | ✓ | | | 1.8. Engine Start Safety Feature | ✓ | | |
| 1.2. Exhaust System | ✓ | | | 1.9. Gear Position Indicator | ✓ | | |
| 1.3. Emission Control Systems and Devices | ✓ | | | 1.10. Engine or Accessory Drive Belt | ✓ | | |
| 1.4. Drive Shaft | ✓ | | | 1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System | | | ✓ |
| 1.5. Clutch and Clutch Pedal | ✓ | | | 1.12. Gasoline or Diesel Fuel System | ✓ | | |
| 1.6. Engine/Transmission Mount | ✓ | | | 1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A* | | | ✓ |
| 1.7. Engine/Shut Down | ✓ | | | | | | |

NOTES:

APPENDIX "A"

| Component | P | F | NA | Component | P | F | NA |
|---|---|---|----|--|---|---|----|
| A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System | | | ✓ | A.3. Liquefied Natural Gas (LNG) Fuel System | | | ✓ |
| A.2. Compressed Natural Gas (CNG) Fuel System | | | ✓ | | | | |

NOTES:

Section 2 - Suspension

| Component | P | F | NA | Component | P | F | NA |
|---|---|---|----|---|---|---|----|
| 2.1. Suspension & Frame Attachments | ✓ | | | 2.5. Air Suspension | ✓ | | |
| 2.2. Axle Attaching & Tracking Components | ✓ | | | 2.6. Self-Steer and Controlled-Steer Axle | ✓ | | |
| 2.3. Axle & Axle Assembly | ✓ | | | 2.7. Shock Absorber/Strut Assembly | ✓ | | |
| 2.4. Spring & Spring Attachment | ✓ | | | | | | |

NOTES:

Section 3H - Hydraulic Brakes

| Component | P | F | NA | Component | P | F | NA |
|---------------------------------------|---|---|----|--|---|---|----|
| 3H.1. Hydraulic System Components | | | ✓ | 3H.13. Disc Brake System Components | | | ✓ |
| 3H.2. Brake Pedal/Actuator | | | ✓ | 3H.14. Mechanical Parking Brake | | | ✓ |
| 3H.3. Vacuum Assist (Boost) System | | | ✓ | 3H.15. Spring-Applied Air-Released Parking Brake | | | ✓ |
| 3H.4. Hydraulic Assist (Boost) System | | | ✓ | 3H.16. Spring-Applied Hydraulic-Released Parking Brake | | | ✓ |
| 3H.5. Air Assist (Boost) System | | | ✓ | 3H.17. Anti-Lock Brake System (ABS) | | | ✓ |
| 3H.6. Air-Over-Hydraulic Brake System | | | ✓ | 3H.18. Stability Control System | | | ✓ |
| 3H.11. Brake System Indicator Lamps | | | ✓ | 3H.19. Brake Performance | | | ✓ |
| 3H.12. Drum Brake System Components | | | ✓ | | | | |

NOTES:

Section 3A - Air Brakes

| Component | P | F | NA | Component | P | F | NA |
|--|---|---|----|---|---|---|----|
| 3A.1. Air Compressor | ✓ | | | 3A.13. Air System Components | ✓ | | |
| 3A.2. Air Supply System | ✓ | | | 3A.14. Brake Chamber | ✓ | | |
| 3A.4. Air Tank | ✓ | | | 3A.15. Drum Brake System Components | ✓ | | |
| 3A.5. Air Tank Check Valves | ✓ | | | 3A.16. S-Cam Drum Brake System | ✓ | | |
| 3A.6. Brake Pedal/Actuator | ✓ | | | 3A.17. Brake Shoe Travel (Wedge Brakes) | | | ✓ |
| 3A.7. Treadle Valve and Trailer Hand Valve | ✓ | | | 3A.18. Disc Brake System Components | ✓ | | |
| 3A.8. Brake Valves & Controls | ✓ | | | 3A.19. Anti-Lock Brake System (ABS) | ✓ | | |
| 3A.9. Proportioning, Inversion or Modulation Valve | ✓ | | | 3A.21. Stability Control System | ✓ | | |
| 3A.10. Towing Vehicle (Tractor) Protection System | ✓ | | | 3A.23. Brake Performance | ✓ | | |

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes

| Component | P | F | NA | Component | P | F | NA |
|--|---|---|----|-----------|---|---|----|
| 3A.11. Parking Brake & Emergency Application | ✓ | | | | | | |

NOTES:

Section 4 - Steering

| Component | P | F | NA | Component | P | F | NA |
|---|---|---|----|---|---|---|----|
| 4.1. Steering Control and Linkage | ✓ | | | 4.4. Kingpin | ✓ | | |
| 4.2. Power Steering System (Hydraulic and Electric) | ✓ | | | 4.5. Self-Steer and Controlled-Steer Axle | ✓ | | |
| 4.3. Steering Operation (Active Steer Axle) | ✓ | | | | | | |

NOTES:

Section 5 - Instruments and Auxiliary Equipment

| Component | P | F | NA | Component | P | F | NA |
|------------------------------|---|---|----|--------------------------------------|---|---|----|
| 5.1. Fire Extinguisher | ✓ | | | 5.8. Heater & Windshield Defroster | ✓ | | |
| 5.2. Hazard Warning Kit | ✓ | | | 5.9. Fuel-Burning Auxiliary Heater | | | ✓ |
| 5.3. Horn | ✓ | | | 5.10. Chain/"Headache" Rack | ✓ | | |
| 5.5. Speedometer | ✓ | | | 5.11. Auxiliary Controls and Devices | ✓ | | |
| 5.6. Odometer | ✓ | | | 5.12. Auxiliary Drive Controls | ✓ | | |
| 5.7. Windshield Wiper/Washer | ✓ | | | | | | |

NOTES:

Section 6 - Lamps

| Component | P | F | NA | Component | P | F | NA |
|-------------------------------|---|---|----|-----------------------------|---|---|----|
| 6.1. Required Lamps | ✓ | | | 6.4. Instrument Panel Lamps | ✓ | | |
| 6.2. Reflex Reflector | ✓ | | | 6.5. Headlamp Aim | ✓ | | |
| 6.3. Retro-Reflective Marking | ✓ | | | | | | |

NOTES:

Section 7 - Electrical System

| Component | P | F | NA | Component | P | F | NA |
|--------------|---|---|----|---|---|---|----|
| 7.1. Wiring | ✓ | | | 7.3. Trailer Cord (output to towed vehicle) | ✓ | | |
| 7.2. Battery | ✓ | | | | | | |

NOTES:

Section 8 - Body

| Component | P | F | NA | Component | P | F | NA |
|--|---|---|----|-------------------------------------|---|---|----|
| 8.1. Hood or Engine Enclosure | ✓ | | | 8.12. Bumper | ✓ | | |
| 8.2. Tilt Cab | | | ✓ | 8.13. Windshield | ✓ | | |
| 8.3. Air-Suspended Cab | ✓ | | | 8.14. Side Windows | ✓ | | |
| 8.4. Cab and Passenger-Vehicle Body | ✓ | | | 8.15. Rear Window | ✓ | | |
| 8.5. Cargo Body | | | ✓ | 8.16. Interior Sun Visor | ✓ | | |
| 8.6. Frame, Rails & Mounts | ✓ | | | 8.17. Exterior Windshield Sun Visor | ✓ | | |
| 8.7. Unitized Body Elements | | | ✓ | 8.18. Rear-View Mirror | ✓ | | |
| 8.8. Cab or Cargo Door | ✓ | | | 8.19. Seat | ✓ | | |
| 8.9. Cargo Tank or Vessel | | | ✓ | 8.20. Seat Belt/Occupant Restraint | ✓ | | |
| 8.10. Body, Device or Equipment Attached or Mounted to the | | | ✓ | 8.21. Fender/Mud Flap | ✓ | | |

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

| Section 8 - Body | | | | | | | |
|--|---|---|----|---------------------------------------|---|---|----|
| Component | P | F | NA | Component | P | F | NA |
| Vehicle | | | | | | | |
| 8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU)) | | | ✓ | 8.24. Aerodynamic Device & Attachment | | | ✓ |

NOTES:

| Section 9 - Tires and Wheels | | | | | | | |
|--|---|---|----|---|---|---|----|
| Component | P | F | NA | Component | P | F | NA |
| 9.1. Tire Tread Depth | ✓ | | | 9.7. Wheel/Rim (Applies to all wheel types) | ✓ | | |
| 9.2. Tire Tread Condition | ✓ | | | 9.8. Multi-Piece Wheel/Rim | | | ✓ |
| 9.3. Tire Sidewall & Manufacturer Markings | ✓ | | | 9.9. Spoke Wheel/Demountable Rim System | | | ✓ |
| 9.4. Tire Inflation Pressure | ✓ | | | 9.10. Disc Wheel System | ✓ | | |
| 9.5. Wheel Hub | ✓ | | | 9.11. Wheel Fasteners (Nuts, Bolts and Studs) | ✓ | | |
| 9.6. Wheel Bearing | ✓ | | | | | | |

NOTES:

| Section 10 - Couplers and Hitches | | | | | | | |
|--|---|---|----|---------------------------------------|---|---|----|
| Component | P | F | NA | Component | P | F | NA |
| 10.1. Hitch Assembly, Structure & Attaching Components | | | ✓ | 10.5. Roll-Coupling Hitch | | | ✓ |
| 10.2. Secondary Attachment (Safety Chain or Cable) | | | ✓ | 10.6. Automated Coupling Device | | | ✓ |
| 10.3. Pintle Hook, Pin Hitch, or Coupler Hitch | | | ✓ | 10.7. Fifth Wheel Coupler | ✓ | | |
| 10.4. Ball Type Hitch | | | ✓ | 10.8. Oscillating Fifth Wheel Coupler | | | ✓ |

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8500188) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

| | | | |
|---|-----------------------------------|---------------------------------|--|
| Date of Inspection 2025/12/10 | Technician Number A3681 | Facility Number 11128 | Signature  |
|---|-----------------------------------|---------------------------------|--|

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2025/12/11

Customer Signature





Disclaimer

The information contained in this folder has been provided by the consignor and had not been certified by Ritchie Bros. Auctioneers

Ritchie Bros. Auctioneers in no way certifies the completeness or accuracy of this information

Please inspect the equipment. It is “sold as is” no warranties made or implied

Brennan LeBlanc
Divisional Operations Manager
Western Canada Agriculture