

N08-1

CV8703024



80087100008703024

CERTIFICATE NUMBER

### Commercial Vehicle Inspection Certificate Traffic Safety Act

#### PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	Pedro Dyck		
Address:	Po Box 4939		
City:	Taber	Province:	AB
		Postal Code:	T1G2E1
Telephone Number:	(403) 635-1827		
Vehicle Identification Number:	1M2AA18YXSW050448		
Make:	Mack	Model:	600
Year:	1995	Unit Number:	5033
Odometer:	48267 KM	Licence Plate Number:	
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

#### PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Letkeman, Pedro	18631
Inspection Technician Name:	Technician Number:
Pedro Letkeman	C2151
Inspection Technician Signature:	
Inspection Date:	2026/04/19

2027104119

**COMMERCIAL VEHICLE RECORD OF INSPECTION  
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

<b>Type of Vehicle</b>										<b>Gross Vehicle Weight registered</b>											
Truck										kg											
<b>Vehicle Information</b>																					
<b>VIN</b>	1	M	2	A	A	1	8	Y	X	S	W	0	5	0	4	4	8				
<b>Unit Number</b> 5033			<b>Year</b> 1995			<b>Make</b> Mack			<b>Model</b> 600			<b>Odometer</b> 48,267									
<b>Registered Owner's Name</b> Pedro Dyck															<b>Plate Number</b>						
<b>Address</b> Po Box 4939										<b>Postal Code</b> T1G2E1					<b>Phone Number</b> (403) 635-1827						

Drum Brakes: A-Full Inspection with Drum Removed

Disc Brakes:

		LEFT	FRONT	RIGHT		
90 psi 12 mm		421.9 mm 10 mm 20 mm	Drums/Rotors Linings/Pads Push Rod Travel	421.9 mm 9 mm 24 mm	95 psi 12 mm	
90 psi 20 mm	100 psi 15 mm	425.9 mm 10 mm 41 mm	Drums/Rotors Linings/Pads Push Rod Travel	424.8 mm 10 mm 51 mm	100 psi 10 mm	100 psi 16 mm
100 psi 10 mm	100 psi 11 mm	426.7 mm 10 mm 45 mm	Drums/Rotors Linings/Pads Push Rod Travel	421.0 mm 10 mm 46 mm	100 psi 15 mm	100 psi 11 mm
psi mm	psi mm	mm mm mm	Drums/Rotors Linings/Pads Push Rod Travel	mm mm mm	psi mm	psi mm
psi mm	psi mm	mm mm mm	Drums/Rotors Linings/Pads Push Rod Travel	mm mm mm	psi mm	psi mm
psi mm	psi mm	mm mm mm	Drums/Rotors Linings/Pads Push Rod Travel	mm mm mm	psi mm	psi mm
Park Brake Lining Left <u>10</u> mm Right <u>10</u> mm Trans <u>0</u> mm Wheel Torque Checked <input checked="" type="checkbox"/> Inner <u>500</u> ft lbs Outer <u>500</u> ft lbs						

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

## Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓		
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓		
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.7. Engine/Shut Down	✓						

**NOTES:**  
Both Mufflers Leaking -Customer renewed the Mufflers -

## APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

**NOTES:**

## Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓		
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

**NOTES:**

## Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

**NOTES:**

## Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓		
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓		
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓		
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System	✓		
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓		

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes							
Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

**NOTES:**

Both front and the Left rear Dive Brake Drums overwear - Renew the Drums -

Section 4 - Steering							
Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓		
4.3. Steering Operation (Active Steer Axle)	✓						

**NOTES:**

Section 5 - Instruments and Auxiliary Equipment							
Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack			✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓		
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓		
5.7. Windshield Wiper/Washer	✓						

**NOTES:**

Mo Hazard Warning Kit - Customer installed the Hazard Warning Kit -

Section 6 - Lamps							
Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

**NOTES:**

Front ID Lights out - Fix the Lights -  
No Reflectors on the rear Mudflaps - Customer Installed the Mudflaps Reflectors -

Section 7 - Electrical System							
Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)			✓
7.2. Battery	✓						

**NOTES:**

Battery hld down loose - Install a Battery Hold down Rod -

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window			✓
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel	✓			8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓		

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

## Section 8 - Body

Component	P	F	NA	Component	P	F	NA
Vehicle							
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))	✓			8.24. Aerodynamic Device & Attachment	✓		

**NOTES:**  
 No Rear Mudflaps - Customer Installed the Mudflaps -  
 Right seat Seatbelt loose - Customer installed the Seatbelt -

## Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

**NOTES:**  
 Right rear Wheel seal Leaking - Renew the Wheel Seal -

## Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components			✓	10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓		
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓


**NOTES:**

### Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8703024) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2026/04/19	C2151	18631	

### Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.	Date (Year/Month/Day) 2026/04/19  Customer Signature 
---	--



## Disclaimer

The information contained in this folder has been provided by the consignor and had not been certified by Ritchie Bros. Auctioneers

Ritchie Bros. Auctioneers in no way certifies the completeness or accuracy of this information

Please inspect the equipment. It is “sold as is” no warranties made or implied

---

Brennan LeBlanc  
Divisional Operations Manager  
Western Canada Agriculture