



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:		Trailer			Seating	:						
GVW:		3500 kg			Brake Type:			Electr				
Owner Nan	.ethbridge											
Address: 910 4th ave south												
City: Lethbridge			I	Province: AE				Postal Code:		T1J	0P6	
Telephone Number: (403) 320-4030												
Vehicle Identification Number: 2S9						27101	9004	L et				
Make: Southland							Мо	del: Tag Fla	t Deck			
Year: 2007							Uni	t Number:		07805		
Odometer:	Odometer: KM L			Lice	cence Plate Number			: JEN941			e:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:		Facility Number:
Lethbridge City Of		11125
Inspection Technician Name	9:	Technician Number:
Kyle O'Brien		C6126
Inspection Technician Signa	ature:	V
Inspection Date:	2025/04/10	77

2026/04/10



The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of	f Veh	icle										Gre	oss Vel	icle W	elght re	gister	 ed	
Trailer					•	me .							•		3500 k	g		
Vehicle			$\overline{}$			т=				T							η	_
VIN	2	S		9	F	B	3	3	1	2	7	1	0	1	9	0	0	4
Unit N	Numb	er			Year			Ma	ke		<u></u>	Mod	le!	<u> </u>		Odo	ometer	ا
07	805	Ī		:	2007			South	land			Tag Fla	at Deck					
						Re	gistered	Owner	's Name	•						Plate	Number	
							City of	Lethbri	idge							JE	N941	
						Addres	5				-	· · · · · · · · · · · · · · · · · · ·	Postal	Code		Ph	one Nur	mber .
				_	910 4	4th ave	south						T1J (0P6		(40	3) 320-4	1030
Dr	rum Bi	rakes:								Disc	Brakes:		·			<u></u>	*****	
			-			W .	LEFT	1		RONT		DICH.	-			·	<u>:</u>	
	 /a psi	γ ⁻	46 p		[-		254.18	mm		s/Rotors		RIGH 254		<u> </u>				_
i —	/a mm]	70 r 97 r	osi }	-		4.12	mm		gs/Pads			.75 mn	•	4	7 psi Y		si
	= _	人 <u>:</u>			- -		n/a	mm	Push I	Rod Trave	el		n/a mn	n	3.9	5 mm	n/a m	nm,
				! i				-										
n/	/a psi	Υ	46 ₁	iaq	-		254.31	mm		s/Rotors		254		1	A	5 psi	n/a p	
n/	/a mm	4.	.03 1	mm 🎵			4.22 n/a	mm		gs/Pads	. —	•	.50 mn			3 mm	n/a m	
					L=			mm	Pusni	Rod Trave	91 		n/a mn	<u>, </u>				س
	<u> </u>	V		\neg				mm	Drum	s/Rotors			mn	\Box				_
i —	_ psi	1 -	¹	psi -	-			mm		gs/Pads			— ''''		Ĵ _	psi	p:	si Ì
	mm 	人-::	=_	mm			:	mm	Push F	Rod Trave	1		mn	٠		_ mm	m	ımj
										•								-
	psi	γ		iac	[_			mm	Drum	s/Rotors			mr		_			
!	mm		_ `	nm				mm		igs/Pads	-		mr	·		psi	ps	i
	:	<u> </u>	=	-1	<u> </u>				Push F	Rod Trave		==	mm		\ <u> </u>		m	m)
		<u> </u>		\neg				mm	Drum	s/Rotors			<u></u>	$\overline{}$				_
	_ psi	_	_ F	osi	-			mm		gs/Pads			—- mm			psi	_ ps	;i)
		<u> </u>	n	nm	_			mm		od Trave	, —	<u> </u>	mm	ļ		mm	m	m)
				! !							 -	·	·			<i>-</i>		_
	psi	Y		si	i -			mm	Drum	s/Rotors			mm		·		<u>_</u>)
	mm		_	nm				mm	Linin	gs/Pads			mm	 		psi	_ · ps	- 1
<u></u>		<u></u>		-시	L., <u>.</u>	 :		mm	Push R	Rod Trave	<u> </u>		mm			mm	mr	n)
					Park B	Brake Lin	ing Le	eft n/a	a_mm	Right	n/a m	m Trans	n/a	mm				
					Whe	el Torqu	e Checke]Inner _	_	ft lbs C			_ ''''' : lbs				
															/			

				ower Train	, ,	1-	
Component	P	F	NA	Component	P	F	NA
1.2. Exhaust System		L	✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
OTES:							
	=	\PF	END	NX "A"			=
Component	Р	F	NA	Component	P	F	N/
A.1. Liquefled Petroleum Gas (LPG or Propane) Fuel System	+			A.3, Liquefied Natural Gas (LNG) Fuel System	!		7
A.2. Compressed Natural Gas (CNG) Fuel System			1				
NOTES:							
	Secti	on	2 · S	uspension	=== r==		==
Component	Р	F	NA		P	F	N.
2.1. Suspension & Frame Attachments	~			2.5. Air Suspension	\vdash		~
2.2. Axle Attaching & Tracking Components		L	↓	2.6. Self-Steer & Controlled-Steer Axle	\vdash	— <u>İ</u>	~
2.3. Axle & Axle Assembly		_	—	2.7. Shock Absorber/Strut Assembly	 		~
2.4. Spring & Spring Attachment		<u>L</u>			<u></u> _	<u></u> l	
Se	ction	3H	- Hy	draulic Brakes	_==		=
Component	P	F	NA	Component	P	F	N
3H.1. Hydraulic System Components	\dashv		1	3H.10. Electric Brake System	1		L
3H.6, Air-Over-Hydraulic Brake System			1	3H.12. Drum Brake System Components	1		╁
3H.7. Surge Brake Controller		╙	√	3H.13. Disc Brake System Components	 		-
3H.8. Vacuum System	.——	<u> </u>	1	3H.19. Brake Performance	- 	-	ť
3H.9. Air-Boosted Trailer Brake System		<u> </u>		L	<u> </u>	<u> </u>	느
NOTES:							
	Sect	ion	3A -	Air Brakes			=
		7		Component		-	•
Component	P	ľ	NA	Component	P	F	Ļ
	P	-	NA ✓	3A.16. S-Cam Drum Brake System	P	F	
3A.3. Air System Leakage	P		NA ✓	3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes)	P	F	+
	P		NA ✓	3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components	P	F	1
3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls	P	-	NA ✓	3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS)	P	F	1.
3A.3. Air System Leakage 3A.4. Air Tank	P		NA ✓ ✓ ✓	3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS)	P	F	1
3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber	P		NA V	3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS)	P	F	
3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components	P		NA V V V	3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS)	P	F	1
3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber	P		V V V	3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS)	P	F]:
3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber 3A.15. Drum Brake System Components	Se	ecti	/ / / / on 4	3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS) 3A.23. Brake Performance			
3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber 3A.15. Drum Brake System Components		ecti	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS) 3A.23. Brake Performance - Steering Component	P		
3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber 3A.15. Drum Brake System Components NOTES:	Se	ecti	/ / / / on 4	3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS) 3A.23. Brake Performance			

Section 5 -	Instru	mei	nts a	nd Auxiliary Equipment			
Component	Р	F	NA	Component	P	F	NA
5.1. Fire Extinguisher		L	1				1_
NOTES:	•						
		- ti		- Lamps			
Company			NA		15	_	NA
Component 6.1. Required Lamps	P	ļŗ	NA	Component 6.3. Retro-Reflective Marking	P	<u> </u>	<u> </u>
6.2. Reflex Reflector			\vdash	0.3. Relio-Reliective Walking			+
NOTES:							
s	ection	7 -	Elec	trical System			
Component	P	F	NA	Component	Р	F	NA
7.1. Wiring				7.3. Trailer Cord (output to towed vehicle)			
7.2. Battery		<u></u>	<u></u>	<u> </u>			<u>L</u>
NOTES:							
	S	ect	on 8	- Body			
Component	P	F	NA	· ·	Р	F	NA
8.5. Cargo Body		\sqsubseteq		8.11. Refrigeration/Heater Unit Fuel System			V
8.6. Frame Rails & Mounts			╽	8.21. Fender/Mud Flap	·		
8.7. Unitized Body Elements 8.8. Cab or Cargo Door			╁	8.22. Landing Gear on Trailer			
8.9. Cargo Tank or Vessel			┼ ╲╌	8.23. Sliding Axle Assembly (Sliding Bogie)	-• -		/
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	~		×	8.25. Rear Impact Guard (RIG)	~		Y
NOTES:							-
				s and Wheels			
Component 9.1. Tire Tread Depth	P	F	NA		P	F	NA
		1		u / wholish	1 71		<u> </u>
			├	9.7. Wheel/Rim			~
9.2. Tire Tread Condition	Y			9.8. Multi-Plece Wheel/Rim			
9.2. Tire Tread Condition 9.3. Tire Sidewall & Manufacturer Markings	\ \ \ \ \		 	9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System			V
9.2. Tire Tread Condition	\ \ \ \ \ \			9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System			
9.2. Tire Tread Condition 9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure	\ \ \ \ \ \ \			9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System	- V		1
9.2. Tire Tread Condition 9.3. Tire Sidewail & Manufacturer Markings 9.4. Tire Inflation Pressure 9.5. Wheel Hub 9.6. Wheel Bearing NOTES:	Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y			9.8. Multi-Plece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System 9.11. Wheel Fasteners (Nuts, Bolts,& Studs)	Y Y Y Y		
9.2. Tire Tread Condition 9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure 9.5. Wheel Hub 9.6. Wheel Bearing NOTES: Sect				9.8. Multi-Plece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System 9.11. Wheel Fasteners (Nuts, Bolts, & Studs) ers and Hitches			
9.2. Tire Tread Condition 9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure 9.5. Wheel Hub 9.6. Wheel Bearing NOTES: Sect	kion 10		oupi	9.8. Multi-Plece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System 9.11. Wheel Fasteners (Nuts, Bolts, & Studs) ers and Hitches Component		F	
9.2. Tire Tread Condition 9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure 9.5. Wheel Hub 9.6. Wheel Bearing NOTES: Component 10.1. Hitch Assembly, Structure & Attaching Components	P			9.8. Multi-Plece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System 9.11. Wheel Fasteners (Nuts, Bolts, & Studs) ers and Hitches Component 10.6. Automated Coupling Device	V V V V V V V V V V	F	
9.2. Tire Tread Condition 9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure 9.5. Wheel Hub 9.6. Wheel Bearing NOTES: Component 10.1. Hitch Assembly, Structure & Attaching Components 10.2. Secondary Attachment (Safety Chain or Cable)				9.8. Multi-Plece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System 9.11. Wheel Fasteners (Nuts, Bolts, & Studs) ers and Hitches Component 10.6. Automated Coupling Device 10.7. Fifth Wheel Coupler	V V V V V V V V V V	F	
9.2. Tire Tread Condition 9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure 9.5. Wheel Hub 9.6. Wheel Bearing NOTES: Component 10.1. Hitch Assembly, Structure & Attaching Components	P			9.8. Multi-Plece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System 9.10. Disc Wheel System 9.11. Wheel Fasteners (Nuts, Bolts, & Studs) ers and Hitches Component 10.6. Automated Coupling Device	P	F	

NOTES:			
Certification			
		(Certificate #8072905) the inspection 11/2006 and the applicable Inspection	
Date of Inspection 2025/04/10	Technician Number C6126	Facility Number 11125	Signature
Customer Acknowledgment			
and this Record of Inspection (RO	n identifies defects and repairs are re bl) may be presented to any Vehicle In failed items noted on this ROI are rec ection within 10 days of the initial dat	respection Facility within 10 days of quired to be re-inspected. If the	Date (Year/Month/Day) 2025/04/10 Customer-Signature



Disclaimer

The information contained in this folder has been provided by the consignor and had not been certified by Ritchie Bros. Auctioneers

Ritchie Bros. Auctioneers in no way certifies the completeness or accuracy of this information

Please inspect the equipment. It is "sold as is" no warranties made or implied

Brennan LeBlanc Divisional Operations Manager Western Canada Agriculture