Alberta Government

NH3-2

CV8413514

80087200008413514

CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate
Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	**Seating Capacity:**			
GVW:	25400 kg	**Brake Type:**	Air		
Owner Name:	CITY OF LETHBRIDGE				
Address:	910 4 AVE S				
City:	LETHBRIDGE	**Province:**	AB	**Postal Code:**	T1J0P6
Telephone Number:	(403) 320-3959				
Vehicle Identification Number:	1HTWGAZR1CJ615378				
Make:	**International**	**Model:**	**7000 Series**		
Year:	**2012**	**Unit Number:**	**11312**		
Odometer:	122714 KM	**Licence Plate Number:**	BZY6524	**Province:**	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	**Facility Number:**
Southland International Trucks Ltd.	**10239**
Inspection Technician Name:	**Technician Number:**
Howerd Gorman	**B2166**
Inspection Technician Signature:	Howerd Gorman
Inspection Date:	**2025/07/17**

Expires : 2026/07/31

Version No:1

Alberta Government

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle	Gross Vehicle Weight registered
Truck	25400 kg

Vehicle Information

VIN 1 H T W G A Z R 1 C J 6 1 5 3 7 8

Unit Number	Year	Make	Model	Odometer
11312	2012	International	7000 Series	122,714

Registered Owner's Name	Plate Number
CITY OF LETHBRIDGE	BZY6524

Address	Postal Code	Phone Number
910 4 AVE S	T1J0P6	(403) 320-3959

Drum Brakes: A-Full Inspection with Drum Removed Disc Brakes:

LEFT		FRONT	RIGHT	
NA	in	Drums/Rotors	NA	in
12/16	in	Linings/Pads	12/16	in
1	in	Push Rod Travel	1	in

100 psi, 12 in | 100 psi, 12 in

LEFT		FRONT	RIGHT	
NA	in	Drums/Rotors	NA	in
12/16	in	Linings/Pads	12/16	in
1.75	in	Push Rod Travel	1.75	in

100 psi, 9 in | 100 psi, 9 in | 100 psi, 8 in | 100 psi, 8 in

LEFT		FRONT	RIGHT	
NA	in	Drums/Rotors	NA	in
12/16	in	Linings/Pads	12/16	in
1.75	in	Push Rod Travel	1.75	in

100 psi, 13 in | 100 psi, 13 in | 100 psi, 15 in | 100 psi, 15 in

LEFT		FRONT	RIGHT	
	in	Drums/Rotors		in
	in	Linings/Pads		in
	in	Push Rod Travel		in

___ psi, ___ in | ___ psi, ___ in | ___ psi, ___ in | ___ psi, ___ in

LEFT		FRONT	RIGHT	
	in	Drums/Rotors		in
	in	Linings/Pads		in
	in	Push Rod Travel		in

___ psi, ___ in | ___ psi, ___ in | ___ psi, ___ in | ___ psi, ___ in

LEFT		FRONT	RIGHT	
	in	Drums/Rotors		in
	in	Linings/Pads		in
	in	Push Rod Travel		in

___ psi, ___ in | ___ psi, ___ in | ___ psi, ___ in | ___ psi, ___ ir

Park Brake Lining Left NA in Right NA in Trans NA in

Wheel Torque Checked ☑ Inner NA ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓		
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓		
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal			✓	1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.7. Engine/Shut Down	✓						

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓		
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓		
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓		
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓
3A.10. Towing Vehicle (Tractor) Protection System			✓	3A.23. Brake Performance			✓

P=PASS F=FAIL NA=Not Applicable

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

NOTES:
FREE UP CLEVIS PINS AND LUBE

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack			✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓		
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓
5.7. Windshield Wiper/Washer	✓						

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)			✓
7.2. Battery	✓						

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓		
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
Vehicle							
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓

NOTES:
INSTALL PS OVER DOOR MIRROR BRACKET

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:
TORQUE WHEELS TO SPEC 500 LBS
ADJUST AIR PRESSURE TO SPEC 100 PSI

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓		
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:
LUBE AND ADJUST FIFTH WHEEL

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8413514) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2025/07/17	B2166	10239	Howard Boman

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)
2025/07/17
Customer Signature

RITCHIE BROS.
Auctioneers®

Disclaimer

The information contained in this folder has been provided by the consignor and had not been certified by Ritchie Bros. Auctioneers

Ritchie Bros. Auctioneers in no way certifies the completeness or accuracy of this information

Please inspect the equipment. It is "sold as is" no warranties made or implied

---

Brennan LeBlanc
Divisional Operations Manager
Western Canada Agriculture