



Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	29000 kg	Brake Type:	Air
Owner Name:	City of Lethbridge		
Address:	910 4 ave South		
City:	Lethbridge	Province:	AB
Postal Code:	T1J 0P6		
Telephone Number:	(403) 320-3111		
Vehicle Identification Number:	1FVHC7DVXBHBA6439		
Make:	Freightliner	Model:	Freightliner M2
Year:	2011	Unit Number:	11206
Odometer:	214774 KM	Licence Plate Number:	CCK5969
Province:	AB		

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Foothills Fleet (Lethbridge) Inc	20280
Inspection Technician Name:	Technician Number:
Ammon Bullock	C8713
Inspection Technician Signature:	
Inspection Date:	2025/10/30

2026/10/30

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered												
Truck										29000 kg												
Vehicle Information																						
VIN	1	F	V	H	C	7	D	V	X	B	H	B	A	6	4	3	9					
Unit Number 11206				Year 2011				Make Freightliner				Model Freightliner M2				Odometer 214,774						
Registered Owner's Name City of Lethbridge														Plate Number CCK5969								
Address 910 4 ave South												Postal Code T1J 0P6				Phone Number (403) 320-3111						

Drum Brakes: A-Full Inspection with Drum Removed

Disc Brakes:

		<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>			
100 psi 9 mm	mm	421.57	mm	Drums/Rotors	421.68	mm	100 psi 12 mm	mm	
		14	mm	Linings/Pads	13	mm			
		30	mm	Push Rod Travel	30	mm			
100 psi 18 mm	100 psi 19 mm	mm	420.53	mm	Drums/Rotors	421.04	mm	100 psi 18 mm	100 psi 18 mm
			20	mm	Linings/Pads	20	mm		
			40	mm	Push Rod Travel	40	mm		
100 psi 18 mm	100 psi 19 mm	mm	420.97	mm	Drums/Rotors	420.66	mm	100 psi 18 mm	100 psi 19 mm
			19	mm	Linings/Pads	19	mm		
			45	mm	Push Rod Travel	45	mm		
psi mm	psi mm	mm		mm	Drums/Rotors		mm	psi mm	psi mm
				mm	Linings/Pads		mm		
				mm	Push Rod Travel		mm		
psi mm	psi mm	mm		mm	Drums/Rotors		mm	psi mm	psi mm
				mm	Linings/Pads		mm		
				mm	Push Rod Travel		mm		
psi mm	psi mm	mm		mm	Drums/Rotors		mm	psi mm	psi mm
				mm	Linings/Pads		mm		
				mm	Push Rod Travel		mm		

Park Brake Lining Left NA mm Right NA mm Trans NA mm
 Wheel Torque Checked ☒ Inner NA ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓			
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System				✓
1.5. Clutch and Clutch Pedal			✓	1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*				✓
1.7. Engine/Shut Down	✓							

NOTES:

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System				✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓			
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

NOTES:

FRONT SPRING PIN BUSHINGS WORN - REPLACED

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components				✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake				✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake				✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake				✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)				✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System				✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance				✓
3H.12. Drum Brake System Components			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓			
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓			
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)				✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components				✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓			
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System				✓
3A.10. Towing Vehicle (Tractor) Protection System			✓	3A.23. Brake Performance				✓

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes									
Component	P	F	NA	Component	P	F	NA		
3A.11. Parking Brake & Emergency Application	✓								

NOTES:
AIRLEAK NEAR COMPRESSOR - REPAIRED
#1 BRAKE POT LEAKING - REPLACED

Section 4 - Steering									
Component	P	F	NA	Component	P	F	NA		
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓				
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓				
4.3. Steering Operation (Active Steer Axle)	✓								

NOTES:
POWER STEERING FLUID LOW - FILLED

Section 5 - Instruments and Auxiliary Equipment									
Component	P	F	NA	Component	P	F	NA		
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓				
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater					✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack					✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓				
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓				
5.7. Windshield Wiper/Washer	✓								

NOTES:

Section 6 - Lamps									
Component	P	F	NA	Component	P	F	NA		
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓				
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓				
6.3. Retro-Reflective Marking	✓								

NOTES:
TAIL LIGHTS & REAR MARKER LIGHTS OBSTRUCTED - REPAIRED

Section 7 - Electrical System									
Component	P	F	NA	Component	P	F	NA		
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)					✓
7.2. Battery	✓								

NOTES:

Section 8 - Body									
Component	P	F	NA	Component	P	F	NA		
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓				
8.2. Tilt Cab			✓	8.13. Windshield	✓				
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓				
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓				
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓				
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓				
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓				
8.8. Cab or Cargo Door	✓			8.19. Seat	✓				
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓				
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓				

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
Vehicle						
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment		✓

NOTES:

CAB AIRBAG RUBBED - REPLACED
LEFT FRONT FENDER MISSING HARDWARE - REPAIRED
BOX WELDS CRACKED -REOPAIRED
RIGHT TAILGATE LOCK JAW LOOSE - REPAIRED
REAR MUDFLAPS TORN - REPLACED

Section 9 - Tires and Wheels						
Component	P	F	NA	Component	P	F NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓	
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim		✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System		✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓	
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓	
9.6. Wheel Bearing	✓					

NOTES:

#1 LEFT HUB SEAL LEAKING- REPLACED
3 FLAT TIRES REPAIRED

Section 10 - Couplers and Hitches						
Component	P	F	NA	Component	P	F NA
10.1. Hitch Assembly, Structure & Attaching Components			✓	10.5. Roll-Coupling Hitch		✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device		✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler		✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler		✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8370615) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2025/10/22	C8713	20280	

Customer Acknowledgment	
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.	Date (Year/Month/Day) 2025/10/30
	Customer Signature



Disclaimer

The information contained in this folder has been provided by the consignor and had not been certified by Ritchie Bros. Auctioneers

Ritchie Bros. Auctioneers in no way certifies the completeness or accuracy of this information

Please inspect the equipment. It is “sold as is” no warranties made or implied

Brennan LeBlanc
Divisional Operations Manager
Western Canada Agriculture