



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Typ	Vehicle Type: Truck					Cap	acity	:					
GVW:		29937 kg			Brake 7	Гуре:			Air				
Owner Nam													
Address:	910	4 AVE S											
City:	City: LETHBRIDGE Prov									Posta	I Code:	T1J	0P6
Telephone	Num	ber: (403) 32	20-395	59									
Vehicle Ide	ntific	ation Number:		11-	ITWNAZ	T7CJ!	58899	95					
Make:	lı	nternational					Mod	del: 7	000 Se	ries			
Year: 2012							Uni	t Num	ber:		12303		
Odometer: 91948 KM Licence				ence	Plate Nu	:	RAD696			Province	e:	AB	

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:		Facility Number:	
Southland International Trucks	Ltd.	10239	
Inspection Technician Name:		Technician Number:	
Howerd Gorman		B2166	
Inspection Technician Signature	e:	Theory Mynner	_
Inspection Date:	2025/01/06	The state of the s	

2026/01/06



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of	Veh	lcle											Gro	ss Ve	hicle	We	ght re	gistere	d		
Truck																29	9937	kg			
Vehicle I	_		on										· · · · · · · · · · · · · · · · · · ·						,		
VIN .	1	Н		T	V	V	N	Α	Z	T 7		C	J	5	{	В	8	9	9	5	
Unit N	umb	er			Yea	r			Ma	ke		<u> </u>	Mod	lel		بلسب	Odometer				
123	12303 2012							i.	nterna	tional			7000 9	Series			91,948				
	Register						gistered	Owner	's Name		•						Plate	Numbe	r		
CIT							(CITY OF	LETHB	RIDGE								RAL	2696		
						A	ddres	S						Posta	i Cod	le		Pho	one Nur	nber	
910 4 AVE S						/ES						T1J	10P6			(403	320-3	959			
Dru	ım Rı	rakes:		B-W	neel-o	n Fi	ıli İnsp	ection			Dier	Brakes	<u>. </u>					<u> </u>			
			_										· 			_					
				_				LEFT			ONT		RIGH	_		1]				
	100 psi 16.522						in In		s/Rotors		16.5	23 in /16 in			101	0 psi					
	18 in 16/16				1.5	in		gs/Pads Rod Trav			1.5 In			10	- 6 in						
		<u> </u>				_	-	16.525	in	Drum	s/Rotors	1	16.5	32 in							
100	-	-	100	psi		-	<u>-</u>	14/16	in		gs/Pads			/16 In				psi Y	100 p	- 1	
	in	人_	20	In				1.5	in	Push F	tod Trav	el		1.5 in			1		19 ir	ソ	
				_				16.528	in	Drum	s/Rotors		16.5	i23 in						_	
_) psi	Ϊ.		psl		ļ -		14/16	in		gs/Pads			/16 in			100	- ·		si)	
21	l In	人_	21	in		_		1.5	in	Push R	od Trav	el	1.5 in					2 in \	20 ir	ני	
		_							la.		- (5-4										
(psi	Υ _		laq] –			in In		s/Rotor gs/Pads		_	(in In	- 1		<u> </u>	psi	ps	si)	
	in	人 <u>.</u>		in		-			In		od Trav			in				in	in		
						L==						· -								ノ	
	i	γ^-		psi					In	Drum	s/Rotors	3		in			_				
	- in	-		in psi		_			In		gs/Pads			in	ſ			psi	p	- (
		<u> </u>	=	-1		L <u>-</u>	<u> </u>		in	Push R	od Trav	el ———		in			_	in	in	J	
		Υ_				Γ			in	Drums	/Rotors			in							
_	_ psi in	-		psi in		 _			in	Lining	gs/Pads			in	-			psi	ps		
	- '''	人。	_	/		L			In	Push R	od Trav	el _		in			_	in	<u> </u>	ノ	
							rake ∐r e! Torqu	ning L ue Check	eft N/	A_in Inner_	Right _ NA	NA i	,,,,,,		in						

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train												
Component	P	F	NA	Component	P	F	N/					
1.1. Accelerator Pedal/Throttle Actuator	Y			1.8. Engine Start Safety Feature	V							
1.2. Exhaust System	✓		1	1.10. Engine or Accessory Drive Belt	\							
1.3. Emission Control Systems and Devices	✓			1.9. Gear Position Indicator	Y		<u>L</u> _					
1.4. Drive Shaft	~			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			~					
1.5. Clutch and Clutch Pedal			1	1.12. Gasoline or Diesel Fuel System	\							
1.6. Engine/Transmission Mount	~			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			'					
1.7. Engine/Shut Down	✓		T				T					

NOTES:

		API	PEN	DIX "A"			
Component	P	F	NA	Component	P	F	= N/
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			V	A.3. Liquefied Natural Gas (LNG) Fuel System		1_	__
A.2. Compressed Natural Gas (CNG) Fuel System	ı		/				止

NOTES:

Section 2 - Suspension											
Component	P	1	F	NA	Component	P	F	NA			
2.1. Suspension & Frame Attachments	✓	1			2.5. Air Suspension			V			
2.2. Axle Attaching & Tracking Components	/				2.6. Self-Steer and Controlled-Steer Axle		L	1			
2.3. Axle & Axle Assembly	✓	Ĺ			2.7. Shock Absorber/Strut Assembly	✓	L	丄			
2.4. Spring & Spring Attachment		1					<u> </u>				

NOTES:

	Section 3H - Hydraulic Brakes												
Component	P	F	NA	Component	P	F	NA						
3H.1. Hydraulic System Components			1	3H.13. Disc Brake System Components			区						
3H.2. Brake Pedal/Actuator			1	3H.14. Mechanical Parking Brake		\perp	<u> </u>						
3H.3. Vacuum Assist (Boost) System		<u> </u>	1	3H.15. Spring-Applied Air-Released Parking Brake		_	1~						
3H.4. Hydraulic Assist (Boost) System			1	3H.16. Spring-Applied Hydraulic-Released Parking Brake		_	┵						
3H.5. Air Assist (Boost) System			1/	3H.17. Anti-Lock Brake System (ABS)		_	1						
3H.6. Alr-Over-Hydraulic Brake System			1	3H.18. Stability Control System		↓_	14						
3H.11. Brake System Indicator Lamps			1	3H.19. Brake Performance		╄	┵						
3H.12. Drum Brake System Components			1			⊥_							

NOTES:

	Se	ctic	n i	3A -	Air Brakes			
Component		P	F	NA	Сотролепт	Р	F	NA
3A.1. Air Compressor		7		_	3A.13. Air System Components	✓		1_
3A.2. Air Supply System		7			3A.14. Brake Chamber	✓	<u> </u>	
3A.4. Air Tank		7			3A.15. Drum Brake System Components		<u></u>	—
3A.5. Air Tank Check Valves		7			3A.16. S-Cam Drum Brake System	✓	L	↓_
3A.6. Brake Pedal/Actuator		7			3A.17. Brake Shoe Travel (Wedge Brakes)		_	1
3A.7. Treadle Valve and Trailer Hand Valve		7			3A.18. Disc Brake System Components			↓ ✓
3A.8. Brake Valves & Controls		1			3A.19. Anti-Lock Brake System (ABS)		_	╁
3A.9. Proportioning, Inversion or Modulation Valve	,	1			3A.21. Stability Control System		<u> </u>	↓ ✓
3A.10. Towing Vehicle (Tractor) Protection System					3A 23. Brake Performance			.ֈፈ.

COMMERCIAL VEHICLE RECORD OF INSPECTION

Ti	RUCK	A	INC	TRUCK-TRACTOR			
	Sect	ion	3A	- Air Brakes			
Component	P	F	= N/	A Component	P	F	NA
3A.11. Parking Brake & Emergency Application					工		
NOTES: FREE UP CLEVIS PINS AND LUBE							
	Se	ctic	on 4	- Steering			
Component	Р	F	= N/	Component	P	F	NA
4.1. Steering Control and Linkage	-			4.4. Kingpin	了		工
4.2. Power Steering System (Hydraulic and Electric)		1		4.5. Self-Steer and Controlled-Steer Axle		<u> </u>	-
A.3. Steering Operation (Active Steer Axie) NOTES:		<u> </u>				<u>1</u>	 _
Section 5	· instru			and Auxiliary Equipment			
Component	P	F	: N/		P	F	NA
5.1. Fire Extinguisher	√	L	\perp	5.8. Heater & Windshield Defroster			+-
5.2. Hazard Warning Kit	_ <	1	+	5.9. Fuel-Burning Auxiliary Heater	+	⊢	-
5.3. Horn		╀	+	5.10. Chain/"Headache" Rack	+	+	- ✓
5.5. Speedometer 5.6. Odometer		╁	+	5.11. Auxillary Controls and Devices	- -	╁	1
5.7. Windshield Wiper/Washer	Y	H	╅	5.12. Auxiliary Drive Controls	+	╁	ᅷ
	Se	ect	lon 6	3 - Lamps			
Component	P	F	: N	A Component	P	F	NA
6.1. Required Lamps	1/	Ι-	+	6.4. Instrument Panel Lamps	╁	H	+
6.2. Reflex Reflector	1			6.5. Headlamp Aim	Ť	Т	1
6.3. Retro-Reflective Marking	✓						
NOTES:			***				
				ctrical System			
Component 7.1. Wiring	P	F	N/		Р	F	NA
7.2. Battery	- \	H	┿	7.3. Trailer Cord (output to towed vehicle)		ļ	\
NOTES: CLEAN AND COAT BATTERY						<u> </u>	<u>1</u>
	Se	ect	ion (3 - Body			
Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	-			8.12. Bumper	1	Ė	
8.2. Tilt Cab	41	_	1	8.13. Windshield	1		
8.3. Air-Suspended Cab 8.4. Cab and Passenger-Vehicle Body			+-	8.14. Side Windows	1		$oxed{\Box}$
8.5. Cargo Body			╁	8.15. Rear Window	14		Ь.
8.6. Frame, Rails & Mounts	7		+✓.	8.16. Interior Sun Visor	1		 _
8.7. Unitized Body Elements	 	-	+	8.17. Exterior Windshield Sun Visor 8.18. Rear-View Mirror	┵┦		<u> </u>
8.8. Cab or Cargo Door			T	8.19. Seat	1		├-
8.9. Cargo Tank or Vessel		_	T	8.20. Seat Belt/Occupant Restraint	1		┼─
8 10. Body. Device or Equipment Attached or Mounted to the	1		1	8.21. Fender/Mud Flap	1		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body											
Component	P	F	NA	Component	P	F	NA				
Vehicle					17. / 20.004 (1.00.0011)						
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			1	8.24. Aerodynamic Device & Attachment		100	1				

NOTES:

	Section	9 -	Tire	s and Wheels			
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	1			9.7. Wheel/Rim (Applies to all wheel types)	1		
9.2. Tire Tread Condition	1			9.8. Multi-Piece Wheel/Rim			1
9.3. Tire Sidewall & Manufacturer Markings	1			9.9. Spoke Wheel/Demountable Rim System			1
9.4. Tire Inflation Pressure	1			9.10. Disc Wheel System	1		
9.5. Wheel Hub	1			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	1		
9.6. Wheel Bearing	1		18.00	· 图和 12 图 · C 以下外,但			

NOTES:

REPLACE STEER AXLE WHEEL SEALS TORQUE WHEELS TO SPEC 500 LBS ADJUST AIR PRESSURE TO SPEC 100 PSI

Section 10 - Couplers and Hitches												
Component	P	F	NA	Component	P	F	NA					
10.1. Hitch Assembly, Structure & Attaching Components			1	10.5. Roll-Coupling Hitch			1					
10.2. Secondary Attachment (Safety Chain or Cable)			1	10.6. Automated Coupling Device			1					
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			1	10.7. Fifth Wheel Coupler			1					
10.4. Ball Type Hitch			1	10.8. Oscillating Fifth Wheel Coupler			1					

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8285161) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature Voevue Tuniur
2025/01/06	B2166	10239	
Customer Acknowledgment I understand if a vehicle inspectio	n identifies defects and repairs are re	equired, once repaired, the vehicle	Date (Year/Month/Day) 2025/01/06

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Customer Signature

Proc 4 of 4



Disclaimer

The information contained in this folder has been provided by the consignor and had not been certified by Ritchie Bros. Auctioneers

Ritchie Bros. Auctioneers in no way certifies the completeness or accuracy of this information

Please inspect the equipment. It is "sold as is" no warranties made or implied

Brennan LeBlanc Divisional Operations Manager Western Canada Agriculture