

006-22



CV8555855



80087700008555855

CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	15000 kg	Brake Type:	Hydraulic
Owner Name:	SOUTHREN CONNECTIONS INC		
Address:	1707 19THAVE		
City:	COALDALE	Province:	AB
		Postal Code:	T1M1M5
Telephone Number:	(000) 000-0000		
Vehicle Identification Number:	1FD0W5HT9MED32422		
Make:	Ford	Model:	F550
Year:	2021	Unit Number:	BT20
Odometer:	47018 KM	Licence Plate Number:	CJT1769
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Dunner Mechanical Ltd.	18288
Inspection Technician Name:	Technician Number:
Jesse Dunn	A9128
Inspection Technician Signature:	
Inspection Date:	2025/08/20

Expires Aug 20/2025

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered											
Truck										15000 kg											
Vehicle Information																					
VIN	1	F	D	0	W	5	H	T	9	M	E	D	3	2	4	2	2				
Unit Number				Year				Make				Model				Odometer					
BT20				2021				Ford				F550				47,018					
Registered Owner's Name																Plate Number					
SOUTHREN CONNECTIONS INC																CJT1769					
Address												Postal Code				Phone Number					
1707 19TH AVE												T1M1M5				(000) 000-0000					

Drum Brakes:

Disc Brakes: D-Full Inspection Wheel Removed

		LEFT		FRONT		RIGHT			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">9 mm</div>		38.96 mm		Drums/Rotors		38.85 mm		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">9 mm</div>	
		11 mm		Linings/Pads		12 mm			
		NA mm		Push Rod Travel		NA mm			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">9 mm</div>		38.78 mm		Drums/Rotors		38.98 mm		<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">100 psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">10 mm</div>	
		9 mm		Linings/Pads		9 mm			
		NA mm		Push Rod Travel		NA mm			
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">mm</div>				Drums/Rotors				<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">mm</div>	
				Linings/Pads					
				Push Rod Travel					
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">mm</div>				Drums/Rotors				<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">mm</div>	
				Linings/Pads					
				Push Rod Travel					
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">mm</div>				Drums/Rotors				<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">mm</div>	
				Linings/Pads					
				Push Rod Travel					
<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">mm</div>				Drums/Rotors				<div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">psi</div> <div style="border: 1px solid black; border-radius: 10px; padding: 5px; width: 60px; text-align: center;">mm</div>	
				Linings/Pads					
				Push Rod Travel					

Park Brake Lining Left 3 mm Right 3 mm Trans NA mm
 Wheel Torque Checked ☒ Inner NA ft lbs Outer 160 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓		
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓		
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal			✓	1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.7. Engine/Shut Down	✓						

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension			✓
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓		
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components	✓			3H.13. Disc Brake System Components	✓		
3H.2. Brake Pedal/Actuator	✓			3H.14. Mechanical Parking Brake	✓		
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System	✓			3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)	✓		
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps	✓			3H.19. Brake Performance	✓		
3H.12. Drum Brake System Components			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor			✓	3A.13. Air System Components			✓
3A.2. Air Supply System			✓	3A.14. Brake Chamber			✓
3A.4. Air Tank			✓	3A.15. Drum Brake System Components			✓
3A.5. Air Tank Check Valves			✓	3A.16. S-Cam Drum Brake System			✓
3A.6. Brake Pedal/Actuator			✓	3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve			✓	3A.18. Disc Brake System Components			✓
3A.8. Brake Valves & Controls			✓	3A.19. Anti-Lock Brake System (ABS)			✓
3A.9. Proportioning, Inversion or Modulation Valve			✓	3A.21. Stability Control System			✓
3A.10. Towing Vehicle (Tractor) Protection System			✓	3A.23. Brake Performance			✓

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application			✓				

NOTES:

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin			✓
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓		
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack			✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓		
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓
5.7. Windshield Wiper/Washer	✓						

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)			✓
7.2. Battery	✓						

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab			✓	8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓		
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor			✓
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
Vehicle						
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment		✓


NOTES:

Section 9 - Tires and Wheels						
Component	P	F	NA	Component	P	F NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓	
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim		✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System		✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓	
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓	
9.6. Wheel Bearing	✓					

NOTES:

Section 10 - Couplers and Hitches						
Component	P	F	NA	Component	P	F NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch		✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device		✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler		✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler		✓

NOTES:

Certification			
The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8555855) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.			
Date of Inspection 2025/08/20	Technician Number A9128	Facility Number 18288	Signature 
Customer Acknowledgment			
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.			Date (Year/Month/Day) 2025/08/20
			Customer Signature