



# **CERTIFICATE NUMBER**

# **Commercial Vehicle Inspection Certificate Traffic Safety Act**

# PART 1 - VEHICLE OWNER AND VEHICLE **IDENTIFICATION**

Vehicle Typ	e:	Truck			Seating	Cap	acity	<b>'</b> :					
GVW:		46500 kg			Brake 1	Гуре:			Air				
Owner Nam	e:	TRUCKIN BELL	TRA	NSPC	ORT LTD						-		
Address: BOX 311					1.16								
City:	NOI	BLEFORD		Prov	rince:	AB				Posta	al Code:	TOL	1S0
Telephone	Num	ber: (587) 22	0-233	39									
Vehicle Ide	ntific	ation Number:		3 <i>P</i>	\KJGND\	/5GD	HD84	453					
Make:	F	reightliner					Мо	del:	Conven	tional			
Year: 2016							Unit Number:				022		
Odometer: 1693415 KM Lice		ence	ce Plate Number			U464	64		Province	e:	AB		

# IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

#### **PART 2 - CERTIFICATION**

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:			Facility Number:		
1986254 Alberta Ltd.		19083			
Inspection Technician Name:			Technician Number:		
Abraham Neudorf	_		D1740		
Inspection Technician Signature:		A	24		
Inspection Date:	2025/11/18				

2026/11/18



The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

ype o ruck	f Vehi	icle									Gro	ss Ver	AND DESCRIPTION OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN THE PERSON NAMED I	eight reg 6500 k	AND DESCRIPTION OF THE PERSON NAMED IN	a		
														10000	v9			
IN	e Info	rmation <b>A</b>	K	J	G	N	D	V	5	G	D	Н	D	8	4	5		
	Jnit Number Year 022 2016						Mak Freight				Mod Conver			Odometer 1,693,415				
								's Name SPORT I								Number 3464		
				, List	Address BOX 31				s101			Postal T0L				one Nun 7) 220-2		
	Orum Bi	rakes:	A-Fı	ıll Inspe	ction with	Drum Re	emoved		Disc I	Brakes:								
						LEFT		FR	ONT		RIGH	Ξ						
		100	psi			419.78	mm	Drums	s/Rotors		419.	80 mi	m	100	psi			
			mm	-		20	mm		gs/Pads	W.		20 mi		-	mm			
				L		38	mm	Push R	Rod Trave	l		39 mi	m					
		V				419.60	mm	Drums	s/Rotors		419.	67 mi	m					
1	N/A psi		•	-		21	mm	Linings/Pads				19 mi	m		psi	N/A p		
	N/A mn	1	7 mm			38	mm	Push Rod Travel				38 mi	m	18	mm	N/A m	ım	
_						419.67	mm	Drum	s/Rotors		419.	67 m	m					
_	N/A ps	i 10	5 psi			18	mm	Linin	gs/Pads			18 m			psi	N/A p	si	
_	N/A mr	n 1	7 mm			39	mm		od Trave			39 m	m	17	mm	N/A m	ım	
							11											
	ps	i	psi				mm		s/Rotors			mr	n		psi	ps	si	
-	mr	n	mm				mm		igs/Pads			mr			mm	m	ım	
_			/				mm	Pusn R	Rod Trave			mı	n				)	
	ps	i	psi				mm		s/Rotors			mr	n					
-	— po		_ mm				mm		gs/Pads	_		mr	n		psi	ps		
_				L			mm	Push R	lod Trave	_		mr	n	_	mm		ım	
	2000		n-!				mm	Drums	s/Rotors			mr	n			200 1100	$\overline{}$	
-	ps mr		psi mm				mm	Lining	gs/Pads	_		mr	n		psi	ps		
(-		"\_					mm	Push R	Rod Trave	l		mr	n	_	mm	mi	m	

Section 1 - Power Train											
Component	P	F	NA	Component	P	F	NA				
1.1. Accelerator Pedal/Throttle Actuator	1			1.8. Engine Start Safety Feature	1						
1.2. Exhaust System	1			1.9. Gear Position Indicator	1						
1.3. Emission Control Systems and Devices	1			1.10. Engine or Accessory Drive Belt	1		1				
1.4. Drive Shaft	<b>/</b>			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System		4	1				
1.5. Clutch and Clutch Pedal			1	1.12. Gasoline or Diesel Fuel System	1						
1.6. Engine/Transmission Mount	1			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*		alf	1				
1.7. Engine/Shut Down	1				la le						

# NOTES:

APPENDIX "A"											
Component	P	F	NA	Component	P	F	NA				
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			1	A.3. Liquefied Natural Gas (LNG) Fuel System			1				
A.2. Compressed Natural Gas (CNG) Fuel System			1	The bast per all the case described with the							

#### NOTES:

Section 2 - Suspension											
Component	P	F	NA	Component	P	F	NA				
2.1. Suspension & Frame Attachments	1			2.5. Air Suspension	1						
2.2. Axle Attaching & Tracking Components	1			2.6. Self-Steer and Controlled-Steer Axle	1						
2.3. Axle & Axle Assembly	1			2.7. Shock Absorber/Strut Assembly	1						
2.4. Spring & Spring Attachment	1				100						

### NOTES:

	Section 3H - Hydraulic Brakes												
Component	P	F	NA	Component	Р	F	NA						
3H.1. Hydraulic System Components			1	3H.13. Disc Brake System Components			1						
3H.2. Brake Pedal/Actuator			1	3H.14. Mechanical Parking Brake			1						
3H.3. Vacuum Assist (Boost) System			1	3H.15. Spring-Applied Air-Released Parking Brake			1						
3H.4. Hydraulic Assist (Boost) System			1	3H.16. Spring-Applied Hydraulic-Released Parking Brake			1						
3H.5. Air Assist (Boost) System			1	3H.17. Anti-Lock Brake System (ABS)			1						
3H.6. Air-Over-Hydraulic Brake System			1	3H.18. Stability Control System			1						
3H.11. Brake System Indicator Lamps			1	3H.19. Brake Performance			1						
3H.12. Drum Brake System Components			1										

#### NOTES:

	Secti	on 3	3A -	Air Brakes			
Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	1			3A.13. Air System Components	1		
3A.2. Air Supply System	1			3A.14. Brake Chamber	<b>✓</b>		
3A.4. Air Tank	1			3A.15. Drum Brake System Components	<b>✓</b>		
3A.5. Air Tank Check Valves	1			3A.16. S-Cam Drum Brake System	<b>✓</b>		
3A.6. Brake Pedal/Actuator	1			3A.17. Brake Shoe Travel (Wedge Brakes)			1
3A.7. Treadle Valve and Trailer Hand Valve	1			3A.18. Disc Brake System Components			1
3A.8. Brake Valves & Controls				3A.19. Anti-Lock Brake System (ABS)	1		
3A.9. Proportioning, Inversion or Modulation Valve	1			3A.21. Stability Control System	1		
3A.10. Towing Vehicle (Tractor) Protection System	1			3A.23. Brake Performance	1		

	Secti	ion	3A - A	ir Brakes			
Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	1						

#### NOTES:

# -REPLACED BRAKES AS NEEDED

Section 4 - Steering								
Component	P	F	NA	Component	P	F	NA	
4.1. Steering Control and Linkage	1			4.4. Kingpin	1			
4.2. Power Steering System (Hydraulic and Electric)	1			4.5. Self-Steer and Controlled-Steer Axle	1			
4.3. Steering Operation (Active Steer Axle)	1			Y	I Mary			

### NOTES:

Section 5 - Instruments and Auxiliary Equipment											
Component	P	F	NA	Component	P	F	NA				
5.1. Fire Extinguisher	1			5.8. Heater & Windshield Defroster	<b>✓</b>						
5.2. Hazard Warning Kit	1			5.9. Fuel-Burning Auxiliary Heater	<b>✓</b>						
5.3. Horn	1	4		5.10. Chain/"Headache" Rack	11850		1				
5.5. Speedometer	1			5.11. Auxiliary Controls and Devices			1				
5.6. Odometer	1			5.12. Auxiliary Drive Controls	The state of the s		1				
5.7. Windshield Wiper/Washer	/										

#### NOTES:

Section 6 - Lamps											
Component	P	F	NA	Component	P	F	NA				
6.1. Required Lamps	1			6.4. Instrument Panel Lamps	1						
6.2. Reflex Reflector	/			6.5. Headlamp Aim	/						
6.3. Retro-Reflective Marking	1	16		AND PROPERTY AND A SECOND PORT OF THE PARTY.							

### NOTES:

	Section	7 -	Elec	trical System			
Component	P	F	NA	Component	P	F	NA
7.1. Wiring	1			7.3. Trailer Cord (output to towed vehicle)	1		
7.2. Battery	1	-					

# NOTES:

	S	ecti	on 8	- Body			
Component	P	F	NA	Component	Р	F	NA
8.1. Hood or Engine Enclosure	1			8.12. Bumper	1		
8.2. Tilt Cab	1			8.13. Windshield	<b>✓</b>		
8.3. Air-Suspended Cab	1			8.14. Side Windows	<b>✓</b>		
8.4. Cab and Passenger-Vehicle Body	1			8.15. Rear Window			1
8.5. Cargo Body	/			8.16. Interior Sun Visor	<b>✓</b>		
8.6. Frame, Rails & Mounts	1			8.17. Exterior Windshield Sun Visor	1		
8.7. Unitized Body Elements	1			8.18. Rear-View Mirror	1		
8.8. Cab or Cargo Door	1			8.19. Seat	<b>✓</b>		
8.9. Cargo Tank or Vessel			1	8.20. Seat Belt/Occupant Restraint	<b>✓</b>		
8.10. Body, Device or Equipment Attached or Mounted to the	1			8.21. Fender/Mud Flap	<b>✓</b>		

	S	ecti	ion 8	- Body			
Component	P	F	NA	Component	Р	F	NA
Vehicle							
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			1	8.24. Aerodynamic Device & Attachment			1

#### NOTES:

	Section	9 -	Tire	s and Wheels			
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	1			9.7. Wheel/Rim (Applies to all wheel types)	1		
9.2. Tire Tread Condition	1			9.8. Multi-Piece Wheel/Rim			1
9.3. Tire Sidewall & Manufacturer Markings	1			9.9. Spoke Wheel/Demountable Rim System		T	1
9.4. Tire Inflation Pressure	1			9.10. Disc Wheel System	1		
9.5. Wheel Hub	1			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	1		
9.6. Wheel Bearing	1						121

### NOTES:

Se	ection 10	- C	oup	ers and Hitches			
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	1			10.5. Roll-Coupling Hitch			1
10.2. Secondary Attachment (Safety Chain or Cable)			1	10.6. Automated Coupling Device			1
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			1	10.7. Fifth Wheel Coupler			1
10.4. Ball Type Hitch			1	10.8. Oscillating Fifth Wheel Coupler	7		1

#### NOTES:

#### Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8342517) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2025/11/17	Technician Number D1740	Facility Number 19083	Signature
Customer Acknowledgment			
understand if a vehicle inspection	n identifies defects and repairs are re	quired, once repaired, the vehicle	Date (Year/Month/Day)
and this Record of Inspection (RC he initial inspection and only the	n identifies defects and repairs are re II) may be presented to any Vehicle In failed items noted on this ROI are req ection within 10 days of the initial dat	spection Facility within 10 days of uired to be re-inspected. If the	Date (Year/Month/Day) 2025/11/18



# **Disclaimer**

The information contained in this folder has been provided by the consignor and had not been certified by Ritchie Bros. Auctioneers

Ritchie Bros. Auctioneers in no way certifies the completeness or accuracy of this information

Please inspect the equipment. It is "sold as is" no warranties made or implied

Brennan LeBlanc Divisional Operations Manager Western Canada Agriculture