



**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	DENNIS' DIRTWORX LTD		
Address:	PO BOX 1341		
City:	COALDALE	Province:	AB
		Postal Code:	T1M1N2
Telephone Number:	(403) 345-3539		
Vehicle Identification Number:	1XPXD49X9AD101590		
Make:	Peterbilt	Model:	389
Year:	2010	Unit Number:	
Odometer:	1563445 KM	Licence Plate Number:	
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Caps Diesel & Automotive Ltd	15737
Inspection Technician Name:	Technician Number:
Age Dejong	A8743
Inspection Technician Signature:	
Inspection Date:	2026/08/20

2007108120



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered									
Truck										kg									
Vehicle Information																			
VIN	1	X	P	X	D	4	9	X	9	A	D	1	0	1	5	9	0		
Unit Number			Year			Make			Model			Odometer							
			2010			Peterbilt			389			1,563,445							
Registered Owner's Name															Plate Number				
DENNIS' DIRTWORX LTD																			
Address										Postal Code					Phone Number				
PO BOX 1341										T1M1N2					(403) 345-3539				

Drum Brakes: A-Full Inspection with Drum Removed

Disc Brakes:

		LEFT		FRONT		RIGHT			
90 psi	9 mm	382.79 mm	Drums/Rotors	382.88 mm		95 psi	9 mm		
		13.74 mm	Linings/Pads	12.59 mm					
		32.45 mm	Push Rod Travel	33.01 mm					
90 psi	95 psi	420.64 mm	Drums/Rotors	420.54 mm		100 psi	95 psi		
15 mm	15 mm	14.98 mm	Linings/Pads	12.98 mm		15 mm	15 mm		
		49.32 mm	Push Rod Travel	34.49 mm					
100 psi	95 psi	420.50 mm	Drums/Rotors	420.01 mm		95 psi	40 psi		
13 mm	12 mm	14.95 mm	Linings/Pads	13.38 mm		10 mm	12 mm		
		42.43 mm	Push Rod Travel	31.32 mm					
psi	psi	mm	Drums/Rotors	mm		psi	psi		
mm	mm	mm	Linings/Pads	mm		mm	mm		
		mm	Push Rod Travel	mm					
psi	psi	mm	Drums/Rotors	mm		psi	psi		
mm	mm	mm	Linings/Pads	mm		mm	mm		
		mm	Push Rod Travel	mm					
psi	psi	mm	Drums/Rotors	mm		psi	psi		
mm	mm	mm	Linings/Pads	mm		mm	mm		
		mm	Push Rod Travel	mm					
Park Brake Lining Left <u>N/A</u> mm Right <u>N/A</u> mm Trans <u>N/A</u> mm									
Wheel Torque Checked ☒ Inner <u>N/A</u> ft lbs Outer <u>550</u> ft lbs									

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓			
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System				✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG)				✓
1.7. Engine/Shut Down	✓			* SEE APPENDIX A*				

NOTES:
PASSES AT TIME OF INSPECTION

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System				✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:
N/A

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓			
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

NOTES:
PASSES AT TIME OF INSPECTION

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components				✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake				✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake				✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake				✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)				✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System				✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance				✓
3H.12. Drum Brake System Components			✓					

NOTES:
N/A

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓			
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓			
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)				✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components				✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓			
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System	✓			
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

NOTES:

AIR BUILD TIME 31sec 85-100, LOW AIR 70psi, TPV 75psi, CUT-IN/OUT 85-130
AXLE #2 & #3 ALL DRUMS & LININGS HEAT CRACKED/SCORED/HEAT-GLAZED PAST SPEC, REPAIRED
AXLE #2 L/S & #3 L/S S-CAM OVER 90° BOTH, AXLES PUSH ROD MORE THAN 6mm DIFF, PROPER SET-UP DONE,
ADVISED OWNER TO MONITOR BRAKE SET-UPS

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓		
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

KINGPIN PLAY 1.5mm

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater	✓		
5.3. Horn	✓			5.10. Chain/"Headache" Rack			✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices			✓
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓
5.7. Windshield Wiper/Washer	✓						

NOTES:

PASSES AT TIME OF INSPECTION

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:

PASSES AT TIME OF INSPECTION

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

NOTES:

PASSES AT TIME OF INSPECTION

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window			✓
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓	
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓	
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment		✓

NOTES:

PASSES AT TIME OF INSPECTION

Section 9 - Tires and Wheels						
Component	P	F	NA	Component	P	F NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓	
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim		✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System		✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System		✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓	
9.6. Wheel Bearing	✓					

NOTES:

MONITOR WHEEL TORQUES AND PRESSURES
RE-TORQUE ALL WHEELS AT 100km TO 550ft/LBS
ALL WHEELS BALANCED TO 100psi
MONITOR AXLE #3 R/S OUTER PSI TO BE MONITORED, HOLDING AT THIS TIME

Section 10 - Couplers and Hitches						
Component	P	F	NA	Component	P	F NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch		✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device		✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓	
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler		✓

NOTES:

PASSES AT TIME OF INSPECTION

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8731066) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2026/08/20	A8743	15737	


Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/08/20

Customer Signature





Disclaimer

The information contained in this folder has been provided by the consignor and had not been certified by Ritchie Bros. Auctioneers

Ritchie Bros. Auctioneers in no way certifies the completeness or accuracy of this information

Please inspect the equipment. It is “sold as is” no warranties made or implied

Brennan LeBlanc
Divisional Operations Manager
Western Canada Agriculture