



**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	63500 kg	Brake Type:	Air
Owner Name:	WEVER FARMS LTD.		
Address:	PO BOX 100		
City:	BURDETT	Province:	AB
		Postal Code:	T0K0J0
Telephone Number:	(403) 315-9213		
Vehicle Identification Number:	1XKDD49X2DJ959823		
Make:	Kenworth	Model:	Construct
Year:	2013	Unit Number:	
Odometer:	520605 ML	Licence Plate Number:	86N032
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	1215943 Alberta Ltd.	Facility Number:	15363
Inspection Technician Name:	Cameron Daniels	Technician Number:	B3269
Inspection Technician Signature:			
Inspection Date:	2026/06/19		

2027/06/19.



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Truck										Gross Vehicle Weight registered 63500 kg									
Vehicle Information																			
VIN	1	X	K	D	D	4	9	X	2	D	J	9	5	9	8	2	3		
Unit Number				Year 2013				Make Kenworth				Model Construct				Odometer 520,605			
Registered Owner's Name WEVER FARMS LTD.															Plate Number 86N032				
Address PO BOX 100										Postal Code T0K0J0					Phone Number (403) 315-9213				

Drum Brakes: _____
 Disc Brakes: _____
 D-Full Inspection Wheel Removed _____

		<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>			
<div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">17/32 in</div>	_____ in	1.556 in	_____ in	Drums/Rotors	_____ in	1.561 in	_____ in	<div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">17/32 in</div>	_____ in
	_____ in	0.418 in	_____ in	Linings/Pads	_____ in	0.466 in	_____ in		_____ in
	_____ in	n/a in	_____ in	Push Rod Travel	_____ in	n/a in	_____ in		_____ in
<div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">9/32 in</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">8/32 in</div>	_____ in	1.560 in	_____ in	Drums/Rotors	_____ in	1.548 in	_____ in	<div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">6/32 in</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">7/32 in</div>	_____ in
	_____ in	0.499 in	_____ in	Linings/Pads	_____ in	0.573 in	_____ in		_____ in
	_____ in	n/a in	_____ in	Push Rod Travel	_____ in	n/a in	_____ in		_____ in
<div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">17/32 in</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">16/32 in</div>	_____ in	1.507 in	_____ in	Drums/Rotors	_____ in	1.566 in	_____ in	<div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">100 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">22/32 in</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">21/32 in</div>	_____ in
	_____ in	0.090 in	_____ in	Linings/Pads	_____ in	0.691 in	_____ in		_____ in
	_____ in	n/a in	_____ in	Push Rod Travel	_____ in	n/a in	_____ in		_____ in
<div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ in</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ in</div>	_____ in	_____ in	_____ in	Drums/Rotors	_____ in	_____ in	_____ in	<div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ in</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ in</div>	_____ in
	_____ in	_____ in	_____ in	Linings/Pads	_____ in	_____ in	_____ in		_____ in
	_____ in	_____ in	_____ in	Push Rod Travel	_____ in	_____ in	_____ in		_____ in
<div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ in</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ in</div>	_____ in	_____ in	_____ in	Drums/Rotors	_____ in	_____ in	_____ in	<div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ in</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ in</div>	_____ in
	_____ in	_____ in	_____ in	Linings/Pads	_____ in	_____ in	_____ in		_____ in
	_____ in	_____ in	_____ in	Push Rod Travel	_____ in	_____ in	_____ in		_____ in
<div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ in</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ in</div>	_____ in	_____ in	_____ in	Drums/Rotors	_____ in	_____ in	_____ in	<div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ in</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; display: inline-block;">___ in</div>	_____ in
	_____ in	_____ in	_____ in	Linings/Pads	_____ in	_____ in	_____ in		_____ in
	_____ in	_____ in	_____ in	Push Rod Travel	_____ in	_____ in	_____ in		_____ in

Park Brake Lining Left n/a in Right n/a in Trans n/a in
 Wheel Torque Checked Inner n/a ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓		
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓		
1.3. Emission Control Systems and Devices			✓	1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.7. Engine/Shut Down	✓						

NOTES:

u-joint play at forward diff input- replaced

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:

all air bags weathered and cords exposed- replaced

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓		
3A.4. Air Tank	✓			3A.15. Drum Brake System Components			✓
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System			✓
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components	✓		
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System	✓		
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance			✓

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application	✓						

NOTES:

traction control light on
 bolts missing #3 left caliper slide
 brake pad thickness #3 left
 quick release valve at #2 axle broken off mount
 trailer service air line rubbed to cords
 air leaks in dash
 air leaks at air dryer
 air leaks at primary air tank - repaired all

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster			✓
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.10. Chair/"Headache" Rack			✓
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices			✓
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓
5.7. Windshield Wiper/Washer	✓						

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:

left front signal light not working
 right front cl light not working
 cab marker lights not working— repaired all

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window			✓
8.5. Cargo Body			✓	8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Utilized Body Elements	✓			8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓

NOTES:

windshields cracked- replaced

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

#3 right wheel seal leaking-- repaired


Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓		
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED (Certificate #8780081)** the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual

Date of Inspection 2026/06/19	Technician Number B3269	Facility Number 15363	 Signature
---	-----------------------------------	---------------------------------	--

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/06/19

Customer Signature



Disclaimer

The information contained in this folder has been provided by the consignor and had not been certified by Ritchie Bros. Auctioneers

Ritchie Bros. Auctioneers in no way certifies the completeness or accuracy of this information

Please inspect the equipment. It is "sold as is" no warranties made or implied

Brennan LeBlanc
Divisional Operations Manager
Western Canada Agriculture