


CERTIFICATE NUMBER
**Commercial Vehicle Inspection Certificate
Traffic Safety Act**
**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	Ascent Transport Ltd.		
Address:	1901 5 ST		
City:	Nisku	Province:	AB
		Postal Code:	T9E-7V7
Telephone Number:	(789) 979-0679		
Vehicle Identification Number:	2DEGBSE37L2040990		
Make:	Doepker	Model:	Super B Lead
Year:	2020	Unit Number:	GT40A
Odometer:	530222 KM	Licence Plate Number:	6HM003
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE
PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Ascent Transport Ltd.	19815
Inspection Technician Name:	Technician Number:
Christopher Goddard	C9193
Inspection Technician Signature:	
Inspection Date:	2025/08/28



COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle		Gross Vehicle Weight registered																									
Trailer		kg																									
Vehicle Information																											
VIN	2	D	E	G	B	S	E	3	7	L	2	0	4	0	9	9	0										
Unit Number	GT40A	Year	2020	Make	Doepker	Model	Super B Lead	Odometer	530,222																		
Registered Owner's Name				Plate Number				6H3803																			
Ascant Transport Ltd.				Address				1801 5 ST				Postal Code				T9E-7V7				Phone Number				(789) 979-0579			
Drum Brakes:		A-Full Inspection with Drum Removed		Disc Brakes:																							
LEFT		FRONT		RIGHT																							
82 psi		97 psi		420.11 mm		Drums/Rotors		420.37 mm		51 psi		91 psi															
14 mm		13 mm		15 mm		Linkage/Pads		10 mm		11 mm		12 mm															
				38 mm		Push Rod Travel		35 mm																			
100 psi		100 psi		420.11 mm		Drums/Rotors		420.11 mm		83 psi		89 psi															
13 mm		14 mm		15 mm		Linkage/Pads		15 mm		18 mm		15 mm															
				38 mm		Push Rod Travel		38 mm																			
100 psi		100 psi		420.11 mm		Drums/Rotors		420.82 mm		100 psi		100 psi															
14 mm		13 mm		15 mm		Linkage/Pads		15 mm		13 mm		12 mm															
				38 mm		Push Rod Travel		35 mm																			
psi		psi		mm		Drums/Rotors		mm		psi		psi															
mm		mm		mm		Linkage/Pads		mm		mm		mm															
				mm		Push Rod Travel		mm																			
psi		psi		mm		Drums/Rotors		mm		psi		psi															
mm		mm		mm		Linkage/Pads		mm		mm		mm															
				mm		Push Rod Travel		mm																			
Park Brake Lining		Left		N/A		mm		Right		N/A		mm		Tread		N/A		mm									
Wheel Torque Checked		✓		Inner		N/A		8 lbs		Outer		500		8 lbs													

VSSRO12118

P=PASS F=FAIL NA=Not Applicable

Page 1 of 4

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train							
Component	P	F	NA	Component	P	F	NA
1.2. Exhaust System				1.3. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			
NOTES:							
APPENDIX "A"							
Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System				A.3. Liquefied Natural Gas (LNG) Fuel System			
A.2. Compressed Natural Gas (CNG) Fuel System							
NOTES:							
Section 2 - Suspension							
Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments				2.5. Air Suspension			
2.2. Axle Attaching & Tracking Components				2.6. Self-Steer & Controlled-Steer Axle			
2.3. Axle & Axle Assembly				2.7. Shock Absorber/Road Assembly			
2.4. Spring & Spring Attachment							
NOTES:							
Section 3A - Hydraulic Brakes							
Component	P	F	NA	Component	P	F	NA
3A.1. Hydraulic System Components				3A.10. Electric Brake System			
3A.2. Air-Over-Hydraulic Brake System				3A.12. Drum Brake System Components			
3A.7. Surge Brake Controller				3A.13. Disc Brake System Components			
3A.8. Vacuum System				3A.19. Brake Performance			
3A.9. Air-Boosted Trailer Brake System							
NOTES:							
Section 3A - Air Brakes							
Component	P	F	NA	Component	P	F	NA
3A.3. Air System Leaks				3A.16. 5-Gain Drum Brake System			
3A.4. Air Tank				3A.17. Brake Shoe Travel (Wagon Brakes)			
3A.6. Brake Valves & Controls				3A.18. Disc Brake System Components			
3A.12. Parking Brake & Emergency Application				3A.20. Anti-Lock Brake System (ABS)			
3A.13. Air System Components				3A.22. Stability Control System (ESC) or (RSC)			
3A.14. Brake Chamber				3A.23. Brake Performance			
3A.15. Drum Brake System Components							
NOTES:							
AXLE 3 LH SLACK ADJUSTER NOT RATCHETING // AXLE 2 LH SLACK ADJUSTER NOT RATCHETING // AXLE 2 RH PUSHROD TRAVEL @ 2" // AXLE 3 RH BRAKE LININGS AND DRUM GREASE CONTAMINATED - REPAIRED							
Section 4 - Steering							
Component	P	F	NA	Component	P	F	NA
4.1. Steering Control & Linkage				4.5. Self-Steer & Controlled-Steer Axle			
4.4. Knocks							
NOTES:							

VSSRO2918

P=PASS F=FAIL NA=Not Applicable

Page 2 of 4

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 - Instruments and Auxiliary Equipment							
Component	P	F	NA	Component	P	F	NA
5.1. Flag Extinguisher							
NOTES:							
Section 6 - Lamps							
Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps				6.3. Retro-Reflective Markings			
6.2. Reflex Reflector							
NOTES:							
Section 7 - Electrical System							
Component	P	F	NA	Component	P	F	NA
7.1. Wires				7.3. Trailer Cord (level to lowest vehicle)			
7.2. Battery							
NOTES:							
LOOSE WIRING ABOVE AXLE 3							
Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body				8.11. Refrigeration/Heater Unit Fuel System			
8.6. Floor Beams & Mounts				8.21. Fender/Noel Flare			
8.7. Unloaded Body Elements				8.22. Landing Gear on Trailer			
8.8. Cargo Door				8.23. Sliding Axle Assembly (Sliding Beams)			
8.9. Cargo Tank or Vessel				8.24. Arrangement Device & Attachment			
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle				8.25. Rear Impact Guard (RIG)			
NOTES:							
Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth				9.7. Wheel Rim			
9.2. Tire Tread Condition				9.8. Multi-Piece Wheel Rim			
9.3. Tire Stamped & Manufacturer Markings				9.9. Steel Wheel/Aluminum Wheel Rim System			
9.4. Tire Inflation Pressure				9.10. Tire Wheel System			
9.5. Wheel Hub				9.11. Wheel Fasteners (Nuts, Bolts & Spacers)			
9.6. Wheel Bearings							
NOTES:							
Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attachment Components				10.6. Automated Coupling Device			
10.2. Secondary Attachment (Safety Chain or Cable)				10.7. Fifth Wheel Coupler			
10.3. Draw Head, Pin Hitch, or Coupler Head				10.8. Coupling/Fifth Wheel Coupler			
10.4. Ball Type Hitch				10.9. Ball-Bearing Tree Turntable on Trailer			
10.5. Roll-Over Protection							

VSSRO12018

P=PASS F=FAIL NA=Not Applicable

Page 3 of 4

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

NOTES:			
Certification			
The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #0447025) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulations, Alberta Regulation 21/2005 and the applicable Inspection Manual.			
Date of Inspection	Technician Number	Facility Number	Signature
2025/09/28	C9193	19815	
Customer Signature			
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.			
Date (Year/Month/Day)			
2025/09/28			
Customer Signature			

VSSRO2018

P=PASS F=FAIL NA=Not Applicable

Page 4 of 4



CERTIFICATE NUMBER

**Commercial Vehicle Inspection Certificate
Traffic Safety Act**


**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	ASCENT TRANSPORT LTD		
Address:	1901 5 ST		
City:	NISKU	Province:	AB
Postal Code:	T9E7V7		
Telephone Number:	(780) 886-0404		
Vehicle Identification Number:	2DEGBSA22L2040991		
Make:	Doepker	Model:	Super B Pup
Year:	2020	Unit Number:	GT40B
Odometer:	530222 KM	Licence Plate Number:	6HM004
Province:	AB		

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Ascent Transport Ltd.	19815
Inspection Technician Name:	Technician Number:
Christopher Goddard	C9193
Inspection Technician Signature:	
Inspection Date:	2025/08/28



COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle		Gross Vehicle Weight registered															
Trailer		kg															
Vehicle Information																	
VIN	2	D	E	G	B	S	A	2	2	L	2	0	4	0	9	9	1
Unit Number	GT40B	Year	2020	Make	Doepker	Model	Super B Pup	Odometer	530,222								
Registered Owner's Name				Plate Number													
ASCENT TRANSPORT LTD				6HMC04													
Address				Postal Code													
1801 6 ST				T9E7V7													
Phone Number				(780) 868-0404													
Drum Brakes: A-Full Inspection with Drum Removed				Disc Brakes:													
LEFT				FRONT				RIGHT									
100 psi				100 psi				100 psi				100 psi					
11 mm				8 mm				10 mm				11 mm					
421.29 mm				Drums/Rotors				428.48 mm				mm					
13 mm				Linkage/Pads				16 mm				mm					
38 mm				Push Rod Travel				38 mm				mm					
421.43 mm				Drums/Rotors				421.35 mm				mm					
14 mm				Linkage/Pads				12 mm				mm					
38 mm				Push Rod Travel				38 mm				mm					
mm				Drums/Rotors				mm				mm					
mm				Linkage/Pads				mm				mm					
mm				Push Rod Travel				mm				mm					
mm				Drums/Rotors				mm				mm					
mm				Linkage/Pads				mm				mm					
mm				Push Rod Travel				mm				mm					
mm				Drums/Rotors				mm				mm					
mm				Linkage/Pads				mm				mm					
mm				Push Rod Travel				mm				mm					
Park Brake Linking				Left				N/A				mm					
Wheel Torque Checked				Inner				N/A				ft lbs					
Outer				600				ft lbs									

VSSRO12018

PePASS PeFAIL NA=Not Applicable

Page 1 of 4

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train				Component				P	F	NA	Component				P	F	NA	
1.2. Exhaust System											1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*							
NOTES:																		
APPENDIX "A"																		
Component				P	F	NA	Component				P	F	NA					
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System								A.2. Liquefied Natural Gas (LNG) Fuel System										
A.2. Compressed Natural Gas (CNG) Fuel System																		
NOTES:																		
Section 2 - Suspension																		
Component				P	F	NA	Component				P	F	NA					
2.1. Suspension & Frame Attachments								2.5. Air Suspension										
2.2. Axle Attaching & Tracking Components								2.6. Self-Steer & Controlled-Steer Axle										
2.3. Axle & Axle Assembly								2.7. Shock Absorbers/Strut Assemblies										
2.4. Spring & Spring Attachment																		
NOTES:																		
Section 3H - Hydraulic Brakes																		
Component				P	F	NA	Component				P	F	NA					
3H.1. Hydraulic System Components								3H.10. Electric Brake System										
3H.6. Air-Over-Hydraulic Brake System								3H.12. Drum Brake System Components										
3H.7. Brake Booster								3H.13. Disc Brake System Components										
3H.8. Vacuum System								3H.14. Brake Performance										
3H.9. Air-Braked Trailer Brake System																		
NOTES:																		
Section 3A - Air Brakes																		
Component				P	F	NA	Component				P	F	NA					
3A.3. Air System Leaks								3A.15. S-Cam Drum Brake System										
3A.4. Air Tank								3A.17. Brake Shoe Travel (Wedge Brakes)										
3A.5. Brake Valves & Controls								3A.18. Disc Brake System Components										
3A.12. Parking Brake & Emergency Application								3A.20. Anti-Lock Brake System (ABS)										
3A.13. Air System Components								3A.22. Speedy Parking System (SPS) or (RPS)										
3A.14. Brake Chamber								3A.23. Brake Performance										
3A.15. Drum Brake System Components																		
NOTES:																		
AXLE 1 LHS SLACK ADJUSTER SEIZED - REPLACED																		
AXLE 2 RHS SLACK ADJUSTER SEIZED - REPLACED																		
Section 4 - Steering																		
Component				P	F	NA	Component				P	F	NA					
4.1. Steering Control & Linkage								4.5. Self-Steer & Controlled-Steer Axle										
4.4. Knocks																		
NOTES:																		

VSSRO12018

PePASS PeFAIL NA=Not Applicable

Page 2 of 4

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 - Instruments and Auxiliary Equipment				Component				P	F	NA	Component				P	F	NA
5.1. Fire Extinguisher																	
NOTES:																	
Section 6 - Lamps																	
Component				P	F	NA	Component				P	F	NA				
6.1. Required Lamps								6.3. Retro-Reflective Markings									
6.2. Reflex Reflector																	
NOTES:																	
Section 7 - Electrical System																	
Component				P	F	NA	Component				P	F	NA				
7.1. Wiring								7.3. Trailer Cord (added to towed vehicle)									
7.2. Battery																	
NOTES:																	
Section 8 - Body																	
Component				P	F	NA	Component				P	F	NA				
8.5. Cargo Body								8.11. Surface/Toothed Tire Tread System									
8.6. Frame Ribs & Mounts								8.24. Enclosed Floor									
8.7. Undeformed Body Elements								8.22. Landing Gear on Trailer									
8.8. Cab or Cargo Door								8.23. Riding Axle Assembly (Riding Post)									
8.9. Cargo Tank or Vessel								8.24. Aerodynamic Device & Attachment									
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle								8.25. Rear Impact Guard (RIG)									
NOTES:																	
Section 9 - Tires and Wheels																	
Component				P	F	NA	Component				P	F	NA				
9.1. Tire Tread Depth								9.7. Wheel Rim									
9.2. Tire Tread Condition								9.8. Multi-Piece Wheel Rim									
9.3. Tire Sidewall & Manufacturer Markings								9.9. Shock Wheel/Dismountable Rim System									
9.4. Tire Inflation Pressure								9.10. Disc Wheel System									
9.5. Wheel Hub								9.11. Wheel Endorsement (RWS, RWS-A, RWS-B)									
9.6. Wheel Bearing																	
NOTES:																	
ALL TIRES AXLE 2 ROCK DRILLED - REPLACED																	
Section 10 - Couplers and Hitches																	
Component				P	F	NA	Component				P	F	NA				
10.1. Hitch Assembly, Structure & Attaching Components								10.6. Automated Coupler Device									
10.2. Secondary Attachment (Safety Chain or Cable)								10.7. Fifth Wheel Coupler									
10.3. Pin Hook, Pin Hitch or Coupler Hitch								10.8. Coupling Pin/Wheel Coupler									
10.4. Dual Type Hitch								10.9. Self-Steering Tire Turntable on Trailer									
10.5. Roll-Coupling Hitch																	

VSSRO12018

PePASS PeFAIL NA=Not Applicable

Page 3 of 4

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

NOTES:			
Certification			
The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #9447027) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 21/2022 and the applicable Inspection Manual.			
Date of Inspection	Technician Number	Facility Number	Signature
2025/05/28	C9193	18815	
Customer Acknowledgment			Date (Year/Month/Day)
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the listed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.			2025/05/28
Customer Signature			

VSSRO12018

PePASS PeFAIL NA=Not Applicable

Page 4 of 4