



**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	BRIAN JANISH ENTERPRISES LTD		
Address:	4921 11 AVE		
City:	EDSON	Province:	AB
		Postal Code:	T7E-1G1
Telephone Number:	(780) 712-1610		
Vehicle Identification Number:	2DEHBFZ3841016162		
Make:	doepker	Model:	super b
Year:	2004	Unit Number:	SBL-13
Odometer:	KM	Licence Plate Number:	6PX881
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Dash Mechanical Edson Ltd.	17171
Inspection Technician Name:	Technician Number:
Derek Ness	B0857
Inspection Technician Signature:	
Inspection Date:	2025/12/02



COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Form containing vehicle information: Type of Vehicle (Trailer), Gross Vehicle Weight registered (kg), VIN (VIN2D E H B F Z 3 8 4 1 0 1 6 1 6 2), Unit Number (SBL-13), Year (2004), Make (doepker), Model (super b), Odometer, Registered Owner's Name (BRIAN JANISH ENTERPRISES LTD), Plate Number (6PX881), Address (4921 11 AVE), Postal Code (T7E-1G1), Phone Number ((780) 712-1610). Includes sections for Drum Brakes, Disc Brakes, and Park Brake Living.

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Inspection sections: Section 1 - Power Train (1.2 Exhaust System), Section 2 - Suspension (2.1 Suspension & Frame Attachments), Section 3H - Hydraulic Brakes (3H.1 Hydraulic System Components), Section 3A - Air Brakes (3A.3 Air System Leakage), Section 4 - Steering (4.1 Steering Control & Linkage).


COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Inspection sections: Section 5 - Instruments and Auxiliary Equipment (5.1 Fire Extinguisher), Section 6 - Lamps (6.1 Required Lamps), Section 7 - Electrical System (7.1 Wiring), Section 8 - Body (8.5 Cargo Body), Section 9 - Tires and Wheels (9.1 Tire Tread Depth), Section 10 - Couplers and Hitches (10.1 Hitch Assembly).

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

NOTES section and Certification section. Certification includes Date of Inspection (2025/12/02), Technician Number (B0857), Facility Number (17171), and Customer Signature.

F20-2



CV8579897



80087100008579897

CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate
Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	BRIAN JANISH ENTERPRISES LTD		
Address:	4921 11 AVE		
City:	EDSON	Province:	AB
		Postal Code:	T7E-1G1
Telephone Number:	(780) 712-1610		
Vehicle Identification Number:	2DEHBFA2641016163		
Make:	doepker	Model:	super b
Year:	2004	Unit Number:	SBP-13
Odometer:	KM	Licence Plate Number:	5UR509
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Dash Mechanical Edson Ltd.	17171
Inspection Technician Name:	Technician Number:
Derek Ness	B0857
Inspection Technician Signature:	
Inspection Date:	2025/12/02

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle		Gross Vehicle Weight registered																																																																																																																	
Trailer		kg																																																																																																																	
Vehicle Information																																																																																																																			
VIN	2	D	E																																																																																																																
H	B	F	A																																																																																																																
2	6	4	1																																																																																																																
0	1	6	1																																																																																																																
6	1	6	3																																																																																																																
Unit Number	Year	Make	Model																																																																																																																
SBP-13	2004	doepker	super b																																																																																																																
Registered Owner's Name			Plate Number																																																																																																																
BRIAN JANISH ENTERPRISES LTD			SUR509																																																																																																																
Address		Postal Code	Phone Number																																																																																																																
4921 11 AVE		T7E-1G1	(780) 712-1610																																																																																																																
Drum Brakes: A-Full Inspection with Drum Removed		Disc Brakes:																																																																																																																	
<table border="1"> <thead> <tr> <th colspan="2"></th> <th>LEFT</th> <th>FRONT</th> <th>RIGHT</th> <th colspan="2"></th> </tr> </thead> <tbody> <tr> <td>100 psi</td> <td>100 psi</td> <td>421.28 mm</td> <td>Drums/Rotors</td> <td>419.58 mm</td> <td>100 psi</td> <td>100 psi</td> </tr> <tr> <td>11 mm</td> <td>11 mm</td> <td>18 mm</td> <td>Linings/Pads</td> <td>13 mm</td> <td>11 mm</td> <td>11 mm</td> </tr> <tr> <td></td> <td></td> <td>34 mm</td> <td>Push Rod Travel</td> <td>34 mm</td> <td></td> <td></td> </tr> <tr> <td>100 psi</td> <td>100 psi</td> <td>420.88 mm</td> <td>Drums/Rotors</td> <td>420.82 mm</td> <td>100 psi</td> <td>100 psi</td> </tr> <tr> <td>10 mm</td> <td>8 mm</td> <td>21 mm</td> <td>Linings/Pads</td> <td>21 mm</td> <td>10 mm</td> <td>10 mm</td> </tr> <tr> <td></td> <td></td> <td>34 mm</td> <td>Push Rod Travel</td> <td>34 mm</td> <td></td> <td></td> </tr> <tr> <td>psi</td> <td>psi</td> <td>mm</td> <td>Drums/Rotors</td> <td>mm</td> <td>psi</td> <td>psi</td> </tr> <tr> <td>mm</td> <td>mm</td> <td>mm</td> <td>Linings/Pads</td> <td>mm</td> <td>mm</td> <td>mm</td> </tr> <tr> <td></td> <td></td> <td>mm</td> <td>Push Rod Travel</td> <td>mm</td> <td></td> <td></td> </tr> <tr> <td>psi</td> <td>psi</td> <td>mm</td> <td>Drums/Rotors</td> <td>mm</td> <td>psi</td> <td>psi</td> </tr> <tr> <td>mm</td> <td>mm</td> <td>mm</td> <td>Linings/Pads</td> <td>mm</td> <td>mm</td> <td>mm</td> </tr> <tr> <td></td> <td></td> <td>mm</td> <td>Push Rod Travel</td> <td>mm</td> <td></td> <td></td> </tr> <tr> <td>psi</td> <td>psi</td> <td>mm</td> <td>Drums/Rotors</td> <td>mm</td> <td>psi</td> <td>psi</td> </tr> <tr> <td>mm</td> <td>mm</td> <td>mm</td> <td>Linings/Pads</td> <td>mm</td> <td>mm</td> <td>mm</td> </tr> <tr> <td></td> <td></td> <td>mm</td> <td>Push Rod Travel</td> <td>mm</td> <td></td> <td></td> </tr> </tbody> </table>						LEFT	FRONT	RIGHT			100 psi	100 psi	421.28 mm	Drums/Rotors	419.58 mm	100 psi	100 psi	11 mm	11 mm	18 mm	Linings/Pads	13 mm	11 mm	11 mm			34 mm	Push Rod Travel	34 mm			100 psi	100 psi	420.88 mm	Drums/Rotors	420.82 mm	100 psi	100 psi	10 mm	8 mm	21 mm	Linings/Pads	21 mm	10 mm	10 mm			34 mm	Push Rod Travel	34 mm			psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	mm	mm	Linings/Pads	mm	mm	mm			mm	Push Rod Travel	mm			psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	mm	mm	Linings/Pads	mm	mm	mm			mm	Push Rod Travel	mm			psi	psi	mm	Drums/Rotors	mm	psi	psi	mm	mm	mm	Linings/Pads	mm	mm	mm			mm	Push Rod Travel	mm		
		LEFT	FRONT	RIGHT																																																																																																															
100 psi	100 psi	421.28 mm	Drums/Rotors	419.58 mm	100 psi	100 psi																																																																																																													
11 mm	11 mm	18 mm	Linings/Pads	13 mm	11 mm	11 mm																																																																																																													
		34 mm	Push Rod Travel	34 mm																																																																																																															
100 psi	100 psi	420.88 mm	Drums/Rotors	420.82 mm	100 psi	100 psi																																																																																																													
10 mm	8 mm	21 mm	Linings/Pads	21 mm	10 mm	10 mm																																																																																																													
		34 mm	Push Rod Travel	34 mm																																																																																																															
psi	psi	mm	Drums/Rotors	mm	psi	psi																																																																																																													
mm	mm	mm	Linings/Pads	mm	mm	mm																																																																																																													
		mm	Push Rod Travel	mm																																																																																																															
psi	psi	mm	Drums/Rotors	mm	psi	psi																																																																																																													
mm	mm	mm	Linings/Pads	mm	mm	mm																																																																																																													
		mm	Push Rod Travel	mm																																																																																																															
psi	psi	mm	Drums/Rotors	mm	psi	psi																																																																																																													
mm	mm	mm	Linings/Pads	mm	mm	mm																																																																																																													
		mm	Push Rod Travel	mm																																																																																																															
Park Brake Lining Left na mm Right na mm Trans na mm																																																																																																																			
Wheel Torque Checked <input checked="" type="checkbox"/> Inner na ft.lbs Outer 533 ft.lbs																																																																																																																			

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 - Instruments and Auxiliary Equipment		Component		P	F	NA	Component		P	F	NA
5.1. Fire Extinguisher											
NOTES:											
Section 6 - Lamps		Component		P	F	NA	Component		P	F	NA
6.1. Required Lamps							6.3. Retro-Reflective Marking				
6.2. Reflex Reflector											
NOTES: Repair lights											
Section 7 - Electrical System		Component		P	F	NA	Component		P	F	NA
7.1. Wiring							7.3. Trailer Cord (output to towed vehicle)				
7.2. Battery											
NOTES:											
Section 8 - Body		Component		P	F	NA	Component		P	F	NA
8.5. Cargo Body							8.11. Refrigeration/Heater Unit Fuel System				
8.6. Frame Rails & Mounts							8.21. Fender/Mud Flap				
8.7. Unleaded Body Elements							8.22. Landing Gear on Trailer				
8.8. Cab or Cargo Door							8.23. Sliding Latch Assembly (Sliding Body)				
8.9. Cargo Tank or Vessel							8.24. Aerodynamic Device & Attachment				
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle							8.25. Rear Impact Guard (RIG)				
NOTES:											
Section 9 - Tires and Wheels		Component		P	F	NA	Component		P	F	NA
9.1. Tire Tread Depth							9.7. Wheel Rim				
9.2. Tire Tread Condition							9.8. Multi-Piece Wheel Rim				
9.3. Tire Sidewall & Manufacturer Markings							9.9. Spoke Wheel/Convertible Rim System				
9.4. Tire Inflation Pressure							9.10. Disc Wheel System				
9.5. Wheel Hub							9.11. Wheel Fasteners (Nuts, Bolts & Studs)				
9.6. Wheel Bearing											
NOTES:											
Section 10 - Couplers and Hitches		Component		P	F	NA	Component		P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components							10.6. Automated Coupling Device				
10.2. Secondary Attachment (Safety Chain or Cable)							10.7. Fifth Wheel Coupler				
10.3. Pin/No Hook, Pin Hitch, or Coupler Hitch							10.8. Ball-Bearing Fifth Wheel Coupler				
10.4. Ball Type Hitch							10.9. Ball-Bearing Type Turntable on Trailer				
10.5. Roll-Coupling Hitch											

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train		Component		P	F	NA	Component		P	F	NA
1.2. Exhaust System							1.2. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*				
NOTES:											
Appendix A		Component		P	F	NA	Component		P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System							A.3. Liquefied Natural Gas (LNG) Fuel System				
A.2. Compressed Natural Gas (CNG) Fuel System											
NOTES:											
Section 2 - Suspension		Component		P	F	NA	Component		P	F	NA
2.1. Suspension & Frame Attachments							2.5. Air Suspension				
2.2. Axle Attaching & Tracking Components							2.6. Self-Steer & Controlled-Steer Axle				
2.3. Axle & Axle Assembly							2.7. Shock Absorber/Strut Assembly				
2.4. Spring & Spring Attachment											
NOTES:											
Section 3H - Hydraulic Brakes		Component		P	F	NA	Component		P	F	NA
3H.1. Hydraulic System Components							3H.10. Electric Brake System				
3H.6. Air-Over-Hydraulic Brake System							3H.12. Drum Brake System Components				
3H.7. Surge Brake Controller							3H.13. Disc Brake System Components				
3H.8. Vacuum System							3H.19. Brake Performance				
3H.9. Air-Boosted Trailer Brake System											
NOTES:											
Section 3A - Air Brakes		Component		P	F	NA	Component		P	F	NA
3A.3. Air System Leakage							3A.16. S-Cam Drum Brake System				
3A.4. Air Tank							3A.17. Brake Shoe Travel (Wedge Brakes)				
3A.8. Brake Valves & Controls							3A.18. Disc Brake System Component				
3A.12. Parking Brake & Emergency Application							3A.20. Anti-Lock Brake System (ABS)				
3A.13. Air System Components							3A.22. Stability Control System (ESC or RSS)				
3A.14. Brake Chamber							3A.23. Brake Performance				
3A.15. Drum Brake System Components											
NOTES:											
Section 4 - Steering		Component		P	F	NA	Component		P	F	NA
4.1. Steering Control & Linkage							4.5. Self-Steer & Controlled-Steer Axle				
4.4. Kingpin											
NOTES:											

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Certification			
The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #85796897) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.			
Date of Inspection	Technician Number	Facility Number	Signature
2025/12/02	B0857	17171	
Customer Acknowledgment			Date (Year/Month/Day)
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.			2025/12/02
			Customer Signature