



Commercial Vehicle Inspection Certificate
Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	Rick's Oilfield Hauling		
Address:	P.O. Box 979		
City:	Redwater	Province:	AB
		Postal Code:	T0A2W0
Telephone Number:	(780) 942-2932		
Vehicle Identification Number:	2TLBL4032DB005291		
Make:	Tremcar	Model:	B-Train Lead
Year:	2013	Unit Number:	T167L
Odometer:	KM	Licence Plate Number:	6FH462
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
223786 Alberta Ltd.	12695
Inspection Technician Name:	Technician Number:
Jake Little	D4948
Inspection Technician Signature:	
Inspection Date:	2026/09/28



COMMERCIAL VEHICLE RECORD OF INSPECTION **TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered									
Trailer										kg									
Vehicle Information																			
VIN	2	T	L	B	L	4	0	3	2	D	B	0	0	5	2	9	1		
Unit Number					Year		Make			Model			Odometer						
T167L					2013		Tremcar			B-Train Lead									
Registered Owner's Name															Plate Number				
Rick's Oilfield Hauling															6FH462				
Address										Postal Code			Phone Number						
P.O. Box 979										T0A2W0			(780) 942-2932						
Drum Brakes:										Disc Brakes: D-Full Inspection Wheel Removed									
				LEFT		FRONT		RIGHT											
100 psi	100 psi	1.620	in	Drums/Rotors	1.715	in	100 psi	100 psi											
12/32 in	12/32 in	5/8	in	Linings/Pads	13/16	in	15/32 in	15/32 in											
		na	in	Push Rod Travel	na	in													
100 psi	100 psi	1.548	in	Drums/Rotors	1.608	in	100 psi	100 psi											
15/32 in	15/32 in	5/8	in	Linings/Pads	5/8	in	18/32 in	16/32 in											
		na	in	Push Rod Travel	na	in													
100 psi	100 psi	1.750	in	Drums/Rotors	1.750	in	100 psi	100 psi											
15/32 in	12/32 in	3/4	in	Linings/Pads	3/4	in	15/32 in	15/32 in											
		na	in	Push Rod Travel	na	in													
psi	psi		in	Drums/Rotors		in	psi	psi											
in	in		in	Linings/Pads		in	in	in											
			in	Push Rod Travel		in													
psi	psi		in	Drums/Rotors		in	psi	psi											
in	in		in	Linings/Pads		in	in	in											
			in	Push Rod Travel		in													
psi	psi		in	Drums/Rotors		in	psi	psi											
in	in		in	Linings/Pads		in	in	in											
			in	Push Rod Travel		in													
Park Brake Lining Left na in Right na in Trans na in Wheel Torque Checked ✓ Inner na ft lbs Outer 480 ft lbs																			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A 1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A 3. Liquefied Natural Gas (LNG) Fuel System			✓
A 2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1 Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment			✓				

NOTES:

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1 Hydraulic System Components			✓	3H.10. Electric Brake System			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components			✓
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components			✓
3H.8. Vacuum System			✓	3H.19. Brake Performance			✓
3H.9. Air-Boosted Trailer Brake System			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System			✓
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.8. Brake Valves & Controls	✓			3A.18. Disc Brake System Components	✓		
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)	✓		
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)			✓
3A.14. Brake Chamber	✓			3A.23. Brake Performance	✓		
3A.15. Drum Brake System Components			✓				

NOTES:

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle			✓
4.4. Kingpin			✓				

NOTES:

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓						

NOTES:

5.1 - Expired - (CORRECTED)

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

NOTES:

6.2 - D/S side reflectors missing. - (CORRECTED)

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery			✓				

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Unitized Body Elements	✓			8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door			✓	8.23. Sliding Axle Assembly (Sliding Bogie)			✓
8.9. Cargo Tank or Vessel	✓			8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.25. Rear Impact Guard (RIG)			✓

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler	✓		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.8. Oscillating Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8707861) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection

2026/09/28

Technician Number

D4948

Facility Number

12695

Signature



Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/09/28

Customer Signature





**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	Rick's Oilfield Hauling		
Address:	P.O. Box 979		
City:	Redwater	Province:	AB
		Postal Code:	T0A2W0
Telephone Number:	(780) 942-2932		
Vehicle Identification Number:	2TLBL3124DB005292		
Make:	Tremcar	Model:	B-train Pup
Year:	2013	Unit Number:	T167P
Odometer:	KM	Licence Plate Number:	6MN511
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
223786 Alberta Ltd.	12695
Inspection Technician Name:	Technician Number:
Jake Little	D4948
Inspection Technician Signature:	
Inspection Date:	2026/09/28

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Trailer	Gross Vehicle Weight registered kg
-----------------------------------	--

Vehicle Information																	
VIN	2	T	L	B	L	3	1	2	4	D	B	0	0	5	2	9	2

Unit Number T167P	Year 2013	Make Tremcar	Model B-train Pup	Odometer
-----------------------------	---------------------	------------------------	-----------------------------	-----------------

Registered Owner's Name Rick's Oilfield Hauling	Plate Number 6MN511
Address P.O. Box 979	Postal Code T0A2W0
Phone Number (780) 942-2932	

Drum Brakes:

Disc Brakes: D-Full Inspection Wheel Removed

		<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>			
100 psi	100 psi	1.604	in	Drums/Rotors	1.608	in	100 psi	100 psi	
20/32 in	18/32 in	5/8	in	Linings/Pads	5/8	in	20/32 in	20/32 in	
		na	in	Push Rod Travel	na	in			
100 psi	100 psi	1.760	in	Drums/Rotors	1.608	in	100 psi	100 psi	
15/32 in	15/32 in	7/8	in	Linings/Pads	13/16	in	15/32 in	12/32 in	
		na	in	Push Rod Travel	na	in			
psi	psi		in	Drums/Rotors		in	psi	psi	
in	in		in	Linings/Pads		in	in	in	
			in	Push Rod Travel		in			
psi	psi		in	Drums/Rotors		in	psi	psi	
in	in		in	Linings/Pads		in	in	in	
			in	Push Rod Travel		in			
psi	psi		in	Drums/Rotors		in	psi	psi	
in	in		in	Linings/Pads		in	in	in	
			in	Push Rod Travel		in			

Park Brake Lining Left na in Right na in Trans na in
Wheel Torque Checked ☒ Inner na ft lbs Outer 480 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION **TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.2. Exhaust System			✓	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer & Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment			✓				

NOTES:

2.5 - Axle 1 D/S Air bag frayed. - (CORRECTED)

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.10. Electric Brake System			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.12. Drum Brake System Components			✓
3H.7. Surge Brake Controller			✓	3H.13. Disc Brake System Components			✓
3H.8. Vacuum System			✓	3H.19. Brake Performance			✓
3H.9. Air-Boosted Trailer Brake System			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.3. Air System Leakage	✓			3A.16. S-Cam Drum Brake System			✓
3A.4. Air Tank	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.6. Brake Valves & Controls	✓			3A.18. Disc Brake System Components	✓		
3A.12. Parking Brake & Emergency Application	✓			3A.20. Anti-Lock Brake System (ABS)	✓		
3A.13. Air System Components	✓			3A.22. Stability Control System (ESC) or (RSS)			✓
3A.14. Brake Chamber	✓			3A.23. Brake Performance	✓		
3A.15. Drum Brake System Components			✓				

NOTES:

3A.18 - Axle 2 P/S brake pads worn unevenly. 5/16 inch difference. - (CORRECTED)

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control & Linkage			✓	4.5. Self Steer & Controlled-Steer Axle			✓
4.4. Kingpin			✓				

NOTES:

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓						

NOTES:

5.1 - Expired - (CORRECTED)

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓		
6.2. Reflex Reflector	✓						

NOTES:

6.2 - Missing reflectors - (CORRECTED)

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)			✓
7.2. Battery			✓				

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System			✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓		
8.7. Unitized Body Elements	✓			8.22. Landing Gear on Trailer	✓		
8.8. Cab or Cargo Door			✓	8.23. Sliding Axle Assembly (Sliding Bogie)			✓
8.9. Cargo Tank or Vessel	✓			8.24. Aerodynamic Device & Attachment			✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.25. Rear Impact Guard (RIG)	✓		

NOTES:

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

9.2 - Axle 1 P/S inside tire tread separating. - (CORRECTED)

9.4 - Axle 1 P/S inside tire under inflated. - (CORRECTED)

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.8. Oscillating Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer			✓
10.5. Roll-Coupling Hitch			✓				

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8707862) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection

2026/09/28

Technician Number

D4948

Facility Number

12695

Signature



Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/09/28

Customer Signature

