



**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	53500 kg	Brake Type:	Air
Owner Name:	Kevin Martin Lashinski, 1840115 Alberta LTD		
Address:	75 River Heights Blvd		
City:	Cochrane	Province:	AB
		Postal Code:	T4C0R9
Telephone Number:	(250) 808-6553		
Vehicle Identification Number:	1XKDP4TX6EJ970292		
Make:	Kenworth	Model:	Construct
Year:	2014	Unit Number:	74
Odometer:	1017284 KM	Licence Plate Number:	OFA106
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Streamline Mobile HD Ltd	Facility Number:	19745
Inspection Technician Name:	Carson Damery	Technician Number:	D3845
Inspection Technician Signature:			
Inspection Date:	2026/01/23		



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Truck										Gross Vehicle Weight registered 53500 kg									
Vehicle Information																			
VIN		1	X	K	D	P	4	T	X	6	E	J	9	7	0	2	9	2	
Unit Number 74				Year 2014				Make Kenworth				Model Construct				Odometer 1,017,284			
Registered Owner's Name Kevin Martin Lashinski, 1840115 Alberta LTD															Plate Number 0FA106				
Address 75 River Heights Blvd										Postal Code T4C0R9					Phone Number (250) 808-6553				

Drum Brakes:										Disc Brakes:										D-Full Inspection Wheel Removed																																																																																																																																																																																																							
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="2"></th> <th colspan="3" style="text-align: center;"><u>LEFT</u></th> <th colspan="3" style="text-align: center;"><u>FRONT</u></th> <th colspan="3" style="text-align: center;"><u>RIGHT</u></th> <th colspan="2"></th> </tr> </thead> <tbody> <tr> <td colspan="2" style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi 18 mm</td> <td style="border: 1px solid black; padding: 2px;">42.06</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td style="border: 1px solid black; padding: 2px;">Drums/Rotors</td> <td style="border: 1px solid black; padding: 2px;">43.38</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td colspan="2"></td> <td style="border: 1px solid black; padding: 2px;">11</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td colspan="2" style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi 18 mm</td> </tr> <tr> <td colspan="2"></td> <td style="border: 1px solid black; padding: 2px;">20</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td style="border: 1px solid black; padding: 2px;">Linings/Pads</td> <td style="border: 1px solid black; padding: 2px;">N/A</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td colspan="2"></td> <td style="border: 1px solid black; padding: 2px;">N/A</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td colspan="2"></td> </tr> <tr> <td colspan="2"></td> <td style="border: 1px solid black; padding: 2px;">N/A</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td style="border: 1px solid black; padding: 2px;">Push Rod Travel</td> <td colspan="6"></td> </tr> <tr> <td colspan="2" style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi 25 mm</td> <td style="border: 1px solid black; padding: 2px;">43.07</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td style="border: 1px solid black; padding: 2px;">Drums/Rotors</td> <td style="border: 1px solid black; padding: 2px;">40.62</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td colspan="2"></td> <td style="border: 1px solid black; padding: 2px;">8</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td colspan="2" style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi 25 mm</td> </tr> <tr> <td colspan="2" style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi 25 mm</td> <td style="border: 1px solid black; padding: 2px;">20</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td style="border: 1px solid black; padding: 2px;">Linings/Pads</td> <td style="border: 1px solid black; padding: 2px;">N/A</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td colspan="2"></td> <td style="border: 1px solid black; padding: 2px;">N/A</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td colspan="2" style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi 26 mm</td> </tr> <tr> <td colspan="2"></td> <td style="border: 1px solid black; padding: 2px;">N/A</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td style="border: 1px solid black; padding: 2px;">Push Rod Travel</td> <td colspan="6"></td> </tr> <tr> <td colspan="2" style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi 25 mm</td> <td style="border: 1px solid black; padding: 2px;">42.78</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td style="border: 1px solid black; padding: 2px;">Drums/Rotors</td> <td style="border: 1px solid black; padding: 2px;">43.96</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td colspan="2"></td> <td style="border: 1px solid black; padding: 2px;">12</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td colspan="2" style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi 24 mm</td> </tr> <tr> <td colspan="2" style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi 25 mm</td> <td style="border: 1px solid black; padding: 2px;">14</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td style="border: 1px solid black; padding: 2px;">Linings/Pads</td> <td style="border: 1px solid black; padding: 2px;">N/A</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td colspan="2"></td> <td style="border: 1px solid black; padding: 2px;">N/A</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td colspan="2" style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi 25 mm</td> </tr> <tr> <td colspan="2"></td> <td style="border: 1px solid black; padding: 2px;">N/A</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td style="border: 1px solid black; padding: 2px;">Push Rod Travel</td> <td colspan="6"></td> </tr> <tr> <td colspan="2" style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi 25 mm</td> <td style="border: 1px solid black; padding: 2px;">43.16</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td style="border: 1px solid black; padding: 2px;">Drums/Rotors</td> <td style="border: 1px solid black; padding: 2px;">41.91</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td colspan="2"></td> <td style="border: 1px solid black; padding: 2px;">20</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td colspan="2" style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi 25 mm</td> </tr> <tr> <td colspan="2" style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi 25 mm</td> <td style="border: 1px solid black; padding: 2px;">18</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td style="border: 1px solid black; padding: 2px;">Linings/Pads</td> <td style="border: 1px solid black; padding: 2px;">N/A</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td colspan="2"></td> <td style="border: 1px solid black; padding: 2px;">N/A</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td colspan="2" style="border: 1px solid black; border-radius: 10px; padding: 5px;">100 psi 24 mm</td> </tr> <tr> <td colspan="2"></td> <td style="border: 1px solid black; padding: 2px;">N/A</td> <td style="border: 1px solid black; padding: 2px;">mm</td> <td style="border: 1px solid black; padding: 2px;">Push Rod Travel</td> <td colspan="6"></td> </tr> <tr> <td colspan="2" style="border: 1px solid black; border-radius: 10px; padding: 5px;">psi mm</td> <td colspan="3"></td> <td colspan="3"></td> <td colspan="2"></td> <td colspan="3" style="border: 1px solid black; border-radius: 10px; padding: 5px;">psi mm</td> </tr> <tr> <td colspan="2" style="border: 1px solid black; border-radius: 10px; padding: 5px;">psi mm</td> <td colspan="3"></td> <td colspan="3"></td> <td colspan="2"></td> <td colspan="3" style="border: 1px solid black; border-radius: 10px; padding: 5px;">psi mm</td> </tr> <tr> <td colspan="2" style="border: 1px solid black; border-radius: 10px; padding: 5px;">psi mm</td> <td colspan="3"></td> <td colspan="3"></td> <td colspan="2"></td> <td colspan="3" style="border: 1px solid black; border-radius: 10px; padding: 5px;">psi mm</td> </tr> </tbody> </table>																						<u>LEFT</u>			<u>FRONT</u>			<u>RIGHT</u>					100 psi 18 mm		42.06	mm	Drums/Rotors	43.38	mm			11	mm	100 psi 18 mm				20	mm	Linings/Pads	N/A	mm			N/A	mm					N/A	mm	Push Rod Travel							100 psi 25 mm		43.07	mm	Drums/Rotors	40.62	mm			8	mm	100 psi 25 mm		100 psi 25 mm		20	mm	Linings/Pads	N/A	mm			N/A	mm	100 psi 26 mm				N/A	mm	Push Rod Travel							100 psi 25 mm		42.78	mm	Drums/Rotors	43.96	mm			12	mm	100 psi 24 mm		100 psi 25 mm		14	mm	Linings/Pads	N/A	mm			N/A	mm	100 psi 25 mm				N/A	mm	Push Rod Travel							100 psi 25 mm		43.16	mm	Drums/Rotors	41.91	mm			20	mm	100 psi 25 mm		100 psi 25 mm		18	mm	Linings/Pads	N/A	mm			N/A	mm	100 psi 24 mm				N/A	mm	Push Rod Travel							psi mm										psi mm			psi mm										psi mm			psi mm										psi mm		
		<u>LEFT</u>			<u>FRONT</u>			<u>RIGHT</u>																																																																																																																																																																																																																			
100 psi 18 mm		42.06	mm	Drums/Rotors	43.38	mm			11	mm	100 psi 18 mm																																																																																																																																																																																																																
		20	mm	Linings/Pads	N/A	mm			N/A	mm																																																																																																																																																																																																																	
		N/A	mm	Push Rod Travel																																																																																																																																																																																																																							
100 psi 25 mm		43.07	mm	Drums/Rotors	40.62	mm			8	mm	100 psi 25 mm																																																																																																																																																																																																																
100 psi 25 mm		20	mm	Linings/Pads	N/A	mm			N/A	mm	100 psi 26 mm																																																																																																																																																																																																																
		N/A	mm	Push Rod Travel																																																																																																																																																																																																																							
100 psi 25 mm		42.78	mm	Drums/Rotors	43.96	mm			12	mm	100 psi 24 mm																																																																																																																																																																																																																
100 psi 25 mm		14	mm	Linings/Pads	N/A	mm			N/A	mm	100 psi 25 mm																																																																																																																																																																																																																
		N/A	mm	Push Rod Travel																																																																																																																																																																																																																							
100 psi 25 mm		43.16	mm	Drums/Rotors	41.91	mm			20	mm	100 psi 25 mm																																																																																																																																																																																																																
100 psi 25 mm		18	mm	Linings/Pads	N/A	mm			N/A	mm	100 psi 24 mm																																																																																																																																																																																																																
		N/A	mm	Push Rod Travel																																																																																																																																																																																																																							
psi mm										psi mm																																																																																																																																																																																																																	
psi mm										psi mm																																																																																																																																																																																																																	
psi mm										psi mm																																																																																																																																																																																																																	
Park Brake Lining Left <u>N/A</u> mm Right <u>N/A</u> mm Trans <u>N/A</u> mm Wheel Torque Checked <input type="checkbox"/> Inner <u>N/A</u> ft lbs Outer <u>500</u> ft lbs																																																																																																																																																																																																																											

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature			✓
1.2. Exhaust System	✓			1.9. Gear Position Indicator			✓
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.7. Engine/Shut Down	✓						

NOTES:

- DEF TANK SHIELD LOOSE
- ACCESSORY BELT BADLY CRACKED
- FLEX PIPE BROKEN UNDER CAB
- CAC SHROUD LOOSE AND P/S BUSHINGS WORN
- LOWER RAD HOSE DRIPPING
- TRANS LEAK AT REAR (REPAIRED ALL)

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:

- #2 DRIVE OUTPUT SEAL LEAKING
- LEVELLING VALVE HANGING BY AIRLINES
- BOTH #3 DRIVE AXLE SHOCKS FAILED
- (REPAIRED ALL)

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.4. Air Tank	✓			3A.15. Drum Brake System Components			✓
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System			✓
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components	✓		
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance			✓
3A.11. Parking Brake & Emergency Application	✓						

NOTES:

#1 R PADS AT 1MM
ABS LIGHT ILLUMINATED ON DASH
(REPAIRED ALL)

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓
4.3. Steering Operation (Active Steer Axle)			✓				

NOTES:

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater	✓		
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓		
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices			✓
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓
5.7. Windshield Wiper/Washer	✓						

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:

BUNK ROOF LIGHTS INOP, BUMPER LIGHTS INOP
MUD FLAP REFLECTORS DAMAGED
(REPAIRED ALL)

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

NOTES:

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
8.2. Tilt Cab			✓	8.13. Windshield	✓		
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window			✓
8.5. Cargo Body			✓	8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror			✓
8.8. Cab or Cargo Door			✓	8.19. Seat	✓		
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment	✓		

NOTES:

WINDSHIELD CRACKED ALL THE WAY ACROSS
(REPAIRED)

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

#1L WHEEL SEAL LEAKING, #1R HUBCAP GASKET LEAKING
(REPAIRED)

Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓		
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:

5TH WHEEL SLIDER CROSS BARS BROKEN (REPAIRED)

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8620707) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2026/01/23	Technician Number D3845	Facility Number 19745	Signature 
---	-----------------------------------	---------------------------------	--

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2026/01/23

Customer Signature