



#### **CERTIFICATE NUMBER**

# Commercial Vehicle Inspection Certificate Traffic Safety Act

### PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Typ	e:	Truck		Seatin	g Capac	ity:		
GVW:		63500 k	(g	Brake	Type:	Air		
Owner Nan	ne:	Tri-Line	Carriers LP		2 11 12	- Cartana		
Address:	235	185 Ryar	n Road					
City: Rockyview			Province:	AB		Postal Code:	T1X0K1	
Telephone	Num	ber:	(403) 279-70	070		nt film		46
Vehicle Ide	ntific	ation Nu	mber:	1XPXDP9	X5FD27	1910		- 62
Make:	F	Peterbilt			N	lodel: Conver	ntional	
Year: 2015			Land Ave		U	Jnit Number:	919866	
Odometer: 954313 KM Lie			cence Plate N	umber:	K93486	Provinc	e: AB	

#### IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

#### **PART 2 - CERTIFICATION**

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:		Facility Number:
Circle B Trailer Repair - Sales	2003 Inc	10762
Inspection Technician Name:		Technician Number:
Marc Sproul		C1860
Inspection Technician Signatu	ire:	more
Inspection Date:	2025/09/02	

954334



The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Truck													6	3500	kg		
/ehicl	e Info	rmati	on		April 200	and the second	. K						e est				
/IN	1	X	P	X	D	P	9	X	5	F	D	2	7	1	9	1	
	Numb 9866	er		Year 2015		-	Mai Peterl		<del>   </del>		Mode Conver			<u> </u>		meter 1,313	<u> </u>
					Reg	gistered	Owner'	's Name							Plate	Number	•
					•	Tri-Line	Carrier	s LP							K93	3486	
				2351	Address 85 Ryan							Postal ( T1X0			1	one Nun 3) 279-7	
	Orum B	rakes:	A-	Full Inspe	ction with	Drum Re	moved		Disc E	rakes:							
						LEFT		FR	ONT		RIGH	[					
		1	00 psi	] [-		417.51	mm		s/Rotors		417.		l l	10	0 psi		
			13 mn	.   -		18 38	mm mm		gs/Pads Rod Travel			18 mm 38 mm	ł		1 mm		
								Pusnik	do Travel	 	·						
(1	00 psi	1	100 psi			420.35	mm	Drums	/Rotors		420.	30 mm		40	0 psi	400	`
-	 17 mm	-	19 mn	<b></b>		18	mm		gs/Pads			18 mm		<b>–</b>	9 mm	100 ps	
	=	<u> </u>		1 L		38	mm	Push R	od Travel			38 mm					
	100		100			420.30	mm	Drum	s/Rotors		420.	33 mm				400	
-	100 ps 	_	100 psi			18	mm	Lining	gs/Pads			18 mm		100	- '	100 ps	-
_		<u>"</u> \	14 mr	<b>"</b>   [		38	mm	Push R	od Travel			38 mm			9 mm		
		·		√ r			mm	Drum	s/Rotors			mm	$\neg$			ps	
-	_ ps _ mr	-	psi mn	H			mm	Linin	gs/Pads			mm			psi Y		ı
_		<u>'\</u>		'  L			mm	Push R	od Travel			mm			- mm	m	<b>"</b> )
		·	psi	\			mm	Drum	s/Rotors		<del></del>	mm					
-	ps mr	-	mn ma				mm		gs/Pads			mm			psi mm	ps	- 1
		<u>_</u>		1 -			mm	Push R	od Travel			mm					)
	<del></del>	$\gamma$	psi	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			mm		/Rotors			mm			psi	ps	<u>.</u>
-	mı mı	1	psi				mm		gs/Pads			mm	- 1		mm	ps	
_		人 <u>-</u>	<del></del> -	1 L			mm	Push R	od Travel			mm			·		)
				Park	Brake Lin	ing L	eft <u>na</u>	mm	Right	na mi	n Trans	na	mm				

	Secti	on '	1 - P	ower Train			
Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	1			1.8. Engine Start Safety Feature	1	-	1
1.2. Exhaust System	1			1.9. Gear Position Indicator	1		
1.3. Emission Control Systems and Devices	1			1.10. Engine or Accessory Drive Belt	1		
1.4. Drive Shaft	1			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System		1	1
1.5. Clutch and Clutch Pedal	1			1.12. Gasoline or Diesel Fuel System	1		
1.6. Engine/Transmission Mount	~			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			1
1.7. Engine/Shut Down	1	F					

#### NOTES:

	1	APF	END	OIX "A"				
Component	P	F	NA	Component	P	F	F I	A
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			1	A.3. Liquefied Natural Gas (LNG) Fuel System				/
A.2. Compressed Natural Gas (CNG) Fuel System			1					

#### NOTES:

	Section 2 - Suspension												
Component	P	F	NA	Component	P	F	NA						
2.1. Suspension & Frame Attachments	1		F	2.5. Air Suspension	1								
2.2. Axle Attaching & Tracking Components	1	1.6	1	2.6. Self-Steer and Controlled-Steer Axle	1								
2.3. Axle & Axle Assembly	1			2.7. Shock Absorber/Strut Assembly	1								
2.4. Spring & Spring Attachment	1		1		19								

#### NOTES:

	Section	ЗН	- Hy	draulic Brakes			
Component	P	F	NA	Component	Р	F	NA
3H.1. Hydraulic System Components			1	3H.13. Disc Brake System Components			1
3H.2. Brake Pedal/Actuator			1	3H.14. Mechanical Parking Brake			1
3H.3. Vacuum Assist (Boost) System			1	3H.15. Spring-Applied Air-Released Parking Brake			1
3H.4. Hydraulic Assist (Boost) System			1	3H.16. Spring-Applied Hydraulic-Released Parking Brake			1
3H.5. Air Assist (Boost) System			1	3H.17. Anti-Lock Brake System (ABS)			1
3H.6. Air-Over-Hydraulic Brake System			1	3H.18. Stability Control System			1
3H.11. Brake System Indicator Lamps			1	3H.19. Brake Performance			1
3H.12. Drum Brake System Components			1				

#### NOTES:

	Secti	on :	3A -	Air Brakes			
Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	1			3A.13. Air System Components	1		
3A.2. Air Supply System	1			3A.14. Brake Chamber	1		
3A.4. Air Tank	/			3A.15. Drum Brake System Components	1		
3A.5. Air Tank Check Valves	1			3A.16. S-Cam Drum Brake System	1		
3A.6. Brake Pedal/Actuator	1			3A.17. Brake Shoe Travel (Wedge Brakes)	1		
3A.7. Treadle Valve and Trailer Hand Valve	1			3A.18. Disc Brake System Components			1
3A.8. Brake Valves & Controls	1			3A.19. Anti-Lock Brake System (ABS)	1		
3A.9. Proportioning, Inversion or Modulation Valve	1			3A.21. Stability Control System	1		
3A.10. Towing Vehicle (Tractor) Protection System	1			3A.23. Brake Performance	1		

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	N
3A.11. Parking Brake & Emergency Application	1						
NOTES:				Anthony is also at the part of the proof from the part of the part	The Color		
	Se	ctic	n 4 -	Steering			
Component	P	F	NA	Component	P	F	N
4.1. Steering Control and Linkage	1	0160000		4.4. Kingpin	1		
4.2. Power Steering System (Hydraulic and Electric)	1		159	4.5. Self-Steer and Controlled-Steer Axle	1		
4.3. Steering Operation (Active Steer Axle)	1	P	Pa		Union della cali		
NOTES:							
Section 5 -	Instru	mer	nts a	nd Auxiliary Equipment			
Component	P	F	NA	Component	P	F	N.
5.1. Fire Extinguisher	1			5.8. Heater & Windshield Defroster	/		
5.2. Hazard Warning Kit	1			5.9. Fuel-Burning Auxiliary Heater	1		
5.3. Horn	1		1	5.10. Chain/"Headache" Rack			~
5.5. Speedometer	1			5.11. Auxiliary Controls and Devices			1
5.6. Odometer	1			5.12. Auxiliary Drive Controls			~
5.7. Windshield Wiper/Washer	1		1	The second secon			
Component	Se	F	NA	- Lamps  Component	P	F	N
6.1. Required Lamps	1			6.4. Instrument Panel Lamps	1		
6.2. Reflex Reflector	1		465	6.5. Headlamp Aim	1	W.	i.
6.3. Retro-Reflective Marking	1	Be	100	Lincitalizati Persect Af materiagus Vestpersecy (Chief	Carriella dans	rie	160
NOTES:		7-	Elec	trical System	1961 75 860 202 5000		
S	ection	Share Color	-100	triour Cyclein			N
	-	-			15		147
Component	P	F	NA	Component	P	F	
		F	NA	Component 7.3. Trailer Cord (output to towed vehicle)	P	F	1
Component 7.1. Wiring 7.2. Battery	P			7.3. Trailer Cord (output to towed vehicle)	SECRETAL PROPERTY AND ADDRESS.	F	
Component 7.1. Wiring 7.2. Battery NOTES:	P	ecti	on 8	7.3. Trailer Cord (output to towed vehicle)  - Body			
Component 7.1. Wiring 7.2. Battery  NOTES:  Component	P /	ecti		7.3. Trailer Cord (output to towed vehicle)  - Body  Component	SECRETAL PROPERTY AND ADDRESS.		N.
Component 7.1. Wiring 7.2. Battery  NOTES:  Component 8.1. Hood or Engine Enclosure	P	ecti	on 8	7.3. Trailer Cord (output to towed vehicle)  - Body  Component  8.12. Bumper	P		N.
Component 7.1. Wiring 7.2. Battery  NOTES:  Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab	P  ✓  ✓  ✓	ecti	on 8	7.3. Trailer Cord (output to towed vehicle)  - Body  Component  8.12. Bumper  8.13. Windshield	P V		N
Component 7.1. Wiring 7.2. Battery  NOTES:  Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab	P ✓ ✓	ecti	on 8	7.3. Trailer Cord (output to towed vehicle)  - Body  Component  8.12. Bumper  8.13. Windshield  8.14. Side Windows	P ✓		N.
Component 7.1. Wiring 7.2. Battery  NOTES:  Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab 8.4. Cab and Passenger-Vehicle Body	P ✓ ✓ Si P ✓	ecti	on 8	7.3. Trailer Cord (output to towed vehicle)  - Body  Component  8.12. Bumper  8.13. Windshield  8.14. Side Windows  8.15. Rear Window	P		N
Component 7.1. Wiring 7.2. Battery  NOTES:  Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab 8.4. Cab and Passenger-Vehicle Body 8.5. Cargo Body	P /	ecti	on 8	7.3. Trailer Cord (output to towed vehicle)  - Body  Component  8.12. Bumper  8.13. Windshield  8.14. Side Windows  8.15. Rear Window  8.16. Interior Sun Visor	P		IN
Component 7.1. Wiring 7.2. Battery  NOTES:  Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab 8.4. Cab and Passenger-Vehicle Body 8.5. Cargo Body 8.6. Frame, Rails & Mounts	P ✓ ✓ Si P ✓	ecti	on 8	7.3. Trailer Cord (output to towed vehicle)  - Body  Component  8.12. Bumper  8.13. Windshield  8.14. Side Windows  8.15. Rear Window  8.16. Interior Sun Visor  8.17. Exterior Windshield Sun Visor	P		
Component 7.1. Wiring 7.2. Battery  NOTES:  Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab 8.4. Cab and Passenger-Vehicle Body 8.5. Cargo Body 8.6. Frame, Rails & Mounts 8.7. Unitized Body Elements	P / /	ecti	on 8	7.3. Trailer Cord (output to towed vehicle)  - Body  Component  8.12. Bumper  8.13. Windshield  8.14. Side Windows  8.15. Rear Window  8.16. Interior Sun Visor  8.17. Exterior Windshield Sun Visor  8.18. Rear-View Mirror	P		
Component 7.1. Wiring 7.2. Battery  NOTES:  Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab 8.4. Cab and Passenger-Vehicle Body 8.5. Cargo Body 8.6. Frame, Rails & Mounts 8.7. Unitized Body Elements 8.8. Cab or Cargo Door	P /	ecti	on 8 NA	7.3. Trailer Cord (output to towed vehicle)  - Body  Component  8.12. Bumper  8.13. Windshield  8.14. Side Windows  8.15. Rear Window  8.16. Interior Sun Visor  8.17. Exterior Windshield Sun Visor  8.18. Rear-View Mirror  8.19. Seat	P		N.
Component 7.1. Wiring 7.2. Battery NOTES:	P / /	ecti	on 8 NA	7.3. Trailer Cord (output to towed vehicle)  - Body  Component  8.12. Bumper  8.13. Windshield  8.14. Side Windows  8.15. Rear Window  8.16. Interior Sun Visor  8.17. Exterior Windshield Sun Visor  8.18. Rear-View Mirror	P		

	S	ecti	on 8	- Body			
Component	P	F	NA	Component	P	F	NA
Vehicle							
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			1	8.24. Aerodynamic Device & Attachment	18		1

#### NOTES:

	Section	9 -	Tire:	s and Wheels			
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	1			9.7. Wheel/Rim (Applies to all wheel types)	1		
9.2. Tire Tread Condition	/			9.8. Multi-Piece Wheel/Rim			1
9.3. Tire Sidewall & Manufacturer Markings	1			9.9. Spoke Wheel/Demountable Rim System	100	171	1
9.4. Tire Inflation Pressure	1			9.10. Disc Wheel System	1		
9.5. Wheel Hub	1			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	1		
9.6. Wheel Bearing	1						

#### NOTES:

Sec	tion 10	- C	oup	lers and Hitches			
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components			1	10.5. Roll-Coupling Hitch			1
10.2. Secondary Attachment (Safety Chain or Cable)			1	10.6. Automated Coupling Device			1
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			1	10.7. Fifth Wheel Coupler	1		
10.4. Ball Type Hitch		in	1	10.8. Oscillating Fifth Wheel Coupler			1

#### NOTES:

5th wheel needs adjusted - Repaired

#### Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8406071) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2025/09/02	Technician Number C1860	Facility Number 10762	Signature 22
Customer Acknowledgment  I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle			Date (Year/Month/Day)
and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection			2025/09/02