



Commercial Vehicle Inspection Certificate
Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	32000 kg	Brake Type:	Air
Owner Name:	Canadian Fiber Optics Corp.		
Address:	240-2723 37 Ave NE		
City:	Calgary	Province:	AB
Postal Code:	T1Y5R8		
Telephone Number:	(403) 200-6512		
Vehicle Identification Number:	5KKHAXFE8KLKG7250		
Make:	Western Star	Model:	Conventional
Year:	2019	Unit Number:	157
Odometer:	620682 ML	Licence Plate Number:	CPM5836
Province:	AB		

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Top Dog Mechanical Ltd.	20872
Inspection Technician Name:	Technician Number:
Jesse Stevens	C9667
Inspection Technician Signature:	
Inspection Date:	2025/01/16



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle Truck										Gross Vehicle Weight registered 32000 kg									
Vehicle Information																			
VIN	5	K	K	H	A	X	F	E	8	K	L	K	G	7	2	5	0		
Unit Number 157				Year 2019				Make Western Star				Model Conventional				Odometer 620,682			
Registered Owner's Name Canadian Fiber Optics Corp.																Plate Number CPM5836			
Address 240-2723 37 Ave NE												Postal Code T1Y5R8				Phone Number (403) 200-6512			

Drum Brakes: A-Full Inspection with Drum Removed

Disc Brakes:

		LEFT	FRONT	RIGHT		
100 psi	13 mm	420.19 mm	Drums/Rotors	420.04 mm	100 psi	13 mm
		18.38 mm	Linings/Pads	18.13 mm		
		25 mm	Push Rod Travel	25 mm		
100 psi	100 psi	420.81 mm	Drums/Rotors	420.46 mm	100 psi	100 psi
16 mm	18 mm	17.14 mm	Linings/Pads	17.14 mm	15 mm	16 mm
		31.65 mm	Push Rod Travel	31.67 mm		
100 psi	100 psi	420.21 mm	Drums/Rotors	420.46 mm	100 psi	100 psi
12 mm	12 mm	17.14 mm	Linings/Pads	17.14 mm	11 mm	14 mm
		31.67 mm	Push Rod Travel	31.67 mm		
psi	psi	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
		mm	Push Rod Travel	mm		
psi	psi	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
		mm	Push Rod Travel	mm		
psi	psi	mm	Drums/Rotors	mm	psi	psi
mm	mm	mm	Linings/Pads	mm	mm	mm
		mm	Push Rod Travel	mm		
Park Brake Lining Left na mm Right na mm Trans na mm						
Wheel Torque Checked ☒ Inner na ft lbs Outer 500 ft lbs						

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train						
Component	P	F	NA	Component	P	F NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓	
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓	
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓	
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System		✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓	
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A *		✓
1.7. Engine/Shut Down	✓					

NOTES:

APPENDIX "A"						
Component	P	F	NA	Component	P	F NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System		✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓			

NOTES:

Section 2 - Suspension						
Component	P	F	NA	Component	P	F NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓	
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓	
2.4. Spring & Spring Attachment	✓					

NOTES:

Replaced steer axle rear spring pins and bushings and pin shackles

Section 3H - Hydraulic Brakes						
Component	P	F	NA	Component	P	F NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components		✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake		✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake		✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake		✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)		✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System		✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance		✓
3H.12. Drum Brake System Components			✓			

NOTES:

Section 3A - Air Brakes						
Component	P	F	NA	Component	P	F NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓	
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓	
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓	
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓	
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)		✓
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components		✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓	
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System		✓
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes													
Component				P	F	NA	Component				P	F	NA
3A.11. Parking Brake & Emergency Application				✓									

NOTES:

Replaced air dryer filter and purge valve.

Section 4 - Steering													
Component				P	F	NA	Component				P	F	NA
4.1. Steering Control and Linkage				✓			4.4. Kingpin				✓		
4.2. Power Steering System (Hydraulic and Electric)				✓			4.5. Self-Steer and Controlled-Steer Axle				✓		
4.3. Steering Operation (Active Steer Axle)				✓									

NOTES:

Section 5 - Instruments and Auxiliary Equipment													
Component				P	F	NA	Component				P	F	NA
5.1. Fire Extinguisher				✓			5.8. Heater & Windshield Defroster				✓		
5.2. Hazard Warning Kit				✓			5.9. Fuel-Burning Auxiliary Heater						✓
5.3. Horn				✓			5.10. Chain/"Headache" Rack				✓		
5.5. Speedometer				✓			5.11. Auxiliary Controls and Devices				✓		
5.6. Odometer				✓			5.12. Auxiliary Drive Controls						✓
5.7. Windshield Wiper/Washer				✓									

NOTES:

Section 6 - Lamps													
Component				P	F	NA	Component				P	F	NA
6.1. Required Lamps				✓			6.4. Instrument Panel Lamps				✓		
6.2. Reflex Reflector				✓			6.5. Headlamp Aim				✓		
6.3. Retro-Reflective Marking				✓									

NOTES:

Repair beacon light wiring

Section 7 - Electrical System													
Component				P	F	NA	Component				P	F	NA
7.1. Wiring				✓			7.3. Trailer Cord (output to towed vehicle)				✓		
7.2. Battery				✓									

NOTES:

Replace booster wire from starter to frame rail

Section 8 - Body									
Component	P	F	NA	Component	P	F	NA		
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓				
8.2. Tilt Cab			✓	8.13. Windshield	✓				
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓				
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓				
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓				
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓				
8.7. Utilized Body Elements	✓			8.18. Rear-View Mirror	✓				
8.8. Cab or Cargo Door	✓			8.19. Seat	✓				
8.9. Cargo Tank or Vessel	✓			8.20. Seat Belt/Occupant Restraint	✓				
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓				

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
Vehicle							
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓

NOTES:

Replaced tool box latch and weld hinge on cabinet door, replaced both front windshields

Section 9 - Tires and Wheels

Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:

Replaced drive tire with bulge in side wall


Section 10 - Couplers and Hitches

Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.7. Fifth Wheel Coupler			✓
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is Issued has **PASSED** (Certificate #8256792) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2025/01/16	Technician Number C9667	Facility Number 20872	Signature 
----------------------------------	----------------------------	--------------------------	--

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2025/01/16

Customer Signature