G17-8





CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type: Truck				Seatir	ng Capac	ity:	**	13	
GVW:		63500 kg	-	Brake	e Type: Air				
Owner Nan	ame: Vicary Resources Inc.								
Address:	РО	Box 411							
City:	Blairmore		Pr	Province: AB			Postal Code:	T0K0E0	
Telephone	Num	ber: (403)	629-2585	1				SECTION AND ADDRESS OF THE PARTY OF THE PART	
Vehicle Ide	ntific	ation Number		5KJJALA	VX7PY22	306		131%)	
Make:	1	Vestern Star			ı	lodel: Convent	ional	W Per	
Year:	2	2007		A STATE OF THE STA		Jnit Number:	VI-02		
Odometer: 671339 ML L		Licen	ce Plate N	lumber:	CKS5574	Provinc	e: AB		

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:		Facility Number:
Terry Graf Trucking Ltd.		13043
Inspection Technician Name	e:	Technician Number:
Terrance Graf		B1583
Inspection Technician Signa	ature:	1/klus / frat
Inspection Date:	2025/02/13	1, 1
	· · · · · · · · · · · · · · · · · · ·	



The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type o Truck	of Ve	hici	е	16624								Gro	ss Vel	Comment of the Commen	ight reg 3500 k	- California and an	ed	
/ehicl	e Inf	orm	atior	1												THE S		
/IN	5		K	J	J	Α	L	Α	٧	X	7	Р	Y	2	2	3	0	6
Unit	Num I-02			St Start Startwells 750	Year 2007		٧	Mal Vesterr				Mode		Area un mais tran	J		ometer 1,339	
						Reg	gistered	Owner	's Name							Plate	Number	r
							icary R									CK	S5574	
						Address O Box 4							Postal T0K		The state of the s	Ph	one Nur 3) 629-2	
	Orum	Brak	es:	C-Lii	nited Ins	pection				Disc	Brakes:							
		**********			(LEFT		FE	RONT		RIGH			1		a-8-11	14-48-1-2-3-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1
		1				******************************	na	in		s/Rotors			na in		ļ			
			-	psi			10/16	in	100000000000	gs/Pads		10/			76	psi		
		(7/32	2 in	-		2.0	in		Rod Trave	ı		.0 in		8/32	in		
					L							age/control to			-	***		
1	0F .				1		na	in	Drum	s/Rotors			na in					
1	85 p			5 psi			10/16	The second secon			***************************************	10/	16 in		**************************************	psi	83 p	- 1
14	/32 i	"	14/3	2 in	L	111 Harris Dir Arris 111 Harris 1	1.5	in	Push F	Rod Trave	l		.5 in		14/32	in \	14/32 ir	1
					·								was the second s					
(83	isc	8	5 psi			na	in in		s/Rotors			na in		82	psi	86 p	si
13	3/32 i	n	14/3	2 in	-	-	10/16	in		igs/Pads Rod Trave		10/	16 in 2.0 in		13/32		14/32 ir	
`		^				north Staffmatha for Family 19 47 of the	2.0		Pusn	Kod Trave			In					
			<i>,</i>					in	Drum	ns/Rotors			in	1				
		iaq		psi				in	Linir	ngs/Pads	******		in			psi	-	si
\		n \	·	in /				in	Push F	Rod Trave	l		in		\	in	in 	_)
(psi	/	psi				in		s/Rotors			in		1	psi	p	si
-		in		in				in		igs/Pads			in	-		in	ir	
\		_^	\		-			in	Push F	Rod Trave			in		0.000-00000	^	***************************************	/
,								in	Drum	s/Rotors			in			·-···\		
-		psi		psi				in	Linir	ngs/Pads			in		**************************************	psi		si
		in		in				in	Push l	Rod Trave	1		in			in \downarrow	ir	
						Brake Lir eel Torqu	ning L ue Check	eft n	a In	Right	na ir ft lbs C		na 500	in ft lbs				

Section 1 - Power Train									
Component	PF	NA Component	P	F NA					
1.1. Accelerator Pedal/Throttle Actuator	/	1.8. Engine Start Safety Feature	1						
1.2. Exhaust System	4	1.9. Gear Position Indicator	1						
1.3. Emission Control Systems and Devices		✓ 1.10. Engine or Accessory Drive Belt	1						
1.4. Drive Shaft	✓.	1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System		1					
1.5. Clutch and Clutch Pedal	1	1.12. Gasoline or Diesel Fuel System	1						
1.6. Engine/Transmission Mount	1	1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*		1					
1.7. Engine/Shut Down	1								

NOTES:

	APPENDIX "A"	
Component	P F NA Component P	F NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System	✓ A.3. Liquefied Natural Gas (LNG) Fuel System	1
A.2. Compressed Natural Gas (CNG) Fuel System		

NOTES:

	section	2 - Suspension		91	
Component	PF	NA Component	P	F	NA
2.1. Suspension & Frame Attachments	1	2.5. Air Suspension	1	Cpil (NE) (Market	Tarina and a
2.2. Axle Attaching & Tracking Components	1	2.6. Self-Steer and Controlled-Steer Axle			1
2.3. Axle & Axle Assembly	1	2.7. Shock Absorber/Strut Assembly	1		
2.4. Spring & Spring Attachment	1				

NOTES:

Axle 2 transverse torque rod replaced at facility at time of inspection.

Section 3H - Hydraulic Brakes									
Component	PFNA	Component	PFN						
3H.1. Hydraulic System Components	/	3H.13. Disc Brake System Components							
3H.2. Brake Pedal/Actuator	 	3H.14. Mechanical Parking Brake							
3H.3. Vacuum Assist (Boost) System		3H.15. Spring-Applied Air-Released Parking Brake							
3H.4. Hydraulic Assist (Boost) System	/	3H.16. Spring-Applied Hydraulic-Released Parking Brake							
3H.5. Air Assist (Boost) System	/	3H.17. Anti-Lock Brake System (ABS)	_						
3H.6. Air-Over-Hydraulic Brake System	/	3H.18. Stability Control System							
3H.11. Brake System Indicator Lamps	4	3H.19. Brake Performance							
3H.12. Drum Brake System Components	V								

NOTES:

	Section	3A - Air Brakes		
Component	PF	NA Component	PFN	A
3A.1. Air Compressor	1	3A.13. Air System Components	4	-
3A.2. Air Supply System	1	3A.14. Brake Chamber	1	
3A.4. Air Tank	/	3A.15. Drum Brake System Components		
3A.5. Air Tank Check Valves	1	3A.16. S-Cam Drum Brake System	/	
3A.6. Brake Pedal/Actuator	1	3A.17. Brake Shoe Travel (Wedge Brakes)		/
3A.7. Treadle Valve and Trailer Hand Valve	/	3A.18. Disc Brake System Components		/
3A.8. Brake Valves & Controls	1	3A.19. Anti-Lock Brake System (ABS)	4	
3A.9. Proportioning, Inversion or Modulation Valve	1	3A.21. Stability Control System		/
3A.10. Towing Vehicle (Tractor) Protection System	1	3A.23. Brake Performance	/	

	Section	A - Air Brakes		in Day
Component	PF		PF	NA
3A.11. Parking Brake & Emergency Application		NA Computerit		41132
			1	
NOTES:				
	Section	1 4 - Steering		
Component	PF	NA Component	PF	NA
4.1. Steering Control and Linkage		4.4. Kingpin		HERREA
4.2. Power Steering System (Hydraulic and Electric)	1	4.5. Self-Steer and Controlled-Steer Axle		1
4.3. Steering Operation (Active Steer Axle)	V			
NOTES:				
			all the state of t	
		ts and Auxiliary Equipment		
Component	PF	and the state of t		NA
5.1. Fire Extinguisher	1	5.8. Heater & Windshield Defroster		-
5.2. Hazard Warning Kit		5.9. Fuel-Burning Auxiliary Heater		1
5.3. Horn		5.10. Chain/"Headache" Rack		Y
5.5. Speedometer 5.6. Odometer		5.11. Auxiliary Controls and Devices 5.12. Auxiliary Drive Controls		1
5.7. Windshield Wiper/Washer	7	J.12. Addition Drive Controls		† *
Component	PF	on 6 - Lamps NA Component	P	NA
6.1. Required Lamps		6.4. Instrument Panel Lamps		
6.2. Reflex Reflector	4	6.5. Headlamp Aim	-	_
6.3. Retro-Reflective Marking				<u> </u>
NOTES:				
				enereta
Component	Section 7 -	Electrical System NA Component	PF	NΑ
7.1. Wiring		7.3. Trailer Cord (output to towed vehicle)	7	EL TARRE
7.2. Battery	1			
NOTES:				
	Sect	on 8 - Body		
Component	PF	NA Component	PF	N/
8.1. Hood or Engine Enclosure		8.12. Bumper		KO KIKA
8.2. Tilt Cab		✓ 8.13. Windshield	4	
8.3. Air-Suspended Cab	4	8.14. Side Windows	1	
8.4. Cab and Passenger-Vehicle Body	4	8.15. Rear Window	/	_
8.5. Cargo Body		8.16. Interior Sun Visor		
8.6. Frame, Rails & Mounts	<u> </u>	8.17. Exterior Windshield Sun Visor	-	166
8.7. Unitized Body Elements		✓ 8.18. Rear-View Mirror		~
8.8. Cab or Cargo Door		8.19. Seat	1000000	-1
9.0. Cargo Tank or Vessel		/ 8 20 Seat Belt/Occupant Restraint		-

8.9. Cargo Tank or Vessel

8.10. Body, Device or Equipment Attached or Mounted to the

√-8.20. Seat Belt/Occupant Restraint

✓ 8.21. Fender/Mud Flap

isana amin'ny fivondronana amin'ny fivondronana amin'ny fivondronana amin'ny fivondronana amin'ny fivondronana	S	ectio	n 8	- Body		
Component	P	FI	A	Component	PF	NA
Vehicle						
Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			/	8.24. Aerodynamic Device & Attachment		1

NOTES:

Section 9 - Tires and Wheels										
Component	P	F	NA Component	Р	FNA					
9.1. Tire Tread Depth	1	entrace of	9.7. Wheel/Rim (Applies to all wheel types)	1	CANON PLANS					
9.2. Tire Tread Condition	1		9.8. Multi-Piece Wheel/Rim		/					
9.3. Tire Sidewall & Manufacturer Markings	1		9.9. Spoke Wheel/Demountable Rim System		/					
9.4. Tire Inflation Pressure	1		9.10. Disc Wheel System	1						
9.5. Wheel Hub	1		9.11. Wheel Fasteners (Nuts, Bolts and Studs)	1						
9.6. Wheel Bearing	1									

NOTES:

Se Se	ction 10 - 0	Coup	lers and Hitches		
Component	PF	NA	Component	P	F NA
10.1. Hitch Assembly, Structure & Attaching Components	V	NOTE 14 (27)(4	10.5. Roll-Coupling Hitch	Exchange and a	- C
10.2. Secondary Attachment (Safety Chain or Cable)		1	10.6. Automated Coupling Device		1
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch		1	10.7. Fifth Wheel Coupler	1	
10.4. Ball Type Hitch		1	10.8. Oscillating Fifth Wheel Coupler		1

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8065191) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

nance with the vehicle inspection Regulation, Alberta Regulation 211/2006 and the applicable inspection Manual

Date of Inspection Technician Number Facility Number

2025/02/07 B1583

13043

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day) 2025/02/13

Signature

Cuetomer Signature