Ma3-11





#### CERTIFICATE NUMBER

### Commercial Vehicle Inspection Certificate Traffic Safety Act

## PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Typ	e:	Trailer	Seating	у Сара	city:											
GVW:		kg		Brake '			Air									
Owner Name: G & B Fuels Inc.																
Address:	189	9 Cove Road														
City:	Che	stermere	AB	Postal Code: T1X1E5						(1E5						
Telephone	Num	ber: (403) 27	3-511	1												
Vehicle Ide	ation Number:	00230	0													
Make: Advance							el:	Petrole	ım							
Year:	Year: 2007							Unit Number: 235A								
Odometer: KM Licence P					Plate Number: 6UY512				Province:			AB				

### IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

#### **PART 2 - CERTIFICATION**

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	The state of the s	Facility Number:
Tremcar West Inc.		16964
Inspection Technician Name:		Technician Number:
Steven Pohl		C2936
Inspection Technician Signatu	re:	MARK
Inspection Date:	2025/04/09	all f



# COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

	ı vei	IICI	е	-			- 119 3					Gro	ss ve	hicle W		gister	ea	2- E
railer														<del></del>	kg			
		7	ation		т	<del></del> -		<del></del>	T = =	T _ T	<u> </u>	<del>                                     </del>		·			1 -	<del>1 -</del>
IN	2	1	<b>A</b>	E	Α	В	T	Α	H	1	7	R	0	0	0	2	3	C
Unit Number Year Make									Mod	ei	<u></u>	1	Od	ometer	<u></u>			
235A 2007 Advance							Petroleum											
						Regi	stered	Owner'	's Name	+				•		Plate	Number	r
							G&B	Fuels I	nc.							6U	Y512	
						Address								Code			one Nur	
					189	Cove Re	oad						T1X	1E5		(40	3) 273-5	5111
	)rum E	3rak	es:	A-Fu	ili Inspec	tion with D	rum Re	emoved		Disc B	rakes:							
							EFT		FR	ONT		RIGH	<u></u>		)			
<b>(1</b>	00 ps	ìγ	100	psi	,		6.585	in	Drum	s/Rotors		16.5	- )5 in		100	) psi	100 p	
-	<u></u> /32 in	'	15/32	-			5/8	in	in Linings/Pads				1/4 in	in	- '			
		_ <sup>\</sup> -			_		1.5	in	Push F	Rod Travel		1	.5 in		15/3	2 in	15/32 jı	
		~					6.590	in	Drum	Potors		16.5	60 in					_
1 -	00 ps	si	100	-		•	3/4	in Drums/Rotors in Linings/Pads					5/8 in		100	) psi	100 p	si 🗎
12	/32 in	人	9/32	in	-		1.5	in		lod Travel						2 in 🗼	16/32 ir	1 )
											72.07	- 1.1.3					`	
		~ <sub>V</sub>	400		<del>-</del> -	1	6.530	in	Drum	s/Rotors		16.5	30 in		400		100 p	(:-
	100 p			psi '			11/16	in	Linin	gs/Pads			5/8 in			psi		
11	/32 in	<u></u>	11/32	! IN	_=		1.5	in	Push R	od Travel			.5 in		14/32		14/32 ir	
				·	: !			1	D=	s/Rotors			•					
$\int$	p	si		psi	-			in in		gs/Pads			in in			psi 🏻	p:	si
1	in	ı		in	-			in		gs/Faus lod Travel			in			in $\frac{1}{\lambda}$	in	· )
<u>~</u>					<u></u>												·	
		~						in	Drum	s/Rotors			in				<del>,</del>	
1 -	P	si		psi				in	Linin	gs/Pads			in	1	-	psi		si }
	ir 	1 <u> </u>		in				in	Push R	od Travel			in		-	in	in	) -
			,		į					s/Rotors			in			,	,	_
- C	р	si		psi				in in		gs/Pads	=	· · · · · · · · · · · · · · · · · · ·	in			psi	p:	si
· -	i			In	-		· · · ·	. ''' In		gs/r aus Rod Travel			in			in	ir	
			~															
						Brake Linir eel Torque		.eft <u>0</u>	in Inner		0in t lbs_C			in ft lbs				

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

	Secti	on	1 - P	Power Train			
Component	Р	F	NA		P	F	N/
1.2. Exhaust System			<b>✓</b>	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			1
NOTES:					one a make a deaders		
		APF	PENC	DIX "A"			
Component	Р	F	NA	Component	Р	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System A.2. Compressed Natural Gas (CNG) Fuel System				A.3. Liquefied Natural Gas (LNG) Fuel System			<b>✓</b>
NOTES:							
	Secti	ion	2 - S	uspension			
Component	Р	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	1			2.5. Air Suspension	1		
2.2. Axle Attaching & Tracking Components				2.6. Self-Steer & Controlled-Steer Axle			1
2.3. Axle & Axle Assembly	<b>✓</b>		ļ	2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment			<b></b> ✓,	<u> </u>	أحيل		·
Replaced CF, CM & CR airbags.	ction	3H	- Hyd	draulic Brakes			
Component	P	F	NA	Component	Р	F	NA
3H.1. Hydraulic System Components	-		1	3H.10. Electric Brake System	1.77		1
3H.6. Air-Over-Hydraulic Brake System	Ī		1	3H.12. Drum Brake System Components			1
3H.7. Surge Brake Controller		<u> </u>	1	3H.13. Disc Brake System Components			✓
3H.8. Vacuum System		ļ	1	3H.19. Brake Performance			1
3H.9. Air-Boosted Trailer Brake System		<u> </u>			1		1
				<del> </del>	<del>·</del>		
NOTES:	Secti	on	3A -	Air Brakes	· · ·		
NOTES:	Secti				P	F	NA
NOTES:			3A -		P	F	NA
NOTES:  Component				Component	P /	F	NA
Component  3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls				Component 3A.16. S-Cam Drum Brake System	P	F	NA ✓
Component  3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application				Component  3A.16. S-Cam Drum Brake System  3A.17. Brake Shoe Travel (Wedge Brakes)  3A.18. Disc Brake System Components  3A.20. Anti-Lock Brake System (ABS)	P /	F	NA ✓
Component  3A.3. Air System Leakage  3A.4. Air Tank  3A.8. Brake Valves & Controls  3A.12. Parking Brake & Emergency Application  3A.13. Air System Components	P	F		Component  3A.16. S-Cam Drum Brake System  3A.17. Brake Shoe Travel (Wedge Brakes)  3A.18. Disc Brake System Components  3A.20. Anti-Lock Brake System (ABS)  3A.22. Stability Control System (ESC) or (RSS)	P /	F	NA ✓
Component  3A.3. Air System Leakage  3A.4. Air Tank  3A.8. Brake Valves & Controls  3A.12. Parking Brake & Emergency Application  3A.13. Air System Components  3A.14. Brake Chamber		F		Component  3A.16. S-Cam Drum Brake System  3A.17. Brake Shoe Travel (Wedge Brakes)  3A.18. Disc Brake System Components  3A.20. Anti-Lock Brake System (ABS)	P /	F	NA ✓
Component  3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber 3A.15. Drum Brake System Components	P	F		Component  3A.16. S-Cam Drum Brake System  3A.17. Brake Shoe Travel (Wedge Brakes)  3A.18. Disc Brake System Components  3A.20. Anti-Lock Brake System (ABS)  3A.22. Stability Control System (ESC) or (RSS)	P /	F	NA ✓
Component  3A.3. Air System Leakage  3A.4. Air Tank  3A.8. Brake Valves & Controls  3A.12. Parking Brake & Emergency Application  3A.13. Air System Components  3A.14. Brake Chamber	P	F	NA	Component  3A.16. S-Cam Drum Brake System  3A.17. Brake Shoe Travel (Wedge Brakes)  3A.18. Disc Brake System Components  3A.20. Anti-Lock Brake System (ABS)  3A.22. Stability Control System (ESC) or (RSS)  3A.23. Brake Performance	P	F	NA ✓
Component  3A.3. Air System Leakage  3A.4. Air Tank  3A.8. Brake Valves & Controls  3A.12. Parking Brake & Emergency Application  3A.13. Air System Components  3A.14. Brake Chamber  3A.15. Drum Brake System Components	P  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓	F	NA all c	Component  3A.16. S-Cam Drum Brake System  3A.17. Brake Shoe Travel (Wedge Brakes)  3A.18. Disc Brake System Components  3A.20. Anti-Lock Brake System (ABS)  3A.22. Stability Control System (ESC) or (RSS)  3A.23. Brake Performance	P	F	NA ✓
Component  3A.3. Air System Leakage  3A.4. Air Tank  3A.8. Brake Valves & Controls  3A.12. Parking Brake & Emergency Application  3A.13. Air System Components  3A.14. Brake Chamber  3A.15. Drum Brake System Components	P  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓  ✓	F	NA all c	Component  3A.16. S-Cam Drum Brake System  3A.17. Brake Shoe Travel (Wedge Brakes)  3A.18. Disc Brake System Components  3A.20. Anti-Lock Brake System (ABS)  3A.22. Stability Control System (ESC) or (RSS)  3A.23. Brake Performance	P		NA V

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 -	Instru	ime	nts a	nd Auxiliary Equipment			
Component	P	F	NA.	Component	P	F	NA
5.1. Fire Extinguisher		-					
NOTES:			-				
	S			- Lamps	Ę.,		
Component	P	F	NA	Component	Р	F	NA
6.1. Required Lamps	_ <	_		6.3. Retro-Reflective Marking	<b>✓</b>	-	<u> </u>
6.2. Reflex Reflector						I	<u> </u>
NOTES:							
s	ection	n 7	- Elec	trical System	· · · · · · · · · · · · · · · · · · ·		
Component	P	F	NA	Component	Р	F	NA
7.1. Wiring		1		7.3. Trailer Cord (output to towed vehicle)	1		
7.2. Battery			1				
NOTES:							
	5	Sec	tion 8	- Body			-
Component	P	F	NA	Component	Р	F	NA
8.5. Cargo Body	<b>/</b>			8.11. Refrigeration/Heater Unit Fuel System			1
8.6. Frame Rails & Mounts		•		8.21. Fender/Mud Flap	<b>✓</b>		<u> </u>
8.7. Unitized Body Elements				8.22, Landing Gear on Trailer			
8.8. Cab or Cargo Door			√.	8.23. Sliding Axle Assembly (Sliding Bogie)		•	1
8.9. Cargo Tank or Vessel	~		-	8.24. Aerodynamic Device & Attachment		<u> </u>	<b>✓</b>
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle		<u>.</u>		8.25. Rear Impact Guard (RIG)			
NOTES:							
S				s and Wheels			1515
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth				9.7. Wheel/Rim	<b>✓</b>	<u> </u>	<del>                                     </del>
9.2. Tire Tread Condition				9.8. Multi-Piece Wheel/Rim	- 1	•	1
				0.0 0 - 1 - 14/h - 1/D 1-1 - D' 0 1			1
9.3. Tire Sidewall & Manufacturer Markings	- <del>'</del>			9.9. Spoke Wheel/Demountable Rim System		-	
9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure	\ \ \ \			9.10, Disc Wheel System			1
9.3. Tire Sidewall & Manufacturer Markings	\ \ \ \ \				<b>/</b>		
9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure 9.5. Wheel Hub 9.6. Wheel Bearing	\ \ \ \ \			9.10, Disc Wheel System	~		
9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure 9.5. Wheel Hub	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			9.10, Disc Wheel System	~		
9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure 9.5. Wheel Hub 9.6. Wheel Bearing  NOTES:		!	Coup	9.10, Disc Wheel System	~		
9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure 9.5. Wheel Hub 9.6. Wheel Bearing  NOTES:		0 - (	Coup	9.10. Disc Wheel System 9.11. Wheel Fasteners (Nuts, Bolts,& Studs)	Y	F	
9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure 9.5. Wheel Hub 9.6. Wheel Bearing  NOTES:	tion 1	0 - (	NA	9.10. Disc Wheel System 9.11. Wheel Fasteners (Nuts, Bolts,& Studs)	P	F	
9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure 9.5. Wheel Hub 9.6. Wheel Bearing  NOTES:  Sec	tion 1	0 - (	NA	9.10. Disc Wheel System 9.11. Wheel Fasteners (Nuts, Boits,& Studs)  lers and Hitches  Component	P	F	
9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure 9.5. Wheel Hub 9.6. Wheel Bearing  NOTES:  Component  10.1. Hitch Assembly, Structure & Attaching Components 10.2. Secondary Attachment (Safety Chain or Cable) 10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	tion 1	0 - (	NA ✓	9.10. Disc Wheel System 9.11. Wheel Fasteners (Nuts, Boits,& Studs)  lers and Hitches  Component  10.6. Automated Coupling Device 10.7. Fifth Wheel Coupler 10.8. Oscillating Fifth Wheel Coupler	P	F	
9.3. Tire Sidewall & Manufacturer Markings 9.4. Tire Inflation Pressure 9.5. Wheel Hub 9.6. Wheel Bearing  NOTES:  Sec  Component  10.1. Hitch Assembly, Structure & Attaching Components 10.2. Secondary Attachment (Safety Chain or Cable)	tion 1	0 - (	NA ✓	9.10. Disc Wheel System 9.11. Wheel Fasteners (Nuts, Bolts,& Studs)  lers and Hitches  Component  10.6. Automated Coupling Device 10.7. Fifth Wheel Coupler	P	F	NA ✓

### COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

NOTES:			
Certification  The Vehicle for which this Record o	of Inspection is issued has PASSED	(Certificate #8328088) the insp	ection and I certify it has been inspected in
accordance with the Vehicle Inspec	tion Regulation, Alberta Regulation 2	11/2006 and the applicable Inspec	ction Manual.
Date of Inspection 2025/04/09	Technician Number C2936	Facility Number 16964	Signatura
Customer Acknowledgment			1979

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2025/04/09

Customer Signature