



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Typ	oe:	Trailer		Seating	g Capaci	ty:						
GVW: kg				Brake	Туре:	Elec	Electric					
Owner Nan	ie:	RM BUILDII	NG SOLU									
Address: 305 - 10403 172 ST. NW												
City:	EDI	MONTON	Province:	AB		Postal Code:	T5S	1K9				
Telephone	Num	ber: (780) 212-212	21								
Vehicle Ide	ntific	ation Numbe	r:	2DAHC72	2DAHC7214ET015432							
Make:	Double A			IV	odel: HB248							
Year:	2014			Unit Number: 33-024								
Odometer: 0 KM Liceno				ence Plate Nu	ımber:	6KR470	Provinc	e:	AB			

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:		Facility Number:
Nexar Equipment Ltd.		20845
Inspection Technician Nam	e:	Technician Number:
Glenn Sutton		A7774
Inspection Technician Sign	ature:	Exerting
Inspection Date:	2025/03/24	



The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Trailer														kg			
/ehicl	e Info	rmati	on		indicate.		N. J. S.	er syr.		style i joy			¥ 14-10	district.			
/IN	2	D	Α	Н	C	7	2	1	4	E	T	0	1	5	4	3	2
Unit	Numb	er		Year		J	Mal	ke	<u> </u>		Mod	el		<u> </u>	Odo	meter	<u> </u>
33	3-024			2014			Doubl	e A			HB:	248				0	
					Re	gistered	Owner	's Name	•					+	Plate	Number	
						UILDING										R470	
					Address					T		Postal	Code			one Nur	nhar
			30	5 - 104			NW					T5S)) 212 - 2	
																<u> </u>	
ı	Drum B	rakes:	A-F	ull inspec	tion with	Drum Re	moved		Disc B	rakes:							
						LEFT		FF	RONT		RIGH	 Т		7			
	100 psi	V-	00 psi	↓ ┌		312.2	mm		s/Rotors		312	-	n				
-	5 mn		5 mm			10	mm	Linin	gs/Pads			10 mi	n	-	2 psi		si
<u>_</u>		人_		1 [_		N/A	mm	Push l	Rod Travel		P	VA mi	n		7 mm	6 n	nm
	100 ps	Y 1	00 psi	1 [312.2	mm	Drum	s/Rotors		31:	2.2 mi	n	10	0 psi	400)
-	8 mi	- 1	8 mm			10	mm	Linin	gs/Pads			10 mi	n	┥	8 mm	100 p	ı
<u>_</u>		<u> </u>		1 L		N/A	mm	Push I	Rod Travel			VA mr	n	<u> </u>		8 m	
	ps	\mathbf{Y}	psi	- ا ا			mm		ıs/Rotor s			mı	ı		psi	D	si
-	·	-	— mm	-			mm		ngs/Pads			mı	i	┨ ─	mm		ım
<u>_</u>	=_	<u> </u>		1 L-			mm	Pusn I	Rod Travel			mı	n)
				_													
	ps	iY	psi	Y -			mm		ns/Rotors			mr			psi	p:	Bi)
	m	m∫ _	mm				mm		ngs/Pads Rod Travel			''''		7 _	mm	m	m
				<u> </u>)
_		_] _		·	mm	Drum	s/Rotors			mr	<u> </u>				_
-	ps	si	psi	-			mm		ngs/Pads			mr	- 1	┥_	_ psi Y	p	si)
\ _	m	"人 -	mm	_ا ا			mm	Push f	Rod Travel			mr	n		_ mm	m	ım
		\sim		1 <u> </u>			mm	Drum	s/Rotors			mı	n	-			
-	ps	-	psi mm	-			mm	Linir	ngs/Pads			m	n		- psi mm	ps	
Ć.		¨人_		1 L			mm	Push	Rod Trave			mı	n				m
				Park	Brake Lir	ning L	.eft N/	A mm	Rightf	l/A m	m Trans	N/A	mm				
				Wh	eel Torq	_		Inner	• —	filbs C			— ''''' ft ibs				

	Sect	ion	1 - F	Power Train			
Component	P	F	NA	Component	P	F	NA
1.2. Exhaust System			1	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			1
NOTES:		Va de		The order of the country of the coun			
		API	PEND	DIX "A"			
Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System A.2. Compressed Natural Gas (CNG) Fuel System			1	A.3. Liquefied Natural Gas (LNG) Fuel System	P	Г	/
NOTES:				There Year Mains	519	lei U	
selativi emit	Sect	ion	2 - S	suspension			
Component	Р	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	1	-	1	2.5. Air Suspension			1
2.2. Axle Attaching & Tracking Components	1			2.6. Self-Steer & Controlled-Steer Axle			1
2.3. Axle & Axle Assembly	/			2.7. Shock Absorber/Strut Assembly			1
2.4. Spring & Spring Attachment	1			E.T. GHOOK ADSOIDENGER ASSEMBLY			~
7.1519			po.	1286			
Si	ection	зн	- Hy	draulic Brakes			
Component	ection	1	-		P	F	NA
Component		3H F	NA	Component	P	F	NA
		1	NA ✓	Component 3H.10. Electric Brake System	P	F	NA
Component 3H.1. Hydraulic System Components		1	NA	Component 3H.10. Electric Brake System 3H.12. Drum Brake System Components	2000	F	NA
Component 3H.1. Hydraulic System Components 3H.6. Air-Over-Hydraulic Brake System		1	NA ✓	Component 3H.10. Electric Brake System	2000	F	NA
Component 3H.1. Hydraulic System Components 3H.6. Air-Over-Hydraulic Brake System 3H.7. Surge Brake Controller		1	NA ✓	Component 3H.10. Electric Brake System 3H.12. Drum Brake System Components 3H.13. Disc Brake System Components	2000	F	NA
Component 3H.1. Hydraulic System Components 3H.6. Air-Over-Hydraulic Brake System 3H.7. Surge Brake Controller 3H.8. Vacuum System	P	F	NA ✓ ✓ ✓ ✓	Component 3H.10. Electric Brake System 3H.12. Drum Brake System Components 3H.13. Disc Brake System Components 3H.19. Brake Performance	2000	F	NA V
Component 3H.1. Hydraulic System Components 3H.6. Air-Over-Hydraulic Brake System 3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Brake Shoes on front axle Replaced	Sect	ion	NA V V V A SA-	Component 3H.10. Electric Brake System 3H.12. Drum Brake System Components 3H.13. Disc Brake System Components 3H.19. Brake Performance	2000	F	/
Component 3H.1. Hydraulic System Components 3H.6. Air-Over-Hydraulic Brake System 3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Brake Shoes on front axle Replaced Left rear axle shoe Replaced Component	P	F	NA Y Y A NA	Component 3H.10. Electric Brake System 3H.12. Drum Brake System Components 3H.13. Disc Brake System Components 3H.19. Brake Performance Air Brakes Component	2000	F	√ NA
Component 3H.1. Hydraulic System Components 3H.6. Air-Over-Hydraulic Brake System 3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Brake Shoes on front axle Replaced Left rear axle shoe Replaced Component 3A.3. Air System Leakage	Sect	ion	NA V V V A SA-	Component 3H.10. Electric Brake System 3H.12. Drum Brake System Components 3H.13. Disc Brake System Components 3H.19. Brake Performance Air Brakes Component 3A.16. S-Cam Drum Brake System	\ \ \ \ \		✓ NA
Component 3H.1. Hydraulic System Components 3H.6. Air-Over-Hydraulic Brake System 3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Brake Shoes on front axle Replaced Left rear axle shoe Replaced Component 3A.3. Air System Leakage 3A.4. Air Tank	Sect	ion	NA V V V V V V V V V V V V V	Component 3H.10. Electric Brake System 3H.12. Drum Brake System Components 3H.13. Disc Brake System Components 3H.19. Brake Performance Air Brakes Component 3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes)	\ \ \ \ \		NA V
Component 3H.1. Hydraulic System Components 3H.6. Air-Over-Hydraulic Brake System 3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Brake Shoes on front axle Replaced Left rear axle shoe Replaced Component 3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls	Sect	ion	NA V V V V V V V V V	Component 3H.10. Electric Brake System 3H.12. Drum Brake System Components 3H.13. Disc Brake System Components 3H.19. Brake Performance Air Brakes Component 3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components	\ \ \ \ \		NA V
Component 3H.1. Hydraulic System Components 3H.6. Air-Over-Hydraulic Brake System 3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Brake Shoes on front axle Replaced Left rear axle shoe Replaced Component 3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application	Sect	ion	NA V V V V V V V V V V V V V	Component 3H.10. Electric Brake System 3H.12. Drum Brake System Components 3H.13. Disc Brake System Components 3H.19. Brake Performance Air Brakes Component 3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS)	\ \ \ \ \		NA V
Component 3H.1. Hydraulic System Components 3H.6. Air-Over-Hydraulic Brake System 3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Brake Shoes on front axle Replaced Left rear axle shoe Replaced Component 3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components	Sect	ion	NA V V V V V V V V V	Component 3H.10. Electric Brake System 3H.12. Drum Brake System Components 3H.13. Disc Brake System Components 3H.19. Brake Performance Air Brakes Component 3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS)	\ \ \ \ \		NA V
Component 3H.1. Hydraulic System Components 3H.6. Air-Over-Hydraulic Brake System 3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Brake Shoes on front axle Replaced Left rear axle shoe Replaced Component 3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber	Sect	ion	NA V V V V V V V V	Component 3H.10. Electric Brake System 3H.12. Drum Brake System Components 3H.13. Disc Brake System Components 3H.19. Brake Performance Air Brakes Component 3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS)	\ \ \ \ \		NA V
Component 3H.1. Hydraulic System Components 3H.6. Air-Over-Hydraulic Brake System 3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Brake Shoes on front axle Replaced Left rear axle shoe Replaced Component 3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components	Sect	ion	NA V V V V V V V V	Component 3H.10. Electric Brake System 3H.12. Drum Brake System Components 3H.13. Disc Brake System Components 3H.19. Brake Performance Air Brakes Component 3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS)	\ \ \ \ \		NA V
Component 3H.1. Hydraulic System Components 3H.6. Air-Over-Hydraulic Brake System 3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Brake Shoes on front axle Replaced Left rear axle shoe Replaced Component 3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber 3A.15. Drum Brake System Components	Sect	ion	NA	Component 3H.10. Electric Brake System 3H.12. Drum Brake System Components 3H.13. Disc Brake System Components 3H.19. Brake Performance Air Brakes Component 3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS) 3A.23. Brake Performance	\ \ \ \ \		NA V
Component 3H.1. Hydraulic System Components 3H.6. Air-Over-Hydraulic Brake System 3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Brake Shoes on front axle Replaced Left rear axle shoe Replaced Component 3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber 3A.15. Drum Brake System Components	Sect	ion	NA	Component 3H.10. Electric Brake System 3H.12. Drum Brake System Components 3H.13. Disc Brake System Components 3H.19. Brake Performance Air Brakes Component 3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.22. Stability Control System (ESC) or (RSS)	\ \ \ \ \		NA V
Component 3H.1. Hydraulic System Components 3H.6. Air-Over-Hydraulic Brake System 3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Brake Shoes on front axle Replaced Left rear axle shoe Replaced Component 3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber 3A.15. Drum Brake System Components NOTES:	Sect	ion	NA	Component 3H.10. Electric Brake System 3H.12. Drum Brake System Components 3H.13. Disc Brake System Components 3H.19. Brake Performance Air Brakes Component 3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.23. Brake Performance Steering	\ \ \ \ \	F	NAA / / / / / / / / / / / / / / / / / /
Component 3H.1. Hydraulic System Components 3H.6. Air-Over-Hydraulic Brake System 3H.7. Surge Brake Controller 3H.8. Vacuum System 3H.9. Air-Boosted Trailer Brake System NOTES: Brake Shoes on front axle Replaced Left rear axle shoe Replaced Component 3A.3. Air System Leakage 3A.4. Air Tank 3A.8. Brake Valves & Controls 3A.12. Parking Brake & Emergency Application 3A.13. Air System Components 3A.14. Brake Chamber 3A.15. Drum Brake System Components NOTES:	Sect P	ion	NA	Component 3H.10. Electric Brake System 3H.12. Drum Brake System Components 3H.13. Disc Brake System Components 3H.19. Brake Performance Air Brakes Component 3A.16. S-Cam Drum Brake System 3A.17. Brake Shoe Travel (Wedge Brakes) 3A.18. Disc Brake System Components 3A.20. Anti-Lock Brake System (ABS) 3A.23. Brake Performance Steering	P	F	NA V

Section 5 -	Instru	me	nts a	nd Auxiliary Equipment			
Component	Р	F	NA	Component	P	F	N/
5.1. Fire Extinguisher	2000	No.	1			1	1000
NOTES:						isti e	
21(8) (d.100 (32) (1016) 1 (15) (20) (10)	Se	ecti	on 6	- Lamps			
Component	P	F	NA	Component	Р	F	N/
6.1. Required Lamps	1	100.50	1000	6.3. Retro-Reflective Marking	1	10.55	1000
6.2. Reflex Reflector	1			S.S. Notio-Nonbouve Warking	4		
NOTES: Repaired marker and signal lights Replaced reflective marking tape							
S	ection	17-	- Elec	trical System	100		
Component	P	F	NA	Component	P	F	N/
7.1. Wiring	1			7.3. Trailer Cord (output to towed vehicle)	1		
7.2. Battery	1						
trailer cord end Replaced	S	ect	ion 8	- Body			
Component	P	F	NA	Component	P	F	N/
8.5. Cargo Body			1	8.11. Refrigeration/Heater Unit Fuel System			1
8.6. Frame Rails & Mounts	1			8.21. Fender/Mud Flap	1		
8.7. Unitized Body Elements	/			8.22. Landing Gear on Trailer	1		
8.8. Cab or Cargo Door			1	8.23. Sliding Axle Assembly (Sliding Bogie)			1
8.9. Cargo Tank or Vessel			1	8.24. Aerodynamic Device & Attachment			1
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle			1	8.25. Rear Impact Guard (RIG)	1		
NOTES:	ection	. 0 .	- Tiro	s and Wheels			
		-			12	-	N
Component	P	F	NA	Component	P	F	147
9.1. Tire Tread Depth 9.2. Tire Tread Condition	1	-	+	9.7. Wheel/Rim 9.8. Multi-Piece Wheel/Rim	-	-	
9.3. Tire Sidewall & Manufacturer Markings	1	-		9.9. Spoke Wheel/Demountable Rim System			1
9.4. Tire Inflation Pressure	1		1	9.10. Disc Wheel System			1
9.5. Wheel Hub	1			9.11. Wheel Fasteners (Nuts, Bolts,& Studs)	1		4
9.6. Wheel Bearing	1			erri vinos r aciones o (riaio, pono, a otado)			+
NOTES: Replaced leaking axle seals							
Sec	tion 10) - (Coupl	ers and Hitches			
Component	P	F	NA	Component	P	F	N
10.1. Hitch Assembly, Structure & Attaching Components	1			10.6. Automated Coupling Device			1
10.2. Secondary Attachment (Safety Chain or Cable)	1			10.7. Fifth Wheel Coupler			1
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	1			10.8. Oscillating Fifth Wheel Coupler	1100	CR	1
10.4. Ball Type Hitch			1	10.9. Ball-Bearing Type Turntable on Trailer			1
10.5 Roll-Counling Hitch		1	/				

10.5. Roll-Coupling Hitch

NOTES:			
Certification			
		(Certificate #8196863) the inspection 211/2006 and the applicable Inspection	on and I certify it has been inspected in Manual.
Date of Inspection 2025/03/24	Technician Number A7774	Facility Number 20845	Alman A.
Customer Acknowledgment			
and this Record of Inspection (RO the initial inspection and only the	n identifies defects and repairs are re I) may be presented to any Vehicle In failed items noted on this ROI are rec	nspection Facility within 10 days of quired to be re-inspected. If the	Date (Year/Month/Day) 2025/03/24
vehicle is not returned for re-insponues to conducted.	ection within 10 days of the initial dat	te of inspection, a new inspection	Customer Signature