

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

| Type of | Veh           | icle     |             |  |                 |                |                 |         |            | :            | Gro      | ss Veh       | icle We | ight re     | gistere                                      | d                     |     |
|---------|---------------|----------|-------------|--|-----------------|----------------|-----------------|---------|------------|--------------|----------|--------------|---------|-------------|--|-----------------------|-----|
| Trailer |               |          |             |  |                 |                |                 |         |            |              |          |              |         | kg          |  |                       |     |
| Vehicle |               |          |             |  |                 |                |                 |         |            |              |          |              |         |             | 1  |                       |     |
| \IN     | 1             | U        | N           | S  | T               | 4              | 5               | 1       | 2          | E            | S        | 1            | 3       | 2           | 3  | 2                     | 5   |
| Unit N  | lumb          | er       |             | Year   | _               | <u></u>        | Mai             | (e      |            |              | Mod      |              | •       |             | Odo  | meter                 |     |
| F       | Т3            |          |             | 2014   |                 |                | Drage           | on      |            |              | 500f     | imt          |         |             |  |                       |     |
|         |               | •        |             |  | Re              | gistered       | Owner           | 's Name |            |              |          |              |         |             | Plate  | Number                | •   |
|         |               |          |             |  |                 | Domini         | on Leas         | sing    |            |              |          |              |         |             | 6HL  | .926                  |     |
|         |               |          |             |  | Address         |                |                 |         |            |              |          | Postal       |         |             | 1  | one Nun               |     |
|         |               |          |             | 232029   | Range           | Road 28        | 83              |         |            |              |          | T1X(         | K7      |             | (587<br>                                     | 7) 998-7              | 291 |
| Dr      | rum B         | rakes:   | A-Fı        | ıll Inspec                                       | ction with      | Drum Re        | moved           |         | Disc E     | rakes:       |          |              | -       |             |  |                       |     |
|         |               |          |             |  |                 | LEFT           |                 | FR      | RONT       |              | RIGH     | <u> </u>     |         | )           |  |                       |     |
| 9       | 90 psi        | $\gamma$ | 90 psi      | \  |                 | 16.52          | in              |         | s/Rotors   |              | 16.      |              |         | g           | 0 psi  | 100 p                 | si  |
| 18/3    | <br>32 in     | 16/      | 32 in       | <del>                                     </del> |                 | 25/32<br>1 5/8 | in<br>i         |         | gs/Pads    |              | 25/      | 32 in 5/8 in |         | ┥ —         | 2 in   | 17/32 ir              | ,   |
|         |               |          |             | ] L=   |                 | 1 3/6          | in              | Pusn F  | Rod Travel |              |          |              |         |             |  |                       | )   |
|         |               | <u> </u> |             | ∫ ┌  |                 |                | in              | Drum    | s/Rotors   |              |          | in           | $\neg$  |             |  |                       | _   |
| -       | _ psi<br>in   | '  -     | _ psi       | <u> </u>   | in Linings/Pads |                |                 |         |            | _            |          | in in        | · -     | 1 _         | psi T  | p                     | si  |
|         |               | 人_       | in          | 1 L  |                 |                | in              | Push F  | Rod Travel |              |          | in           |         |             | <u>in</u>                                    | in                    | ソ   |
| _       |               |          |             |  | ···-            | -              | in              | Drum    | s/Rotors   |              |          | in           |         | _           |  |                       |     |
|         | _ ps          | '  -     | _ psi       | <del></del>                                      |                 |                | in              |         | gs/Pads    |              |          | -            | -       | _ psi<br>in | P  | si )                  |     |
|         | in            | 人_       |             | 1 L  |                 |                | in              | Push R  | lod Travel |              |          | in           |         |             | <del>-</del> "\                              |                       | ノ   |
|         |               | ·/       |             |  |                 |                | in              | Drum    | s/Rotors   |              |          | in           |         | _           |  |                       |     |
| -       | ps<br>—<br>in | "  -     | — psi<br>in | H.   |                 |                | in              | Linin   | gs/Pads    |              |          | in           |         | ┨ —         | psi /<br>in                                  | ps                    |     |
|         |               | 人_       |             | 1 L  | :               |                | in              | Push F  | Rod Travel |              | -        | in           |         |             | - <u>"</u> "人                                |                       | )   |
| _       |               | $\sim$   |             | <b> </b>   |                 | _              | in              | Drum    | s/Rotors   |              |          | in           |         | _           |  |                       |     |
| -       | ps<br>in      | -        | — psi<br>in | H-   |                 |                | in Linings/Pads |         |            |              |          | in           | -       | ┨ —         | _ psi<br>in                                  | p:                    |     |
|         |               | 人_       |             | 1 L  |                 |                | in              | Push R  | lod Travel |              | <u></u>  | in           |         |             | - <u></u> -\                                 |                       | ノ   |
|         |               | $\gamma$ |             | <b> </b>   |                 |                | in              | Drum    | s/Rotors   |              |          | in           |         | _           | psi  | ps                    |     |
| -       | ps<br>in      | - 1      | psi<br>in   | <del></del>                                      |                 |                | in              |         | gs/Pads    | -            | -        | in           |         |             | - in   | — <sup>ps</sup><br>ir |     |
|         |               | 人_       |             | 1 L  |                 |                | in              | Push F  | Rod Trave  |              | <u> </u> | in           |         |             | <u>-                                    </u> |                       | ノ   |
|         |               |          |             | Park   | Brake Lir       | ning L         | eft <u>na</u>   |         | Right      | <u>na</u> in | Trans    | na           | in .    |             |  |                       |     |
|         |               |          |             | Wh   | neel Torqu      | ue Check       | ed 🗸            | Inner_  | 500        | t lbs C      | Outer    | 500 1        | ft lbs  | J           |  |                       |     |

### COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

| ComponentPFNAComponentP1.2. Exhaust System✓1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE | Section 1 - Power Train |           |  |   |   |    |  |         |   | 2.1 |          |
|---|-------------------------|-----------|--|---|---|----|--|---------|---|-----|----------|
|   |                         | Component |  | P | F | NA |  | :<br>-5 | P | F   | NA       |
|   | 1.2. Exhaust System     |           |  |   |   | 1  | 1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * S APPENDIX A* | EE      |   |     | <b>✓</b> |

### NOTES:

| APPENDIX "A"  |   |   |          |  |   |   |          |  |  |
|---|---|---|----------|--|---|---|----------|--|--|
| Component   | P | F | NA       | Component                                    | P | F | NA       |  |  |
| A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System |   |   | <b>✓</b> | A.3. Liquefied Natural Gas (LNG) Fuel System |   |   | <u> </u> |  |  |
| A.2. Compressed Natural Gas (CNG) Fuel System             |   |   | 1        |  |   |   |          |  |  |

#### NOTES:

| Section 2 - Suspension                    |  |          |   |    |   |          |   |          |  |
|---|--|----------|---|----|---|----------|---|----------|--|
| Component                                 |  | P        | F | NA | Component                               | P        | F | NA       |  |
| 2.1. Suspension & Frame Attachments       |  | >        |   |    | 2.5. Air Suspension                     |          |   | <b>V</b> |  |
| 2.2. Axle Attaching & Tracking Components |  | >        |   |    | 2.6. Self-Steer & Controlled-Steer Axle |          |   | <b>/</b> |  |
| 2.3. Axle & Axle Assembly                 |  | 1        |   |    | 2.7. Shock Absorber/Strut Assembly      | <b>✓</b> |   |          |  |
| 2.4. Spring & Spring Attachment           |  | <b>/</b> |   |    |   |          |   |          |  |

### NOTES:

|  | Section 3 | H-1 | Hýc      | Iraulic Brakes                      | عيرين |   | ا<br>سندوع |
|--|-----------|-----|----------|-------------------------------------|-------|---|------------|
| Component                              | P         | F   | NA       | Component                           | P     | F | NA         |
| 3H.1. Hydraulic System Components      |           |     | <u> </u> | 3H.10. Electric Brake System        |       |   | <b>✓</b>   |
| 3H.6. Air-Over-Hydraulic Brake System  |           |     | <u> </u> | 3H.12, Drum Brake System Components |       |   | ✓          |
| 3H.7. Surge Brake Controller           |           |     | /        | 3H.13. Disc Brake System Components |       |   | <b>✓</b>   |
| 3H.8. Vacuum System                    |           |     | 1        | 3H.19. Brake Performance            |       |   | ✓          |
| 3H.9. Air-Boosted Trailer Brake System |           |     | /        |                                     |       |   |            |

#### NOTES:

| Section 3A - Air Brakes                      |          |   |    |  |          |   |          |  |
|--|----------|---|----|--|----------|---|----------|--|
| Component                                    | P        | F | NA | Component                                      | P        | F | NA       |  |
| 3A.3. Air System Leakage                     | <b>/</b> |   |    | 3A.16. S-Cam Drum Brake System                 | <b>✓</b> |   |          |  |
| 3A.4. Air Tank                               |          |   |    | 3A.17. Brake Shoe Travel (Wedge Brakes)        | <b></b>  |   |          |  |
| 3A.8. Brake Valves & Controls                | <b>/</b> |   |    | 3A.18. Disc Brake System Components            |          |   | <b>✓</b> |  |
| 3A.12. Parking Brake & Emergency Application | 1        |   |    | 3A.20. Anti-Lock Brake System (ABS)            | <b>✓</b> |   |          |  |
| 3A.13. Air System Components                 | 1        |   |    | 3A.22. Stability Control System (ESC) or (RSS) |          |   | 1        |  |
| 3A.14. Brake Chamber                         | 1        |   |    | 3A.23. Brake Performance                       | <b>√</b> |   | <u> </u> |  |
| 3A.15. Drum Brake System Components          | 1        |   |    |  |          |   |          |  |

#### NOTES:

AIR LEAKS AT REAR AIR TANK Grease unit before exiting the shop

|                         |           | Sec      | tioi | n 4 - | Steering                                |   |   |                |
|-------------------------|-----------|----------|------|-------|---|---|---|----------------|
|                         | Component | Р        | F    | NA    | Component                               | P | F | NA             |
| 4.1. Steering Control & | Linkage   |          |      | 1     | 4.5. Self Steer & Controlled-Steer Axle |   | • | $\overline{Z}$ |
| 4.4. Kingpin            |           | <b>\</b> |      |       |   |   |   |                |

#### NOTES:

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

| Component 5.1. Fire Extinguisher  | T =      |      | Lauri er   |   | T=       | - | MA       |
|---|----------|------|------------|---|----------|---|----------|
| 5.1. Fire Extinguisher  | P        | F    | NA         | Component   | P        | F | NA       |
|   |          |      | <b>/</b>   |   |          |   | <u> </u> |
| NOTES:  |          |      |            |   |          |   |          |
|   | Se       | ctic | n 6        | - Lamps   |          |   |          |
| Component   | Р        | F    | NA         | Component   | Р        | F | NA       |
| 6.1. Required Lamps   | <b>-</b> |      |            | 6.3. Retro-Reflective Marking   | 1        |   |          |
| 6.2. Reflex Reflector   | ✓        | L,   |            |   | <u> </u> |   | <u></u>  |
| NOTES:  |          |      |            |   |          |   |          |
|   | Section  | 7 -  | Elec       | trical System   |          |   |          |
| Component   | P        | F    | NA         | Component   | P        | F | NA       |
| 7.1. Wiring   |          |      |            | 7.3. Trailer Cord (output to towed vehicle)                                       | $\bot$   |   | 1        |
| 7.2. Battery  |          |      | <b>✓</b>   |   |          |   | <u> </u> |
| Component   | S<br>P   |      | on 8<br>NA | - Body Component  | Р        | F | NA       |
| 8.5. Cargo Body   |          | -    | IAV        | 8.11. Refrigeration/Heater Unit Fuel System                                       | F        | _ |          |
| 8.6. Frame Rails & Mounts   | Ž        | 一    | 1          | 8.21. Fender/Mud Flap   | 1./      | 7 | <b> </b> |
| 8.7. Unitized Body Elements   | <b>\</b> |      |            | 8.22. Landing Gear on Trailer   |          |   | <b>/</b> |
| 8.8. Cab or Cargo Door  |          |      | 1          | 8.23. Sliding Axle Assembly (Sliding Bogie)                                       |          |   | <b>V</b> |
| 8.9. Cargo Tank or Vessel   | <u> </u> |      | <u> </u>   | 8.24. Aerodynamic Device & Attachment   |          |   | ✓        |
| 8.10. Body, Device or Equipment Attached or Mounted to the Vehicle                                      | 1        |      |            | 8.25. Rear Impact Guard (RIG)   | <b>\</b> |   |          |
| NOTES.  |          |      |            |   |          |   |          |
|   | Section  |      |            | s and Wheels  |          |   |          |
| Component   | Section  |      | Tire       | Component   | P        | F | NA       |
| Component  9.1. Tire Tread Depth  | P        |      |            | Component  9.7. Wheel/Rim   | P        | F |          |
| Component  9.1. Tire Tread Depth  9.2. Tire Tread Condition   |          |      |            | 9.7. Wheel/Rim 9.8. Multi-Piece Wheel/Rim   | P        | F | 1        |
| Component  9.1. Tire Tread Depth  9.2. Tire Tread Condition  9.3. Tire Sidewall & Manufacturer Markings | P        |      |            | 9.7. Wheel/Rim 9.8. Multi-Piece Wheel/Rim 9.9. Spoke Wheel/Demountable Rim System | P        | F | NA<br>✓  |
| Component  9.1. Tire Tread Depth  9.2. Tire Tread Condition   | P        |      |            | 9.7. Wheel/Rim 9.8. Multi-Piece Wheel/Rim   | P        | F | 1        |

# COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

| NOTES:  |   |   |  |
|---|---|---|--|
| Certification   |   |   |  |
|   | of Inspection is issued has PASSED<br>tion Regulation, Alberta Regulation 2   |   |  |
| Date of Inspection<br>2025/08/26                                      | Technician Number<br>D3583  | Facility Number<br>20597  | Signature  |
| Customer Acknowledgment   |   |   |  |
| and this Record of Inspection (RO the initial inspection and only the | n identifies defects and repairs are re<br>II) may be presented to any Vehicle In<br>failed items noted on this ROI are rec<br>ection within 10 days of the initial dat | nspection Facility within 10 days of<br>quired to be re-inspected. If the | Date (Year/Month/Day)  2015 8 - 27  Customer Signature |