



**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

F69-1

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

| | | | |
|--------------------------------|----------------------------|-----------------------|--------------|
| Vehicle Type: | Trailer | Seating Capacity: | |
| GVW: | kg | Brake Type: | Air |
| Owner Name: | Mammoet Canada Western LTD | | |
| Address: | 12920 33 ST NE | | |
| City: | Edmonton | Province: | AB |
| | | Postal Code: | T6S1H6 |
| Telephone Number: | (780) 449-0552 | | |
| Vehicle Identification Number: | 2DEHBFZ3871021091 | | |
| Make: | Deopker | Model: | Super B Lead |
| Year: | 2007 | Unit Number: | 201085 |
| Odometer: | KM | Licence Plate Number: | W27289 |
| | | Province: | AB |

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

| | |
|----------------------------------|--------------------|
| Inspection Facility Name: | Facility Number: |
| Mammoet Canada Western Ltd. | 15529 |
| Inspection Technician Name: | Technician Number: |
| Matthew Culley | D2687 |
| Inspection Technician Signature: | |
| Inspection Date: | 2026/01/07 |



COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

| | | | | | | | | | | | | | | | | | |
|--|---|---|---------------------|---|---|------------------------|---|---|------------------------------|---|---|--|---|---|---|---|---|
| Type of Vehicle | | | | | | | | | | | | Gross Vehicle Weight registered | | | | | |
| Trailer | | | | | | | | | | | | kg | | | | | |
| Vehicle Information | | | | | | | | | | | | | | | | | |
| VIN | 2 | D | E | H | B | F | Z | 3 | 8 | 7 | 1 | 0 | 2 | 1 | 0 | 9 | 1 |
| Unit Number 201085 | | | Year 2007 | | | Make Deopker | | | Model Super B Lead | | | Odometer | | | | | |
| Registered Owner's Name Mammoet Canada Western LTD | | | | | | | | | | | | Plate Number W27289 | | | | | |
| Address 12920 33 ST NE | | | | | | | | | Postal Code T6S1H6 | | | Phone Number (780) 449-0552 | | | | | |

| | |
|--|---------------------|
| Drum Brakes: B-Wheel-on Full Inspection | Disc Brakes: |
|--|---------------------|

| | | LEFT | FRONT | RIGHT | | |
|---------|---------|--------|-----------------|--------|---------|---------|
| 100 psi | 100 psi | 419 mm | Drums/Rotors | 419 mm | 100 psi | 100 psi |
| 10 mm | 9 mm | 17 mm | Linings/Pads | 17 mm | 6 mm | 7 mm |
| | | 42 mm | Push Rod Travel | 42 mm | | |
| 100 psi | 100 psi | 419 mm | Drums/Rotors | 419 mm | 100 psi | 100 psi |
| 6 mm | 6 mm | 17 mm | Linings/Pads | 17 mm | 10 mm | 13 mm |
| | | 42 mm | Push Rod Travel | 42 mm | | |
| 100 psi | 100 psi | 419 mm | Drums/Rotors | 419 mm | 100 psi | 100 psi |
| 6 mm | 6 mm | 17 mm | Linings/Pads | 17 mm | 9 mm | 9 mm |
| | | 42 mm | Push Rod Travel | 42 mm | | |
| __ psi | __ psi | __ mm | Drums/Rotors | __ mm | __ psi | __ psi |
| __ mm | __ mm | __ mm | Linings/Pads | __ mm | __ mm | __ mm |
| | | __ mm | Push Rod Travel | __ mm | | |
| __ psi | __ psi | __ mm | Drums/Rotors | __ mm | __ psi | __ psi |
| __ mm | __ mm | __ mm | Linings/Pads | __ mm | __ mm | __ mm |
| | | __ mm | Push Rod Travel | __ mm | | |
| __ psi | __ psi | __ mm | Drums/Rotors | __ mm | __ psi | __ psi |
| __ mm | __ mm | __ mm | Linings/Pads | __ mm | __ mm | __ mm |
| | | __ mm | Push Rod Travel | __ mm | | |

Park Brake Lining Left n/a mm Right n/a mm Trans n/a mm
 Wheel Torque Checked Inner n/a ft lbs Outer 450 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

| Section 1 - Power Train | | | | | | | | | |
|-------------------------|---|---|----|--|---|---|----|--|--|
| Component | P | F | NA | Component | P | F | NA | | |
| 1.2. Exhaust System | | | ✓ | 1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A* | | | ✓ | | |

NOTES:

| APPENDIX "A" | | | | | | | | | |
|---|---|---|----|--|---|---|----|--|--|
| Component | P | F | NA | Component | P | F | NA | | |
| A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System | | | ✓ | A.3. Liquefied Natural Gas (LNG) Fuel System | | | ✓ | | |
| A.2. Compressed Natural Gas (CNG) Fuel System | | | ✓ | | | | | | |

NOTES:

| Section 2 - Suspension | | | | | | | | | |
|---|---|---|----|---|---|---|----|--|--|
| Component | P | F | NA | Component | P | F | NA | | |
| 2.1. Suspension & Frame Attachments | ✓ | | | 2.5. Air Suspension | ✓ | | | | |
| 2.2. Axle Attaching & Tracking Components | ✓ | | | 2.6. Self-Steer & Controlled-Steer Axle | | | ✓ | | |
| 2.3. Axle & Axle Assembly | ✓ | | | 2.7. Shock Absorber/Strut Assembly | ✓ | | | | |
| 2.4. Spring & Spring Attachment | | | ✓ | | | | | | |

NOTES:

| Section 3H - Hydraulic Brakes | | | | | | | | | |
|--|---|---|----|-------------------------------------|---|---|----|--|--|
| Component | P | F | NA | Component | P | F | NA | | |
| 3H.1. Hydraulic System Components | | | ✓ | 3H.10. Electric Brake System | | | ✓ | | |
| 3H.6. Air-Over-Hydraulic Brake System | | | ✓ | 3H.12. Drum Brake System Components | | | ✓ | | |
| 3H.7. Surge Brake Controller | | | ✓ | 3H.13. Disc Brake System Components | | | ✓ | | |
| 3H.8. Vacuum System | | | ✓ | 3H.19. Brake Performance | | | ✓ | | |
| 3H.9. Air-Boosted Trailer Brake System | | | ✓ | | | | | | |

NOTES:

| Section 3A - Air Brakes | | | | | | | | | |
|--|---|---|----|--|---|---|----|--|--|
| Component | P | F | NA | Component | P | F | NA | | |
| 3A.3. Air System Leakage | ✓ | | | 3A.16. S-Cam Drum Brake System | ✓ | | | | |
| 3A.4. Air Tank | ✓ | | | 3A.17. Brake Shoe Travel (Wedge Brakes) | ✓ | | | | |
| 3A.12. Parking Brake & Emergency Application | ✓ | | | 3A.18. Disc Brake System Components | | | ✓ | | |
| 3A.13. Air System Components | ✓ | | | 3A.20. Anti-Lock Brake System (ABS) | ✓ | | | | |
| 3A.8. Brake Valves & Controls | ✓ | | | 3A.22. Stability Control System (ESC) or (RSS) | | | ✓ | | |
| 3A.14. Brake Chamber | ✓ | | | 3A.23. Brake Performance | ✓ | | | | |
| 3A.15. Drum Brake System Components | ✓ | | | | | | | | |

NOTES:

3A.13: glad hands mounted to air lines that connect to the pup need to be replaced. replace both glad hands at rear of trailer

| Section 4 - Steering | | | | | | | | | |
|---------------------------------|---|---|----|---|---|---|----|--|--|
| Component | P | F | NA | Component | P | F | NA | | |
| 4.1. Steering Control & Linkage | | | ✓ | 4.5. Self Steer & Controlled-Steer Axle | | | ✓ | | |
| 4.4. Kingpin | ✓ | | | | | | | | |

NOTES:

COMMERCIAL VEHICLE RECORD OF INSPECTION TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 5 - Instruments and Auxillary Equipment

| Component | P | F | NA | Component | P | F | NA |
|------------------------|---|---|----|-----------|---|---|----|
| 5.1. Fire Extinguisher | | | ✓ | | | | |

NOTES:

Section 6 - Lamps

| Component | P | F | NA | Component | P | F | NA |
|-----------------------|---|---|----|-------------------------------|---|---|----|
| 6.1. Required Lamps | ✓ | | | 6.3. Retro-Reflective Marking | ✓ | | |
| 6.2. Reflex Reflector | | | ✓ | | | | |

NOTES:

Section 7 - Electrical System

| Component | P | F | NA | Component | P | F | NA |
|--------------|---|---|----|---|---|---|----|
| 7.1. Wiring | ✓ | | | 7.3. Trailer Cord (output to towed vehicle) | ✓ | | |
| 7.2. Battery | | | ✓ | | | | |

NOTES:

Section 8 - Body

| Component | P | F | NA | Component | P | F | NA |
|--|---|---|----|---|---|---|----|
| 8.5. Cargo Body | ✓ | | | 8.11. Refrigeration/Heater Unit Fuel System | | | ✓ |
| 8.6. Frame Rails & Mounts | ✓ | | | 8.21. Fender/Mud Flap | ✓ | | |
| 8.7. Unfitized Body Elements | | | ✓ | 8.22. Landing Gear on Trailer | ✓ | | |
| 8.8. Cab or Cargo Door | | | ✓ | 8.23. Sliding Axle Assembly (Sliding Bogie) | | | ✓ |
| 8.9. Cargo Tank or Vessel | | | ✓ | 8.24. Aerodynamic Device & Attachment | | | ✓ |
| 8.10. Body, Device or Equipment Attached or Mounted to the Vehicle | | | ✓ | 8.25. Rear Impact Guard (RIG) | ✓ | | |

NOTES:

8.22: one cross member that supports the landing gear assy. is broken and needs to be replaced. remove cracked support, build new and install.

Section 9 - Tires and Wheels

| Component | P | F | NA | Component | P | F | NA |
|--|---|---|----|--|---|---|----|
| 9.1. Tire Tread Depth | ✓ | | | 9.7. Wheel/Rim | ✓ | | |
| 9.2. Tire Tread Condition | ✓ | | | 9.8. Multi-Piece Wheel/Rim | | | ✓ |
| 9.3. Tire Sidewall & Manufacturer Markings | ✓ | | | 9.9. Spoke Wheel/Demountable Rim System | | | ✓ |
| 9.4. Tire Inflation Pressure | ✓ | | | 9.10. Disc Wheel System | ✓ | | |
| 9.5. Wheel Hub | ✓ | | | 9.11. Wheel Fasteners (Nuts, Bolts, & Studs) | ✓ | | |
| 9.6. Wheel Bearing | ✓ | | | | | | |

NOTES:

Section 10 - Couplers and Hitches

| Component | P | F | NA | Component | P | F | NA |
|--|---|---|----|--|---|---|----|
| 10.1. Hitch Assembly, Structure & Attaching Components | ✓ | | | 10.6. Automated Coupling Device | | | ✓ |
| 10.2. Secondary Attachment (Safety Chain or Cable) | | | ✓ | 10.7. Fifth Wheel Coupler | ✓ | | |
| 10.3. Pintle Hook, Pin Hitch, or Coupler Hitch | | | ✓ | 10.8. Oscillating Fifth Wheel Coupler | | | ✓ |
| 10.4. Ball Type Hitch | | | ✓ | 10.9. Ball-Bearing Type Turntable on Trailer | | | ✓ |
| 10.5. Roll-Coupling Hitch | | | ✓ | | | | |

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED (Certificate #8501114)** the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

| Date of Inspection | Technician Number | Facility Number | Signature |
|--------------------|-------------------|-----------------|---|
| 2026/01/07 | D2687 | 15529 |  |

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

| |
|---|
| Date (Year/Month/Day) 2026/01/07 |
| Customer Signature  |