

032-3

**Alberta** Government

CV8562317



80087900008562317

CERTIFICATE NUMBER

**Commercial Vehicle Inspection Certificate  
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE  
IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	39500 kg	Brake Type:	Air
Owner Name:	Westana Asset Management		
Address:	12112 67 NW		
City:	Edmonton	Province:	AB
		Postal Code:	T5B1M7
Telephone Number:	(780) 707-0400		
Vehicle Identification Number:	5KJJBHDR0HLHZ2205		
Make:	Western Star	Model:	Conventional
Year:	2017	Unit Number:	99795
Odometer:	1446307 KM	Licence Plate Number:	A74732
		Province:	AB

**IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE**

**PART 2 - CERTIFICATION**

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
223786 Alberta Ltd.	21514
Inspection Technician Name:	Technician Number:
John Pointer	B8013
Inspection Technician Signature:	
Inspection Date:	2025/11/13

Version No:1



## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

<b>Type of Vehicle</b>										<b>Gross Vehicle Weight registered</b>									
Truck										39500 kg									
<b>Vehicle Information</b>																			
VIN		5	K	J	J	B	H	D	R	0	H	L	H	Z	2	2	0	5	
Unit Number 99795				Year 2017				Make Western Star				Model Conventional				Odometer 1,446,307			
Registered Owner's Name Westana Asset Management														Plate Number A74732					
Address 12112 67 NW										Postal Code T5B1M7					Phone Number (780) 707-0400				

Drum Brakes:

Disc Brakes: D-Full Inspection Wheel Removed

		LEFT		FRONT		RIGHT			
105 psi 18/32 in		1.67 in	Drums/Rotors	1.68 in		1.68 in		105 psi 18/32 in	
		3/8 in	Linings/Pads	11/16 in		11/16 in			
		n/a in	Push Rod Travel	n/a in		n/a in			
105 psi 6/32 in	105 psi 3/32 in	1.66 in	Drums/Rotors	1.66 in		1.66 in		105 psi 5/32 in	105 psi 7/32 in
		5/16 in	Linings/Pads	3/8 in		3/8 in			
		n/a in	Push Rod Travel	n/a in		n/a in			
105 psi 4/32 in	105 psi 8/32 in	1.68 in	Drums/Rotors	1.68 in		1.68 in		105 psi 7/32 in	105 psi 7/32 in
		11/16 in	Linings/Pads	3/8 in		3/8 in			
		n/a in	Push Rod Travel	n/a in		n/a in			
psi in	psi in	in	Drums/Rotors	in		in		psi in	psi in
		in	Linings/Pads	in		in			
		in	Push Rod Travel	in		in			
psi in	psi in	in	Drums/Rotors	in		in		psi in	psi in
		in	Linings/Pads	in		in			
		in	Push Rod Travel	in		in			
psi in	psi in	in	Drums/Rotors	in		in		psi in	psi in
		in	Linings/Pads	in		in			
		in	Push Rod Travel	in		in			
Park Brake Lining Left n/a in Right n/a in Trans n/a in									
Wheel Torque Checked <input checked="" type="checkbox"/> Inner n/a ft lbs Outer 480 ft lbs									

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓			
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓	
1.5. Clutch and Clutch Pedal			✓	1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓	
1.7. Engine/Shut Down	✓							

NOTES:

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

NOTES:

Replaced damaged air bag.

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓	
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓	
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓	
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓	
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓	
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓	
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓	
3H.12. Drum Brake System Components			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components			✓	
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System			✓	
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓	
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components	✓			
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓			
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓	
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance			✓	

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.11. Parking Brake & Emergency Application	✓							

**NOTES:**

Replaced failed brake chamber.  
replaced all rear brake pad hardware kits.

Section 4 - Steering								
Component	P	F	NA	Component	P	F	NA	
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓			
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle			✓	
4.3. Steering Operation (Active Steer Axle)	✓							

**NOTES:**

Section 5 - Instruments and Auxiliary Equipment								
Component	P	F	NA	Component	P	F	NA	
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓			
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓	
5.3. Horn	✓			5.10. Chain/"Headache" Rack			✓	
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices			✓	
5.6. Odometer	✓			5.12. Auxiliary Drive Controls			✓	
5.7. Windshield Wiper/Washer	✓							

**NOTES:**

Section 6 - Lamps								
Component	P	F	NA	Component	P	F	NA	
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓			
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓			
6.3. Retro-Reflective Marking	✓							

**NOTES:**

Replaced clearance lamps on external sun visor.  
Replaced both head lamp assemblies.  
Replaced both front signal lamp assemblies.

Section 7 - Electrical System								
Component	P	F	NA	Component	P	F	NA	
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓			
7.2. Battery	✓							

**NOTES:**

Replaced batteries.

Section 8 - Body								
Component	P	F	NA	Component	P	F	NA	
8.1. Hood or Engine Enclosure	✓			8.13. Windshield	✓			
8.2. Tilt Cab			✓	8.9. Cargo Tank or Vessel			✓	
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓			
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window			✓	
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓			
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.17. Exterior Windshield Sun Visor	✓			
8.6. Frame, Rails & Mounts	✓			8.18. Rear-View Mirror	✓			
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary)			✓	8.19. Seat	✓			

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
Power Unit (APU)				8.20. Seat Belt/Occupant Restraint	✓		
8.7. Unitized Body Elements	✓			8.21. Fender/Mud Flap	✓		
8.12. Bumper	✓			8.24. Aerodynamic Device & Attachment	✓		
8.8. Cab or Cargo Door	✓						

**NOTES:**

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System	✓		
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

**NOTES:**


1st axle replaced both tires.  
Filled all rear tires back to proper pressures.

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device	✓		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓		
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

**NOTES:**

Replaced fifth wheel pivot pins and bushings.

**Certification**  
The Vehicle for which this Record of Inspection is Issued has **PASSED** (Certificate #8562317) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection <b>2025/11/13</b>	Technician Number <b>B8013</b>	Facility Number <b>21514</b>	Signature 
<b>Customer Acknowledgment</b> I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.			Date (Year/Month/Day) <b>2025/11/13</b>
			Customer Signature