



CERTIFICATE NUMBER

**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

**PART 1 - VEHICLE OWNER AND VEHICLE
IDENTIFICATION**

Vehicle Type:	Truck	Seating Capacity:	
GVW:	63500 kg	Brake Type:	Air
Owner Name:	brothers hdd		
Address:	2002 23 ave		
City:	wainwright	Province:	AB
		Postal Code:	T9W0B8
Telephone Number:	(780) 214-7711		
Vehicle Identification Number:	1XKDP4EX9ER967885		
Make:	Kenworth	Model:	Construct
Year:	2014	Unit Number:	806
Odometer:	467033 KM	Licence Plate Number:	CNM6344
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Brothers HDD Inc.	Facility Number:	20182
Inspection Technician Name:	Luke Jacobsen	Technician Number:	D2901
Inspection Technician Signature:			
Inspection Date:	2026/08/04		

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRUCK AND TRUCK-TRACTOR**

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle										Gross Vehicle Weight registered											
Truck										63500 kg											
Vehicle Information																					
VIN	1	X	K	D	P	4	E	X	9	E	R	9	6	7	8	8	5				
Unit Number 806				Year 2014				Make Kenworth				Model Construct				Odometer 467,033					
Registered Owner's Name brothers hdd																Plate Number CNM6344					
Address 2002 23 ave										Postal Code T9W0B8						Phone Number (780) 214-7711					

Drum Brakes: C-Limited Inspection	Disc Brakes:
--	---------------------

		<u>LEFT</u>		<u>FRONT</u>		<u>RIGHT</u>				
100 psi 15 mm		n/a	mm	Drums/Rotors		n/a	mm	100 psi 15 mm		
		17	mm	Linings/Pads		17	mm			
		31	mm	Push Rod Travel		31	mm			
100 psi 14 mm	100 psi 15 mm		n/a	mm	Drums/Rotors		n/a	mm	100 psi 17 mm	100 psi 16 mm
			15	mm	Linings/Pads		18	mm		
			31	mm	Push Rod Travel		31	mm		
100 psi 18 mm	100 psi 17 mm		n/a	mm	Drums/Rotors		n/a	mm	100 psi 18 mm	100 psi 19 mm
			16	mm	Linings/Pads		20	mm		
			31	mm	Push Rod Travel		31	mm		
100 psi 22 mm	100 psi 22 mm		n/a	mm	Drums/Rotors		n/a	mm	100 psi 22 mm	100 psi 23 mm
			20	mm	Linings/Pads		20	mm		
			31	mm	Push Rod Travel		31	mm		
psi mm	psi mm		mm		Drums/Rotors		mm	psi mm	psi mm	
			mm		Linings/Pads		mm			
			mm		Push Rod Travel		mm			
psi mm	psi mm		mm		Drums/Rotors		mm	psi mm	psi mm	
			mm		Linings/Pads		mm			
			mm		Push Rod Travel		mm			

Park Brake Lining Left n/a mm Right n/a mm Trans n/a mm

Wheel Torque Checked ☒ Inner n/a ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓		
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓		
1.3. Emission Control Systems and Devices	✓			1.10. Engine or Accessory Drive Belt	✓		
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓		
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓
1.7. Engine/Shut Down	✓						

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓
A.2. Compressed Natural Gas (CNG) Fuel System			✓				

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓		
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle	✓		
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓		
2.4. Spring & Spring Attachment	✓						

NOTES:

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓
3H.12. Drum Brake System Components			✓				

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor	✓			3A.13. Air System Components	✓		
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓		
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓		
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓		
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System	✓		
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.11. Parking Brake & Emergency Application	✓							

NOTES:

Section 4 - Steering								
Component	P	F	NA	Component	P	F	NA	
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓			
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓			
4.3. Steering Operation (Active Steer Axle)	✓							

NOTES:

Section 5 - Instruments and Auxiliary Equipment								
Component	P	F	NA	Component	P	F	NA	
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓			
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater	✓			
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓			
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓			
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓			
5.7. Windshield Wiper/Washer	✓							

NOTES:

Section 6 - Lamps								
Component	P	F	NA	Component	P	F	NA	
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓			
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓			
6.3. Retro-Reflective Marking	✓							

NOTES:

Section 7 - Electrical System								
Component	P	F	NA	Component	P	F	NA	
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓			
7.2. Battery	✓							

NOTES:

Section 8 - Body								
Component	P	F	NA	Component	P	F	NA	
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓			
8.2. Tilt Cab			✓	8.13. Windshield	✓			
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓			
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓			
8.5. Cargo Body			✓	8.16. Interior Sun Visor	✓			
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓			
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓			
8.8. Cab or Cargo Door	✓			8.19. Seat	✓			
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓			
8.10. Body, Device or Equipment Attached or Mounted to the			✓	8.21. Fender/Mud Flap	✓			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
Vehicle						
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment		✓

NOTES:

Section 9 - Tires and Wheels						
Component	P	F	NA	Component	P	F NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓	
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim		✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System		✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System		✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓	
9.6. Wheel Bearing	✓					

NOTES:

Section 10 - Couplers and Hitches						
Component	P	F	NA	Component	P	F NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch		✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device		✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓	
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler		✓

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has **PASSED** (Certificate #8700797) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2026/08/04	D2901	20182	

Customer Acknowledgment	
I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.	Date (Year/Month/Day) 2026/08/04
	Customer Signature



COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle		Gross Vehicle Weight registered																																																																																																							
Vehicle Information																																																																																																									
VIN	1 X K D P 4 E X 9 E R 9 6 7 8 8 5																																																																																																								
Unit Number	Year	Make	Model																																																																																																						
806																																																																																																									
Registered Owner's Name			Odometer																																																																																																						
Brothers HDD			467033																																																																																																						
Address		Postal Code	Phone Number																																																																																																						
Drum Brakes: C Limited		Disc Brakes:																																																																																																							
<table border="1"><thead><tr><th colspan="2">LEFT</th><th colspan="2">FRONT</th><th colspan="2">RIGHT</th></tr></thead><tbody><tr><td>120 psi</td><td>15 mm</td><td>17 mm</td><td>Drums/Rotors</td><td>17 mm</td><td>120 psi</td></tr><tr><td></td><td></td><td></td><td>Linings/Pads</td><td></td><td>15 mm</td></tr><tr><td></td><td></td><td></td><td>Push Rod Travel</td><td></td><td></td></tr><tr><td>120 psi</td><td>14 mm</td><td>15 mm</td><td>15 mm</td><td>Drums/Rotors</td><td>18 mm</td></tr><tr><td></td><td></td><td></td><td></td><td>Linings/Pads</td><td>16 mm</td></tr><tr><td></td><td></td><td></td><td></td><td>Push Rod Travel</td><td></td></tr><tr><td>120 psi</td><td>18 mm</td><td>17 mm</td><td>16 mm</td><td>Drums/Rotors</td><td>20 mm</td></tr><tr><td></td><td></td><td></td><td></td><td>Linings/Pads</td><td>19 mm</td></tr><tr><td></td><td></td><td></td><td></td><td>Push Rod Travel</td><td></td></tr><tr><td>120 psi</td><td>22 mm</td><td>22 mm</td><td>20 mm</td><td>Drums/Rotors</td><td>20 mm</td></tr><tr><td></td><td></td><td></td><td></td><td>Linings/Pads</td><td>23 mm</td></tr><tr><td></td><td></td><td></td><td></td><td>Push Rod Travel</td><td></td></tr><tr><td>psi</td><td>mm</td><td>psi</td><td>mm</td><td>psi</td><td>mm</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>psi</td><td>mm</td><td>psi</td><td>mm</td><td>psi</td><td>mm</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table>				LEFT		FRONT		RIGHT		120 psi	15 mm	17 mm	Drums/Rotors	17 mm	120 psi				Linings/Pads		15 mm				Push Rod Travel			120 psi	14 mm	15 mm	15 mm	Drums/Rotors	18 mm					Linings/Pads	16 mm					Push Rod Travel		120 psi	18 mm	17 mm	16 mm	Drums/Rotors	20 mm					Linings/Pads	19 mm					Push Rod Travel		120 psi	22 mm	22 mm	20 mm	Drums/Rotors	20 mm					Linings/Pads	23 mm					Push Rod Travel		psi	mm	psi	mm	psi	mm							psi	mm	psi	mm	psi	mm						
LEFT		FRONT		RIGHT																																																																																																					
120 psi	15 mm	17 mm	Drums/Rotors	17 mm	120 psi																																																																																																				
			Linings/Pads		15 mm																																																																																																				
			Push Rod Travel																																																																																																						
120 psi	14 mm	15 mm	15 mm	Drums/Rotors	18 mm																																																																																																				
				Linings/Pads	16 mm																																																																																																				
				Push Rod Travel																																																																																																					
120 psi	18 mm	17 mm	16 mm	Drums/Rotors	20 mm																																																																																																				
				Linings/Pads	19 mm																																																																																																				
				Push Rod Travel																																																																																																					
120 psi	22 mm	22 mm	20 mm	Drums/Rotors	20 mm																																																																																																				
				Linings/Pads	23 mm																																																																																																				
				Push Rod Travel																																																																																																					
psi	mm	psi	mm	psi	mm																																																																																																				
psi	mm	psi	mm	psi	mm																																																																																																				
Park Brake Lining Left mm Right mm Trans mm																																																																																																									
Wheel Torque Checked ☒ Inner ft lbs Outer 500 ft lbs																																																																																																									

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train

Component	P	F	NA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator				1.8. Engine Start Safety Feature			
1.2. Exhaust System				1.9. Gear Position Indicator			
1.3. Emission Control Systems and Devices				1.10. Engine or Accessory Drive Belt			
1.4. Drive Shaft				1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			
1.5. Clutch and Clutch Pedal				1.12. Gasoline or Diesel Fuel System			
1.6. Engine/Transmission Mount				1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG)			
1.7. Engine/Shut Down				* SEE APPENDIX A*			

NOTES:

APPENDIX "A"

Component	P	F	NA	Component	P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System				A.3. Liquefied Natural Gas (LNG) Fuel System			
A.2. Compressed Natural Gas (CNG) Fuel System							

NOTES:

Section 2 - Suspension

Component	P	F	NA	Component	P	F	NA
2.1. Suspension & Frame Attachments				2.5. Air Suspension			
2.2. Axle Attaching & Tracking Components				2.6. Self-Steer and Controlled-Steer Axle			
2.3. Axle & Axle Assembly				2.7. Shock Absorber/Strut Assembly			
2.4. Spring & Spring Attachment							

NOTES: Air bag leaking

Section 3H - Hydraulic Brakes

Component	P	F	NA	Component	P	F	NA
3H.1. Hydraulic System Components				3H.13. Disc Brake System Components			
3H.2. Brake Pedal/Actuator				3H.14. Mechanical Parking Brake			
3H.3. Vacuum Assist (Boost) System				3H.15. Spring-Applied Air-Released Parking Brake			
3H.4. Hydraulic Assist (Boost) System				3H.16. Spring-Applied Hydraulic-Released Parking Brake			
3H.5. Air Assist (Boost) System				3H.17. Anti-Lock Brake System (ABS)			
3H.6. Air-Over-Hydraulic Brake System				3H.18. Stability Control System			
3H.11. Brake System Indicator Lamps				3H.19. Brake Performance			
3H.12. Drum Brake System Components							

NOTES:

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.1. Air Compressor				3A.13. Air System Components			
3A.2. Air Supply System				3A.14. Brake Chamber			
3A.4. Air Tank				3A.15. Drum Brake System Components			
3A.5. Air Tank Check Valves				3A.16. S-Cam Drum Brake System			
3A.6. Brake Pedal/Actuator				3A.17. Brake Shoe Travel (Wedge Brakes)			
3A.7. Treadle Valve and Trailer Hand Valve				3A.18. Disc Brake System Components			
3A.8. Brake Valves & Controls				3A.19. Anti-Lock Brake System (ABS)			
3A.9. Proportioning, Inversion or Modulation Valve				3A.21. Stability Control System			
3A.10. Towing Vehicle (Tractor) Protection System				3A.23. Brake Performance			

806

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes

Component	P	F	NA	Component	P	F	NA
3A.11. Parking Brake & Emergency Application							

NOTES:

Section 4 - Steering

Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage				4.4. Kingpin			
4.2. Power Steering System (Hydraulic and Electric)				4.5. Self-Steer and Controlled-Steer Axle			
4.3. Steering Operation (Active Steer Axle)							

NOTES:

Section 5 - Instruments and Auxiliary Equipment

Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher				5.8. Heater & Windshield Defroster			
5.2. Hazard Warning Kit				5.9. Fuel-Burning Auxiliary Heater			
5.3. Horn				5.10. Chain/"Headache" Rack			
5.5. Speedometer				5.11. Auxiliary Controls and Devices			
5.6. Odometer				5.12. Auxiliary Drive Controls			
5.7. Windshield Wiper/Washer							

NOTES:

Section 6 - Lamps

Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps				6.4. Instrument Panel Lamps			
6.2. Reflex Reflector				6.5. Headlamp Aim			
6.3. Retro-Reflective Marking							

NOTES:

Section 7 - Electrical System

Component	P	F	NA	Component	P	F	NA
7.1. Wiring				7.3. Trailer Cord (output to towed vehicle)			
7.2. Battery							

NOTES:

Section 8 - Body

Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure				8.12. Bumper			
8.2. Tilt Cab				8.13. Windshield			
8.3. Air-Suspended Cab				8.14. Side Windows			
8.4. Cab and Passenger-Vehicle Body				8.15. Rear Window			
8.5. Cargo Body				8.16. Interior Sun Visor			
i. Frame, Rails & Mounts				8.17. Exterior Windshield Sun Visor			
8.7. Unitized Body Elements				8.18. Rear-View Mirror			
8.8. Cab or Cargo Door				8.19. Seat			
8.9. Cargo Tank or Vessel				8.20. Seat Belt/Occupant Restraint			
8.10. Body, Device or Equipment Attached or Mounted to the				8.21. Fender/Mud Flap			

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
Vehicle							
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))				8.24. Aerodynamic Device & Attachment			

NOTES:

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth				9.7. Wheel/Rim (Applies to all wheel types)			
9.2. Tire Tread Condition				9.8. Multi-Piece Wheel/Rim			
9.3. Tire Sidewall & Manufacturer Markings				9.9. Spoke Wheel/Demountable Rim System			
9.4. Tire Inflation Pressure				9.10. Disc Wheel System			
9.5. Wheel Hub				9.11. Wheel Fasteners (Nuts, Bolts and Studs)			
9.6. Wheel Bearing							

NOTES:

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components				10.5. Roll-Coupling Hitch			
10.2. Secondary Attachment (Safety Chain or Cable)				10.6. Automated Coupling Device			
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch				10.7. Fifth Wheel Coupler			
10.4. Ball Type Hitch				10.8. Oscillating Fifth Wheel Coupler			

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has _____ the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
--------------------	-------------------	-----------------	-----------

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

Customer Signature